



SAFETY DATA SHEET

Section 1: Identification of the hazardous chemical and of the supplier

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***	
Product identifier	G0Y96Series	
Other means of identification		
Synonyms	HP FB794 Black Scitex Ink Cartridge	
Recommended use of the chemical and restrictions on use		
Recommended use	Inkjet printing	
Recommended restrictions	None known.	
Details of principal suppliers	HP Towers, Block B, Level 5 Bukit Damansara, 50490 Kuala Lumpur	
Telephone	(603) 2332 3333	
HP Inc. health effects line		
(Toll-free within the US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care Line		
(Toll-free within the US)	1-800-474-6836	
(Direct)	1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	

Section 2: Hazard identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
	Reproductive toxicity	Category 1B
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Hazardous to the aquatic environment, long-term hazard	Category 2

Label elements



Signal word	Danger
Hazard statement	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May damage fertility or the unborn child. May cause respiratory irritation. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Wear protective gloves/protective clothing/eye protection/face protection. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.

Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical attention/advice. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash before reuse. Collect spillage.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards which do not result in classification	Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation. Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans).
Supplemental information	None.

Section 3: Composition and information of the ingredients of the hazardous chemical

Mixtures

Hazardous components			
Chemical name	Common name and synonyms	CAS number	%
2-phenoxyethyl acrylate		Proprietary	<30
N-vinylcaprolactam		Proprietary	<25
Carboxylic Acids, Esters		Proprietary	<15
Difunctional acrylic monomer		Proprietary	<10
Acrylate ester 5		Proprietary	<5
Alkyl Acrylate Ester		Proprietary	<5
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide		Proprietary	<5
2,6-di-tert-butyl-.alpha.-dimethylamino-p-cresol		88-27-7	<1
Benzophenone		119-61-9	<1
Butylhydroxytoluene		128-37-0	<1
Aluminum, Tris(N-hydroxy-N-nitrosobenzenamino-O,O')-		15305-07-4	<0.1
Non-hazardous components			
Chemical name	Common name and synonyms	CAS number	%
Black Pigment		Proprietary	<2.5

Composition comments Carbon black is present only in a bound form in this preparation.

Section 4: First-aid measures

Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.
Most important symptoms/effects, acute and delayed	Not available.
Indication of immediate medical attention and special treatment needed	Not available.

Section 5: Fire-fighting measures

Suitable extinguishing media	Dry powder. Carbon dioxide (CO2). Water may be ineffective.
Unsuitable extinguishing media	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Not applicable.

Special protective equipment and precautions for firefighters	Not available.
Fire fighting equipment/instructions	Avoid runoff into storm sewers and ditches which lead to waterways.
HAZCHEM code	None.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
Methods and materials for containment and cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Section 7: Handling and storage

Precautions for safe handling	Avoid contact with skin, eyes and clothing.
Conditions for safe storage, including any incompatibilities	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

Section 8: Exposure controls and personal protection

Occupational exposure limits

Malaysia. OELs. (Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations)

Components	Type	Value
Black Pigment	TWA	3.5 mg/m ³
Butylhydroxytoluene (CAS 128-37-0)	TWA	10 mg/m ³

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Black Pigment	TWA	3 mg/m ³	Inhalable fraction.
Butylhydroxytoluene (CAS 128-37-0)	TWA	2 mg/m ³	Inhalable fraction and vapor.

Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	Exposure limits have not been established for this product.
Appropriate engineering controls	Not available.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
Thermal hazards	Not available.

General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.
---------------------------------------	--

Section 9: Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Color	Black.
Odor	Characteristic.
Odor threshold	Not available.
pH	7.4 - 7.8 Metler Toledo pH Meter. Temperature 25°C

Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 199.9 °F (> 93.3 °C) Calculated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	9.3 - 10.6 cP Brookfield Viscometer Temperature 50°C
Other information	
Chemical family	Acrylate/Polymer/Pigment Blend
VOC	0.2 g/L Calculated

Section 10: Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Hazardous polymerization can occur with decreased inhibitor content.
Conditions to avoid	Exposure to sunlight.
Incompatible materials	Incompatible with strong bases and oxidizing agents. alkaline metals
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Section 11: Toxicological information

Information on likely routes of exposure

Inhalation	Inhalation may result in mild irritation to the respiratory system.
Skin contact	Causes skin irritation. May cause sensitization by skin contact.
Eye contact	Causes serious eye irritation.
Ingestion	Ingestion is not a likely route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components	Species	Test Results
Black Pigment		
Acute		
Oral		
LD50	Rat	> 10000 mg/kg
N-vinylcaprolactam		
Acute		
Dermal		
LD50	Rabbit	1700 mg/kg

Components	Species	Test Results
Inhalation		
LC50	Rat	> 1.6 mg/l
Oral		
LD50	Rat	1114 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Based on available data, the classification criteria are not met.	
Skin sensitization	May cause sensitization by skin contact.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Benzophenone (CAS 119-61-9)	2B Possibly carcinogenic to humans.	
Butylhydroxytoluene (CAS 128-37-0)	3 Not classifiable as to carcinogenicity to humans.	
Reproductive toxicity	Suspected of damaging the unborn child.	
Specific target organ toxicity - single exposure	May cause irritation to the respiratory system.	
Specific target organ toxicity - repeated exposure	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
Further information	Complete toxicity data are not available for this specific formulation	

Section 12: Ecological information

Aquatic toxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.

Ecotoxicity

Components	Species	Test Results
2-phenoxyethyl acrylate		
<i>Acute</i>		
	EC10	Desmodesmus subcapitatus
	EC50	Desmodesmus subcapitatus
	LC50	Leuciscus idus
	NOEC	Desmodesmus subcapitatus
		0.71 mg/l, 72 h (DIN 38412 L9)
		4.44 mg/l, 72 h (DIN 38412 L9)
		10 mg/l, 96 h (DIN 38 412)
		0.71 mg/l, 72 h (DIN 38412 L9)
Aquatic		
<i>Acute</i>		
Crustacea	EC50	Daphnia magna
		1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C)
Difunctional acrylic monomer		
<i>Acute</i>		
	EC10	Pseudokirchneriella subcapitata
	EC50	Pseudokirchneriella subcapitata
		2.3 mg/l, 72 h (OECD 201)
		11 mg/l, 72 h (OECD 201)
Aquatic		
<i>Acute</i>		
Crustacea	EC50	Daphnia Magna
		37 mg/l, 48 h (OECD 202)
Fish	LC50	Danio rerio
		2.7 mg/l, 96 h (OECD 203)
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide		
<i>Acute</i>		
	EC10	Pseudokirchneriella subcapitata
	EC50	Pseudokirchneriella subcapitata
		1.56 mg/l, 72 h (OECD 201)
		> 2.01 mg/l, 72 h (OECD 201)

Components	Species	Test Results
	LC50 Cyprinus carpio	1.4 mg/l, 96 h (OECD 203)
Aquatic		
<i>Acute</i>		
Crustacea	EC50 Daphnia magna	3.53 mg/l, 48 h (OECD 202)
Persistence and degradability	Not available.	
Bioaccumulative potential	Not available.	
Bioconcentration factor (BCF)		
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatsu No . 615, 49-Kikyoku No . 392, MITI/MHW Chemical Substance Control Law, Japan)	
Mobility in soil	Not available.	
Other adverse effects	Not available.	

Section 13: Disposal information

Disposal instructions	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
Waste from residues / unused products	Not available.
Contaminated packaging	Not available.

Section 14: Transportation information

DOT

UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No
Special precautions for user	Not available.
DOT Supplemental Information	DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
Special precautions for user	Not available.
IATA Supplemental Information	When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

IMDG

UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Transport hazard class(es)	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Not available.
IMDG Supplemental Information	When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.

ADR


UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

Transport hazard class(es)


Class 9
Subsidiary risk -
Hazard No. (ADR) Not available.
Tunnel restriction code Not available.
Packing group III
Environmental hazards Yes
Special precautions for user Not available.

ADR Supplemental Information When shipping ≤ 5L containers, ADR 375 may apply.

ADR; IATA; IMDG



Marine pollutant



HAZCHEM code None.

Further information Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Active Ingredients of Pesticide Product (Pesticide Act 1974, First Schedule, as amended through October 1, 2004)

Not regulated.

CWC (Chemical Weapons Convention) Act 2005, Schedules 1-3, as amended through CWC Regulations 2007, October 5, 2007)

Not regulated.

Ozone Depleting Substances (ODS) (Environmental Quality (Prohibition on the Use of CFC and Other Gases as Propellants and Blowing Agents) Order 1993, Dec. 31, 1993)

Not regulated.

Prohibited Use of Substances [Occupational Safety and Health (Prohibition of Use of Substance) Order 1999]

Not regulated.

International regulations The components of this product are reported in the following inventories: USA, European Union, Canada, Japan, China, Australia, Korea.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

Section 16: Other information

Issue date 19-Jun-2017

Revision date 26-Mar-2021

Material name: G0Y96Series

13665 Version #: 08 Revision date: 26-Mar-2021 Issue date: 19-Jun-2017

Version #
References
Disclaimer

08

Not available.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds