

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

CH217Series

of the mixture

Registration number -

Synonyms HP Scitex FB250 Magenta Ink

Issue date 30-Aug-2013

Version number 16

**Revision date** 19-Apr-2019 **Supersedes date** 21-Dec-2018

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printing.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

HP Nederland B.V. Starthaan 16

1187 XR Amstelveen The Netherlands

**Telephone** +31-20-721-3400

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

1-760-710-0048

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 as amended

### **Health hazards**

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.

Serious eye damage/eye irritation Category 1 H318 - Causes serious eye damage.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

Reproductive toxicity (the unborn child) Category 2 H361d - Suspected of damaging

the unborn child.

Specific target organ toxicity - single

exposure

Category 3 respiratory tract irritation

H335 - May cause respiratory

irritation.

Specific target organ toxicity - repeated exposure Category 1 (liver, respiratory system) H372 - Causes damage to organs (liver, respiratory system) through

prolonged or repeated exposure.

**Environmental hazards** 

long-term aquatic hazard

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long lasting effects.

#### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

1-vinylhexahydro-2H-azepin-2-one, 2,6-di-tert-butyl-,alpha,-dimethylamino-p-cresol, Contains:

2-[[3-hydroxy-2,2-bis[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]-1,3-propa

ndiyldiacrylat, 2-phenoxyethyl acrylate, Benzophenone, Phenyl,

Bis(2.4.6-trimethylbenzoyl)-phosphine oxide, Poly (ethylene glycol) diacrylate, Propoxylated

Neopentyl Glycol Diacrylate, Tridecyl acrylate

Hazard pictograms



Signal word Danger

**Hazard statements** 

Causes skin irritation. H315 Causes serious eye damage. H318 May cause an allergic skin reaction. H317 Suspected of damaging the unborn child. H361d

May cause respiratory irritation. H335

Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. H372

Toxic to aquatic life with long lasting effects. H411

**Precautionary statements** 

Prevention

Wear protective gloves/protective clothing/eye protection/face protection. P280 Do not handle until all safety precautions have been read and understood. P202

Obtain special instructions before use. P201

Do not breathe dust/fume/gas/mist/vapors/spray. P260 Do not eat, drink or smoke when using this product. P270 Use only outdoors or in a well-ventilated area. P271

Wash hands thoroughly after handling. P264

Contaminated work clothing should not be allowed out of the workplace. P272

Avoid release to the environment. P273

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing

Immediately call a POISON CENTER/doctor. P310 IF ON SKIN: Wash with plenty of soap and water. P302 + P352

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 IF exposed or concerned: Get medical attention/advice. P308 + P313

Call a poison center/doctor if you feel unwell. P312

Take off contaminated clothing and wash before reuse. P362

Collect spillage. P391

Storage

Store in a well-ventilated place. Keep container tightly closed. P403 + P233

Store locked up. P405

**Disposal** 

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information None.

2.3. Other hazards Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans).

### **SECTION 3: Composition/information on ingredients**

3.2. Mixtures

**General information** 

CAS-No. / EC No. Chemical name **REACH Registration No.** Index No. **Notes** 

48145-04-6 01-2119980532-35-XXXX 2-phenoxyethyl acrylate <30

256-360-6

Classification: Skin Sens. 1A;H317, Repr. 2;H361d, Aquatic Chronic 2;H411

Material name: CH217Series SDS NETHERLANDS

2 / 10

CAS-No. / EC No. **REACH Registration No.** Index No. Chemical name % **Notes** 1-vinylhexahydro-2H-azepin-2-one 2235-00-9 01-2119977109-27-XXXX <25 218-787-6 Classification: Acute Tox. 4;H302, Acute Tox. 4;H312, Skin Sens. 1B;H317, Eye Irrit. 2;H319, STOT RE 1:H372 Propoxylated Neopentyl Glycol <15 84170-74-1 01-2119970213-43-XXXX Diacrylate Classification: Skin Sens. 1B;H317, Aquatic Chronic 2;H411 Tridecyl acrylate <15 3076-04-8 221-351-8 Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335, Aquatic Chronic 2;H411 2-[[3-hydroxy-2,2-bis[[(1-oxoallyl)oxy] 60506-81-2 methyl]propoxy]methyl]-2-[[(1-oxoallyl) 262-270-8 oxy]methyl]-1,3-propandiyldiacrylat Skin Sens. 1A;H317, Eye Irrit. 2;H319, Aquatic Chronic 3;H412 Classification: 119-61-9 Benzophenone <5 204-337-6 Classification: STOT RE 2;H373, Aquatic Chronic 3;H412 Phenyl, <5 162881-26-7 015-189-00-5 Bis(2,4,6-trimethylbenzoyl)-phosphine 423-340-5 oxide Classification: Skin Sens. 1A;H317, Aquatic Chronic 4;H413 Poly (ethylene glycol) diacrylate 26570-48-9 Classification: Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Dam. 1;H318, STOT SE 3;H335, Aquatic Chronic 2;H411 2,6-di-tert-butyl-.alpha.-dimethylamino 88-27-7 -p-cresol 201-816-1 Classification: Acute Tox. 4;H302, Skin Sens. 1;H317, Eye Irrit. 2;H319, Aquatic Acute 1;H400, Aquatic Chronic 1;H410

### **SECTION 4: First aid measures**

General information Not available.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and

Not available.

delayed

4.3. Indication of any immediate medical attention

Not available.

and special treatment needed

## **SECTION 5: Firefighting measures**

General fire hazards Not available

5.1. Extinguishing media

Suitable extinguishing

media

Dry powder. Carbon dioxide (CO2). Water may be ineffective.

Unsuitable extinguishing

media

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture Not available.

Not available.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Special fire fighting procedures

Avoid runoff into storm sewers and ditches which lead to waterways.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate personal protective equipment. Do not touch or walk through spilled material.

For emergency responders

Not available.

6.2. Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also

section 13 Disposal considerations.

6.3. Methods and material for containment and cleaning up Not available.

6.4. Reference to other

Not available.

sections

## **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE)

containers are recommended for shipping and storage.

7.3. Specific end use(s)

Not available.

## **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

### Derived no effect levels (DNELs)

Components	Type	Route	Value	Form
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Workers	Dermal	0.7 mg/kg	Systemic long term
		Inhalation	4.9 mg/m3	Systemic long term
		Inhalation	0.17 mg/m3	Local long term
2-phenoxyethyl acrylate (CAS 48145-04-6)	Workers	Dermal	1.5 mg/kg	Systemic long term
		Inhalation	77 mg/m3	Local long term
		Inhalation	10 mg/m3	Systemic long term
Propoxylated Neopentyl Glycol Diacrylate (CAS 84170-74-1)	Workers	Dermal	3.33 mg/kg	Systemic long term
		Inhalation	11.75 mg/m3	Systemic long term
edicted no effect concentrations (PNECs)				
Components	Туре	Route	Value	Form
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Not applicable	Freshwater	0.1 mg/l	
		Intermittent	1 mg/l	Releases

Material name: CH217Series SDS NETHERLANDS

Not applicable

Marine water

Sediment

Sediment

Freshwater

Soil

STP

0.01 mg/l

0.829 mg/kg

0.0829 mg/kg

0.107 mg/kg

262 mg/l

0.002 mg/l

10964 Version #: 16 Revision date: 19-Apr-2019 Issue date: 30-Aug-2013

2-phenoxyethyl acrylate (CAS 48145-04-6)

Freshwater

Marine water

Sewage Treatment Plant

Components	Type	Route	Value	Form
		Intermittent	0.0121 mg/l	Releases
		Marine water	0.0002 mg/l	
		Sediment	0.02 mg/kg	Freshwater
		Sediment	0.002 mg/kg	Marine water
		Soil	0.006 mg/kg	
		STP	1.77 mg/l	Sewage Treatment Plant
Propoxylated Neopentyl Glycol Diacrylate (CAS 84170-74-1)	Not applicable	Freshwater	0.0027 mg/l	
		Intermittent	0.027 mg/l	Releases
		Marine water	0.00027 mg/l	
		Sediment	0.188 mg/kg	Freshwater
		Sediment	0.018 mg/kg	Marine water
		Soil	0.036 mg/kg	
		STP	0.2 mg/l	Sewage Treatment Plant

Exposure limits have not been established for this product. **Exposure guidelines** 

8.2. Exposure controls

Appropriate engineering Not available.

controls

Individual protection measures, such as personal protective equipment

**General information** Not available.

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and

emergency showers are recommended.

Skin protection

Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum - Hand protection

thickness.

Wear appropriate chemical resistant clothing. - Other

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Do not get this material in

your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before

reuse. Keep away from food and drink.

**Environmental exposure** 

controls

Not available.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid. **Form** Liquid. Color Magenta Characteristic. Odor **Odor threshold** Not available.

8.1 - 8.5 Metler Toledo pH Meter. Temperature 25°C

Melting point/freezing point Not available. Initial boiling point and boiling

range

Not available.

> 199.9 °F (> 93.3 °C) Calculated Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

(%)

Vapor pressure Not available. Vapor density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 9.3 - 10.6 cP Brookfield Viscometer Temperature 50°C

**Explosive properties**Not available. **Oxidizing properties**Not available.

9.2. Other information

Chemical family Acrylate/Polymer/Pigment Blend

Percent volatile 0.0007 % estimated VOC 0.3 g/L Calculated

# **SECTION 10: Stability and reactivity**

**10.1. Reactivity** Not available.

**10.2. Chemical stability**Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Hazardous polymerization can occur with decreased inhibitor content.

**10.4. Conditions to avoid** Exposure to sunlight.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents. alkaline metals

**10.6. Hazardous** Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

**decomposition products** dioxide and/or low molecular weight hydrocarbons.

## **SECTION 11: Toxicological information**

General information Not available.

Information on likely routes of exposure

InhalationInhalation may result in mild irritation to the respiratory system.Skin contactCauses skin irritation. May cause sensitization by skin contact.

**Eye contact** Causes serious eye damage.

**Ingestion** Ingestion is not a likely route of exposure.

**Symptoms** Not available.

#### 11.1. Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

**Respiratory sensitization**Based on available data, the classification criteria are not met.

**Skin sensitization** May cause sensitization by skin contact.

**Germ cell mutagenicity**Based on available data, the classification criteria are not met. **Carcinogenicity**Based on available data, the classification criteria are not met.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Benzophenone (CAS 119-61-9) 2B Possibly carcinogenic to humans.

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity -

Specific target organ toxicity -

single exposure

May cause irritation to the respiratory system.

repeated exposure

**Aspiration hazard** Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

# **SECTION 12: Ecological information**

**12.1. Toxicity**No toxicity data noted for the ingredient(s).

Material name: CH217Series Sps NETHERLANDS

Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This **Aquatic toxicity** 

product has not been tested for ecological effects.

12.2. Persistence and

degradability

Not available.

Not available. 12.3. Bioaccumulative potential Partition coefficient Not available.

n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil

12.5. Results of PBT

and vPvB

assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Not available. Contaminated packaging Not available. **EU** waste code Not available.

Disposal methods/information

Do not dispose of together with general office waste.

Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

## **SECTION 14: Transport information**

#### DOT

Not available. UN number **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

**Packing group** Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

DOT Classification only applies to shipments within the US and Puerto Rico. **DOT Supplemental Information** 

**IATA** 

**UN number** UN3082

Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates) **UN proper shipping name** 

Transport hazard class(es)

9 Class Subsidiary risk Ш Packing group **Environmental hazards** Yes

Special precautions for user Not available.

IATA Supplemental Information When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

**IMDG** 

**UN** number UN3082

**UN proper shipping name** 

Transport hazard class(es)

Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT

9 Class Subsidiary risk Ш **Packing group** Transport hazard class(es) Yes Marine pollutant F-A. S-F

Special precautions for user Not available.

**IMDG Supplemental Information** When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.

**ADR** 

**UN number** 

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

### Transport hazard class(es)

Class 9 Subsidiary risk -

Hazard No. (ADR) Not available.


Tunnel restriction code Not available.

Packing group III
Environmental hazards Yes

Special precautions for user Not available.

**ADR Supplemental Information** When shipping  $\leq$  5L containers, ADR 375 may apply.

ADR; IATA; IMDG



#### Marine pollutant



**Further information** 

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

#### **Authorizations**

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The components of this product are reported in the following inventories: USA, European Union,

Canada, Japan, China, Australia, Korea.

Other information Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council

concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further

rectifications and amendments).

**National regulations** 

Not available.

15.2. Chemical safety assessment

See attached SUMI or GEIS document, if applicable.

## **SECTION 16: Other information**

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, References

Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals

Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of

substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

**Revision information** 

SECTION 1: Identification of the substance/mixture and of the company/undertaking: Important

information

9. Physical & Chemical Properties: Multiple Properties

**Training information** 

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CH217Series 10964 Version #: 16 Revision date: 19-Apr-2019 Issue date: 30-Aug-2013

## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

## Safe Use of Mixture Information (SUMI)

--

## UV digital printing inks: UV01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions foll
Diek managament magazura	

#### Risk management measures

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









## Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store in a well-ventilated place.

Keep container tightly closed.

Store at room temperature.





#### **Environmental measures**

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

## Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

## Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.

The product is classified as toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.