



# SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Identification of the preparation** CH258A

**Synonym(s)** ColorSpan 0901365-500 \* ColorSpan 0901478-500

**Revision date** 23-Jun-2011

**Company identification** Hewlett-Packard Nederland B.V.  
Orteliuslaan 1000  
3528 BD Utrecht  
Nederland  
Telephone 02 05476911

Hewlett-Packard health effects line  
(Toll-free within the US) 1-800-457-4209  
(Direct) 1-503-494-7199  
HP Customer Care Line  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com  
Poison Information Centre telephone number 030 2748888

## 2. HAZARDS IDENTIFICATION

Regulation (EC) No. 1272/2008



Regulation (EC) No. 1272/2008

### Health hazards

Serious eye damage/eye irritation	Category 2	Causes serious eye irritation.
Specific target organ toxicity - single exposure	Category 3 Narcotic effects	May cause drowsiness or dizziness.
Specific target organ toxicity - single exposure	Category 3 Respiratory tract irritation	May cause respiratory irritation.

**Classification** R19, Xi;R36/37

### Acute health effects

<b>Skin contact</b>	Avoid contact with skin. Contact causes skin irritation.
<b>Eye contact</b>	Contact with eyes may result in mild irritation.
<b>Inhalation</b>	Avoid breathing vapours or mists of this product.
<b>Ingestion</b>	Ingestion is not expected to be a primary route of exposure for this product under normal use conditions.

### Potential health effects

**Routes of exposure** Potential routes of exposure under normal use conditions are skin, eye contact and inhalation.  
*Diethylene Glycol Monoethyl Ether Acetate*  
Not available.

**Physical hazards** May form explosive peroxides.

**Health hazards** Irritating to eyes and respiratory system.

**Environmental hazards** Not classified as an environmental hazard.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	Classification	CAS-No.	%	EC-No. / REACH Registration No.	Notes
Diethylene Glycol Monoethyl Ether Acetate	67/548: R19, Xi;R36/37 CLP: Eye Irrit. 2;H319, STOT SE 3;H335, STOT SE 3;H336	112-15-2	60-100	203-940-1	

---

## 4. FIRST AID MEASURES

<b>Inhalation</b>	Move person to fresh air immediately. If symptoms persist, get immediate medical attention.
<b>Skin contact</b>	In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse. If irritation persists get medical attention.
<b>Eye contact</b>	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.
<b>Ingestion</b>	Rinse mouth out with water. For larger amounts, do not induce vomiting, but give one or two glasses of water to drink and get medical attention. Never give anything by mouth to an unconscious person.

---

## 5. FIRE-FIGHTING MEASURES

<b>Flash point</b>	99.4 °C (211 °F)
<b>Fire fighting equipment/instructions</b>	Move containers from fire area if you can do it without risk.
<b>Suitable extinguishing media</b>	CO2, water, dry chemical, or foam
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.

---

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Avoid contact with skin. Avoid inhalation of vapors or mists. Do not touch or walk through spilled material. Ensure adequate ventilation. Use personal protective equipment to minimize exposure to skin and eye.
<b>Environmental precautions</b>	Do not flush into surface water or sanitary sewer system.
<b>Methods for cleaning up</b>	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Small liquid spills: Flush area with flooding quantities of water.

---

## 7. HANDLING AND STORAGE

<b>Handling</b>	Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mists of this product. Use with adequate ventilation. Wear personal protective equipment.
<b>Storage</b>	Keep containers tightly closed in a cool, well-ventilated place. Store away from strong oxidizers. Keep away from heat, sparks, and flame. Keep out of the reach of children.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Occupational exposure controls</b>	
<b>Respiratory protection</b>	Do not breathe dust/fume/gas/mist/vapors/spray. Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. A NIOSH- approved air purifying respirator with an organic vapour cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits.
<b>Eye protection</b>	Wear safety glasses; chemical goggles (if splashing is possible). Provide an emergency eye wash fountain and quick drench shower in the immediate work area.
<b>Skin and body protection</b>	Wear appropriate chemical resistant clothing. Solvent-resistant gloves. The use of butyl rubber gloves is recommended.
<b>Hygiene measures</b>	Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Not available.
<b>Physical state</b>	Liquid
<b>Form</b>	Liquid.
<b>Color</b>	Not available.
<b>Odor</b>	Solvent.
<b>Odour threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Boiling point</b>	217.2 °C (423 °F)

<b>Flash point</b>	99.4 °C (211 °F)
<b>Flammability limits in air, upper, % by volume</b>	< 19.4 %
<b>Flammability limits in air, lower, % by volume</b>	> 0.9 %
<b>Vapor pressure</b>	0.133 hPa @ 20°C
<b>Relative density</b>	Not available.
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available
<b>Viscosity</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Melting point</b>	Not available.
<b>Freezing point</b>	Not available.
<b>Auto-ignition temperature</b>	360 °C (680 °F)
<b>VOC</b>	< 1000 g/l

---

## 10. STABILITY AND REACTIVITY

<b>Conditions to avoid</b>	Heat, flames and sparks. This product may react with oxidizing agents.
<b>Hazardous decomposition products</b>	Carbon monoxide and carbon dioxide.
<b>Stability</b>	Stable at normal conditions.
<b>Hazardous polymerization</b>	Will not occur.

---

## 11. TOXICOLOGICAL INFORMATION

<b>Serious eye damage/eye irritation</b>	Not available.
<b>Skin sensitization</b>	Not available.
<b>Chronic toxicity</b>	Repeated or prolonged exposure may cause irritation of eyes and skin.

---

## 12. ECOLOGICAL INFORMATION

---

## 13. DISPOSAL CONSIDERATIONS

<b>Disposal instructions</b>	Do not allow this material to drain into sewers/water supplies. Dispose of in compliance with federal, state, and local regulations.
------------------------------	---

---

## 14. TRANSPORT INFORMATION

### ADR

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

### RID

Not regulated as dangerous goods.

---

## 15. REGULATORY INFORMATION

### Labeling

#### Regulation (EC) No. 1272/2008

**Contains** Diethylene Glycol Monoethyl Ether Acetate



**Hazard statement** Causes serious eye irritation. May cause drowsiness or dizziness. May cause respiratory irritation.

## 16. OTHER INFORMATION

**Contains**

Diethylene Glycol Monoethyl Ether Acetate

**Hazard statement**

Causes serious eye irritation. May cause drowsiness or dizziness. May cause respiratory irritation.



**Wording of the R-phrases in sections 2 and 3**

R19 May form explosive peroxides.  
R36/37 Irritating to eyes and respiratory system.

**Disclaimer**

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

**Issue date**

23-Jun-2011

**This data sheet contains changes from the previous version in section(s):**

Product and Company Identification: Alternate Trade Names  
Physical & Chemical Properties: Physical & Chemical Properties

**Manufacturer information**

Hewlett-Packard  
11311 K-Tel Drive  
Minnetonka, MN 55343 US  
Product Information 1-800-925-0563

**Explanation of abbreviations**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-term exposure limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds