

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

CP817Series

of the mixture

Registration number

SF1G-8XNJ-5309-AUEQ

**Synonyms** HP HDR230 Black Scitex Ink Cartridge

Issue date 15-Apr-2015

Version number 16

23-Apr-2021 **Revision date** 26-Mar-2021 Supersedes date

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP Norge AS Rolfsbuktveien 4 1364 Fornebu Oslo, Norway

**Telephone** 85 500 300

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

1-800-474-6836 (Toll-free within the US) (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

+47 22 59 13 00

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin corrosion/irritation Category 2 H315 - Causes skin irritation. Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

Reproductive toxicity (fertility, the unborn

Category 2 H361fd - Suspected of damaging

fertility. Suspected of damaging the

unborn child.

Specific target organ toxicity - repeated

exposure

Category 2 (liver, respiratory system)

H373 - May cause damage to organs (liver, respiratory system) through prolonged or repeated

exposure.

**Environmental hazards** 

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long-term aquatic hazard long lasting effects.

#### 2.2. Label elements

Material name: CP817Series SDS NORWAY

13710 Version #: 16 Revision date: 23-Apr-2021 Issue date: 15-Apr-2015

#### Label according to Regulation (EC) No. 1272/2008 as amended

1-vinylhexahydro-2H-azepin-2-one, 2-phenoxyethyl acrylate, Diphenyl (2,4,6-trimethylbenzoyl) Contains:

phosphine oxide

Hazard pictograms



Signal word Warning

**Hazard statements** 

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

Causes skin irritation. H315

May cause an allergic skin reaction. H317

May cause damage to organs (liver, respiratory system) through prolonged or repeated exposure. H373

Toxic to aquatic life with long lasting effects. H411

**Precautionary statements** 

Prevention

Wear protective gloves/protective clothing/eye protection/face protection. P280

Do not breathe dust/fume/gas/mist/vapors/spray. P260

Obtain special instructions before use. P201

Do not eat, drink or smoke when using this product. P270

Wash hands thoroughly after handling. P264

Contaminated work clothing should not be allowed out of the workplace. P272

Avoid release to the environment. P273

Response

IF ON SKIN: Wash with plenty of soap and water. P302 + P352

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 IF exposed or concerned: Get medical attention/advice. P308 + P313 Call a POISON CENTER/doctor/physician if you feel unwell. P312

Get medical attention/advice if you feel unwell. P314

Collect spillage. P391

Wash contaminated clothing before reuse. P363

Storage

P405 Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

2.3. Other hazards Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

> Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

The classification of this mixture as a reproductive category 2 (H361) is based on the harmonized classification of diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide as mentioned in Annex VI of

Regulation (EC) No.1272/2008.

Recent test data for diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide presented on the EU REACH Dossier suggest that classification as reproductive category 1B (H360) is more suitable. This would lead to mixture classification of the product as reproductive category 1B (H360).

The lead registrant has updated the REACH dossier and requested that the Swedish authority start the process of amending the harmonized classification. This SDS was updated according to guidance of the Swedish Chemicals Agency.

#### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Oxybis(methyl-2,1-ethanediyl)	<25	57472-68-1	01-2119484629-21-XXXX	-	

260-754-3 diacrylate

Classification: Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Dam. 1;H318

Material name: CP817Series SDS NORWAY

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
2-phenoxyethyl acrylate		<20	48145-04-6 256-360-6	01-2119980532-35-XXXX	-	
Classification:	Skin Sens. 1A	;H317, F	Repr. 2;H361d, Aquati	c Chronic 2;H411		
Propylidynetrimethanol, e esters with acrylic acid	thoxylated,	<15	28961-43-5 -	-	-	
Classification:	Skin Sens. 1;ł	Н317, Ey	re Dam. 1;H318			
Dodecyl acrylate		<10	2156-97-0 218-463-4	01-2119976296-23-XXXX	-	
Classification:	Skin Irrit. 2;H3 Chronic 2;H41		Sens. 1;H317, Eye Ir	rit. 2;H319, STOT SE 3;H335	5, Aquatic	
Glycerol, propoxylated, e acrylic acid	sters with	<10	52408-84-1 500-114-5	01-2119487948-12-XXXX	-	
Classification:	Skin Sens. 1;I	<del>1</del> 317, Еу	re Irrit. 2;H319			
2-Propenoic acid-1,6-hex polymer with disubstituted	anediylester, d alkane	<7.5	67906-98-3 -	-	-	
Classification:	Skin Irrit. 2;H3	315, Eye	Irrit. 2;H319			
1-vinylhexahydro-2H-aze	pin-2-one	<5	2235-00-9 218-787-6	01-2119977109-27-XXXX	-	
Classification:	Acute Tox. 4;IRE 1;H372	H302, Ac	cute Tox. 4;H312, Skir	n Sens. 1B;H317, Eye Irrit. 2;I	H319, STOT	
Diphenyl (2,4,6-trimethylk phosphine oxide	penzoyl)	<5	75980-60-8 278-355-8	01-2119972295-29-XXXX	015-203-00-X	
Classification:	Skin Sens. 1B	;H317, F	Repr. 2;H361fd, Aquat	ic Chronic 2;H411		
Phenyl, Bis(2,4,6-trimethylbenzoy oxide	l)-phosphine	<5	162881-26-7 423-340-5	01-2119489401-38-XXXX	015-189-00-5	
Classification:	Skin Sens. 1A	;H317, <i>A</i>	Aquatic Chronic 4;H41	3		
1,6-Hexanediol Diacrylate	9	<1	13048-33-4 235-921-9	01-2119484737-22-XXXX	607-109-00-8	
Classification:	Skin Irrit. 2;H3	315, Skin	Sens. 1;H317, Eye Ir	rit. 2;H319		
Propionic acid, 2-methyl-3,3'-(phenylpho )di-, diallyl ester	sphinylidene	<1	55818-57-0 500-130-2	01-2119490020-53-XXXX	-	
Classification:	Skin Sens. 1:I	1317. Ad	uatic Chronic 2;H411			

## **SECTION 4: First aid measures**

General information Not available.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and

ana enecis, boin ac

delayed

Not available.

Not available.

4.3. Indication of any immediate medical attention and special treatment needed

# **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Dry powder. Carbon dioxide (CO2). Water may be ineffective.

Unsuitable extinguishing

media

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

Avoid runoff into storm sewers and ditches which lead to waterways.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate personal protective equipment. Do not touch or walk through spilled material.

For emergency responders

Not available.

6.2. Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

section 13 Disposal considerations.

6.3. Methods and material for containment and cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product and place

into a container for later disposal.

6.4. Reference to other

Not available.

sections

### **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE)

containers are recommended for shipping and storage.

7.3. Specific end use(s)

Not available.

Not available.

#### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Derived no effect levels (DNELs)

Components	Туре	Route	Value	Form
,6-Hexanediol Diacrylate (CAS 13048-33-4	) Consumers	Dermal	1.66 mg/kg	Systemic long term
		Inhalation	7.24 mg/m3	Systemic long term
		Oral	2.08 mg/kg	Systemic long term
	Workers	Dermal	2.77 mg/kg	Systemic long term
		Inhalation	24.48 mg/m3	Systemic long term
-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Workers	Dermal	0.7 mg/kg	Systemic long term
		Inhalation	4.9 mg/m3	Systemic long term
		Inhalation	0.17 mg/m3	Local long term
2-phenoxyethyl acrylate (CAS 48145-04-6)	Workers	Dermal	1.5 mg/kg	Systemic long term
		Inhalation	77 mg/m3	Local long term
		Inhalation	10 mg/m3	Systemic long term
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide (CAS 75980-60-8)	Workers	Dermal	0.233 mg/kg	Systemic long term
		Inhalation	0.822 mg/m3	Systemic long term
Dodecyl acrylate (CAS 2156-97-0)	Workers	Dermal	138.9 mg/kg	Systemic long term
		Inhalation	97.9 mg/m3	Systemic long term
Glycerol, propoxylated, esters with acrylic acid (CAS 52408-84-1)	Workers	Dermal	1.92 mg/kg	Systemic long term
		Inhalation	3.7 mg/m3	Systemic long term

Material name: CP817Series SDS NORWAY

13710 Version #: 16 Revision date: 23-Apr-2021 Issue date: 15-Apr-2015

Components	туре	Route	value	Form
Oxybis(methyl-2,1-ethanediyl) diacrylate (CAS 57472-68-1)	Workers	Dermal	2.77 mg/kg	Systemic long term
,		Inhalation	24.48 mg/m3	Systemic short term
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide (CAS 162881-26-7)	Workers	Dermal	3.3 mg/kg	Systemic long term
(6/16/102001/2017)		Dermal	3.3 mg/kg	Systemic short term
		Inhalation	7.8 mg/m3	Systemic long term
		Inhalation	7.8 mg/m3	Systemic short term
Propionic acid,	Workers	Dermal	17.5 mg/kg	Systemic long term
2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester (CAS 55818-57-0)				
		Inhalation	122.5 mg/m3	Systemic long term
dicted no effect concentrations (PNECs)				
Components	Туре	Route	Value	Form
1,6-Hexanediol Diacrylate (CAS 13048-33-4)	Not applicable	Freshwater	0.0015 mg/l	
		Marine water	0.00015 mg/l	
		Sediment	0.0243 mg/kg	Freshwater
		Sediment	0.00243 mg/kg	Marine water
		Soil	0.00397 mg/kg	
A vitra di cara la color CI de la CONO	NI=4 == 12 - 13	STP	2.7 mg/l	Sewage Treatment Plai
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Not applicable	Freshwater	0.1 mg/l	
		Intermittent	1 mg/l	Releases
		Marine water	0.01 mg/l	
		Sediment	0.829 mg/kg	Freshwater
		Sediment	0.0829 mg/kg	Marine water
		Soil	0.107 mg/kg	
0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N. (	STP	262 mg/l	Sewage Treatment Plan
2-phenoxyethyl acrylate (CAS 48145-04-6)	Not applicable	Freshwater	0.002 mg/l	Dalasas
		Intermittent	0.0121 mg/l	Releases
		Marine water	0.0002 mg/l	Croobwate:
		Sediment	0.02 mg/kg	Freshwater Marine water
		Sediment Soil	0.002 mg/kg	Marine water
		Soil STP	0.006 mg/kg 1.77 mg/l	Sewage Treatment Plar
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide (CAS 75980-60-8)	Not applicable	Freshwater	0.00353 mg/l	Jewaye Healillelii Plai
		Intermittent	0.0353 mg/l	Releases
		Marine water	0.0005353 mg/l	For above 1
		Sediment	0.29 mg/kg	Freshwater
		Sediment	0.029 mg/kg	Marine water
Dodecyl acrylate (CAS 2156 07 0)	Not applicable	Soil Freshwater	0.0557 mg/kg	
Dodecyl acrylate (CAS 2156-97-0)	Not applicable	Freshwater Intermittent	0.495 mg/l 0.52 mg/l	Releases
		Marine water	0.52 mg/l	1 10100363
		Sediment	1245.42 mg/kg	Freshwater
		Sediment	1245.42 mg/kg 124.54 mg/kg	Marine water
		Soil	248.09 mg/kg	
		STP	1000 mg/l	Sewage Treatment Plar
Glycerol, propoxylated, esters with acrylic acid (CAS 52408-84-1)	Not applicable	Freshwater	0.00574 mg/l	<u> </u>
,		Intermittent	0.0574 mg/l	Releases
		Marine water	0.01697 mg/kg	
		Sediment	0.001697 mg/kg	Marine water
		Soil	0.00111 mg/kg	
		STP	10 mg/l	Sewage Treatment Plar
Oxybis(methyl-2,1-ethanediyl) diacrylate	Not applicable	Freshwater	0.0034 mg/l	
(CAS 5/4/2-68-1)				
(CAS 57472-68-1)		Intermittent	0.034 mg/l	Releases

Route

Type

Value

Form

Material name: CP817Series SDS NORWAY

Components

Components	Туре	Route	Value	Form
		Sediment	0.00884 mg/kg	Freshwater
		Soil	0.0013 mg/kg	
		STP	100 mg/l	Sewage Treatment Plant
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide (CAS 162881-26-7)	Not applicable	Freshwater	0.8 mg/l	
(6/18/10200/1207)		Intermittent	0.8 mg/l	Releases
		Marine water	0.8 mg/l	
		STP	1 mg/l	Sewage Treatment Plant
Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester (CAS 55818-57-0)	Not applicable	Freshwater	0.1 mg/l	
,		Intermittent	1 mg/l	Releases
		Marine water	0.01 mg/l	
		Sediment	35.8 mg/kg	Freshwater
		Sediment Soil	3.58 mg/kg 7.1 mg/kg	Marine water
		STP	10 mg/l	Sewage Treatment Plant

**Exposure guidelines** Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering

controls

Not available.

Individual protection measures, such as personal protective equipment

General information Not available.

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and

emergency showers are recommended.

Skin protection

- Hand protection Recommended gloves: Nitrile 6 mil minimum thickness. Wear appropriate chemical resistant

gloves.

- Other Wear appropriate chemical resistant clothing.

**Respiratory protection** Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Do not get this material in

your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before

reuse. Keep away from food and drink.

**Environmental exposure** 

controls

Not available.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical stateLiquid.FormLiquid.ColorBlack.

Odor Characteristic.
Odor threshold Not available.

pH 6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point > 287.6 °F (> 142.0 °C) Pensky-Martens Closed Cup (Estimated)

Evaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper Not available.

(%)

Vapor pressureNot available.Vapor densityNot available.

Solubility(ies)

Solubility (water)Not available.Partition coefficientNot available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 12.5 - 13.5 cP Cone and Plate Rheometer, Temperature 50°C. C60/1° Sensor. Values recorded at

4000 1/s.

Explosive properties Not available.

Oxidizing properties Not available.

9.2. Other information

VOC 19 g/l (Estimated)

## **SECTION 10: Stability and reactivity**

**10.1. Reactivity** Not available.

**10.2. Chemical stability** Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Hazardous polymerization can occur with decreased inhibitor content.

**10.4. Conditions to avoid** Exposure to sunlight.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents. alkaline metals

**10.6. Hazardous** Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

**decomposition products** dioxide and/or low molecular weight hydrocarbons.

### **SECTION 11: Toxicological information**

**General information** Not available.

Information on likely routes of exposure

InhalationInhalation may result in mild irritation to the respiratory system.Skin contactCauses skin irritation. May cause sensitization by skin contact.

Eye contact Contact with eyes may result in mild irritation.

Ingestion Ingestion is not a likely route of exposure.

Symptoms Not available.

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components Species Test Results

1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)

Acute Dermal

LD50 Rabbit 1700 mg/kg

Inhalation

LC50 Rat > 1.6 mg/l

Oral

LD50 Rat 1114 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye Based on available data, the classification criteria are not met. Non-corrosive. Not a known irritant.

irritation (OECD 437)

**Respiratory sensitization**Based on available data, the classification criteria are not met.

**Skin sensitization** May cause sensitization by skin contact.

**Germ cell mutagenicity**Based on available data, the classification criteria are not met.
Carcinogenicity
Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

Material name: CP817Series SDS NORWAY

Reproductive toxicity Suspected of damaging the unborn child. Suspected of damaging fertility.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (liver, respiratory system) through prolonged or repeated exposure.

**Aspiration hazard** Mixture versus substance

information

Based on available data, the classification criteria are not met.

Not available.

Other information Complete toxicity data are not available for this specific formulation

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This **Aquatic toxicity** 

product has not been tested for ecological effects.

Components		Species	Test Results
2-phenoxyethyl acrylate (CA	AS 48145-04-6)		
Acute			
	EC10	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
	EC50	Desmodesmus subcapitatus	4.44 mg/l, 72 h (DIN 38412 L9)
	LC50	Leuciscus idus	10 mg/l, 96 h (DIN 38 412)
	NOEC	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C)
Diphenyl (2,4,6-trimethylben	nzoyl) phosphine o	xide (CAS 75980-60-8)	
Acute			
	EC10	Pseudokirchneriella subcapitata	1.56 mg/l, 72 h (OECD 201)
	EC50	Pseudokirchneriella subcapitata	> 2.01 mg/l, 72 h (OECD 201)
	LC50	Cyprinus carpio	1.4 mg/l, 96 h (OECD 203)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	3.53 mg/l, 48 h (OECD 202)
Dodecyl acrylate (CAS 2156	6-97-0)		
Acute	- 0-0		
	ErC50	Pseudokirchneriella subcapitata	> 0.274 µg/l, 72 h (OECD 201)
	LC50	Leuciscus idus	460 mg/l, 96 h (DIN 38 412, part L 15, 1982)
	NOEC	Leuciscus idus	215 mg/l, 96 h (DIN 38 412, part L 15, 1982)
Chronic			,
o.m.o.m.c	LOEC	Daphina magna	> 0.25 µg/l, 21 d (OECD 211)
Aquatic			
Chronic			
Crustacea	NOEC	Daphnia magna	0.25 μg/l, 21 d (OECD 211)
Fish	LOEC	Danio rerio	> 1 µg/l, 36 d (OECD 210)
Phenyl, Bis(2,4,6-trimethylbe	enzoyl)-phosphine	oxide (CAS 162881-26-7)	
710010	EC50	Desmodesmus subspicatus	> 260 µg/l, 72 h (OECD 201)
	LC50	Danio rerio	> 90 µg/l, 96 h (OECD 203)
	NOEC	Desmodesmus subspicatus	> 260 µg/l, 72 h (OECD 201)
Aquatic			p.g, · - · · (0 - 0 - 10 · )
Acute			
Crustacea	EC50	Daphnia magna	> 1175 µg/l, 48 h (OECD 202)
Chronic		· -	,
Crustacea	NOEC	Daphnia magna	>= 8.1 µg/l, 21 d (OECD 211)

Material name: CP817Series

13710 Version #: 16 Revision date: 23-Apr-2021 Issue date: 15-Apr-2015

Components Species Test Results

Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester (CAS 55818-57-0)

Acute

EC50 Pseudokirchneriella subcapitata 105 mg/l, 72 h (OECD 201)

LC50 Cyprinus carpio > 0.082 mg/l, 96 h (OECD 203)

NOEC Pseudokirchneriella subcapitata 29 mg/l, 72 h (OECD 201)

Aquatic

Acute

Crustacea EC50 Daphnia magna > 16 mg/l, 48 h (OECD 202)

NOEC Daphnia magna > 16 mg/l, 48 h (OECD 202)

Chronic

Crustacea EC10 Daphnia magna > 0.51 mg/l, 21 d (OECD 211)

 NOEC
 Daphnia magna
 > 0.51 mg/l, 21 d (OECD 211)

 EC10
 Pimephales promelas
 0.43 mg/l, 33 d (OECD 210)

NOEC Pimephales promelas 0.25 mg/l, 33 d (OECD 210)

12.2. Persistence and

Fish

degradability

Not available.

**12.3. Bioaccumulative potential** Not available. **Partition coefficient** Not available.

n-octanol/water (log Kow)

**Bioconcentration factor (BCF)** 

Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide 72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatsu No . 615, 4

MITI/MHW Chemical Substance Control Law, Japan)

Dodecyl acrylate 2.34, (EPA Epiwin (v.4.11)) Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide 5, (similar to OECD 305 C)

**12.4. Mobility in soil** Not available.

12.5. Results of PBT and vPvB Not a PBT or vPvB substance or mixture.

assessment

12.6. Other adverse effects Not available.

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

**Disposal methods/information** Do not dispose of together with general office waste.

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

### **SECTION 14: Transport information**

DOT

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT

Transport hazard class(es)
Class 9
Subsidiary risk Packing group III

Environmental hazards

Marine pollutant Yes

Special precautions for user Not available.

**DOT Supplemental Information** DOT Classification only applies to shipments within the US and Puerto Rico.

ATA

UN number UN3082

**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

Transport hazard class(es)
Class 9
Subsidiary risk Packing group III

Environmental hazards Yes

Special precautions for user Not available.

**IMDG** 

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Transport hazard class(es)

Marine pollutant Yes
EmS F-A, S-F
Special precautions for user Not available.

**ADR** 

UN number UN3082

**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

Transport hazard class(es)

Class 9 Subsidiary risk -


Hazard No. (ADR) Not available.

Tunnel restriction code Not available.


Packing group III Environmental hazards Yes

Special precautions for user Not available.

ADR; DOT; IATA; IMDG



## Marine pollutant



#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

### Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

#### **Authorizations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further

rectifications and amendments).

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

National regulations 15.2. Chemical safety

assessment

Declaration number FOR-2015-05-19-541: 325062 See attached SUMI or GEIS document, if applicable.

## **SECTION 16: Other information**

References Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals

Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of

substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

**Revision information** 

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.3. Composition / Information on Ingredients: Disclosure Overrides

**Training information** Follow training instructions when handling this material.

Material name: CP817Series SDS NORWAY

#### Disclaimer

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

## Safe Use of Mixture Information (SUMI)

--

## UV digital printing inks: UV01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions foll
Diele management mage	

#### Risk management measures

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









### Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store in a well-ventilated place.

Keep container tightly closed.

Store at room temperature.





#### **Environmental measures**

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

#### Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.

The product is classified as toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.