



SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Material name CD403 Series
Product use Inkjet printing
Issue date 29-Aug-2014
Revision date 14-Mar-2017
Version # 02
Synonym(s) HP DS100 Specialty Textile Light Cyan Scitex Ink
Company identification HP Philippines
37th Floor Robinsons Summit Center
6783 Ayala Avenue
Makati City, Philippines
Telephone (632) 888-5900

HP Inc. health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048
HP Inc. Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. HAZARDS IDENTIFICATION

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

GHS label elements

Signal word Warning



Hazard statement Combustible liquid. Harmful in contact with skin.

Precautionary statement

Prevention P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response P370 + P378 - In case of fire: Use sand, carbon dioxide (CO₂) or dry chemical to extinguish.
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.
P312 - Call a POISON CENTER/doctor/physician if you feel unwell.
P363 - Wash contaminated clothing before reuse.

Storage P403 + P235 - Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS #	Percent
Ethylene Glycol, Monobutyl Ether Acetate	112-07-2	<100
Ethylacetate	141-78-6	<2.5

4. FIRST AID MEASURES

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation persists get medical attention. Remove and isolate contaminated clothing and shoes. Thoroughly wash (or discard) clothing and shoes before reuse.
Eye contact	In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15 minutes. If irritation persists get medical attention.
Ingestion	If swallowed, seek medical advice immediately and show this container or label.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point	> 145.0 °F (> 62.8 °C) Closed Cup
Suitable extinguishing media	CO ₂ , water, dry chemical, or foam
Extinguishing media which must not be used for safety reasons	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
Unusual fire & explosion hazards	None known.
Fire fighting equipment/instructions	Firefighters should wear full protective clothing including self contained breathing apparatus.
Specific methods	Water mist may be used to cool closed containers.
Hazardous combustion products	Carbon monoxide and carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

Methods for cleaning up	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
--------------------------------	---

7. HANDLING AND STORAGE

Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Wear personal protective equipment.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value
Ethylacetate (CAS 141-78-6)	TWA	400 ppm
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)	TWA	20 ppm

Philippines. OELs Threshold Limit Values for Airborne Contaminants

Components	Type	Value
Ethylacetate (CAS 141-78-6)	TWA	1400 mg/m ³ 400 ppm

Exposure guidelines	None established.
Biological limit values	No biological exposure limits noted for the ingredient(s).
Personal protective equipment	
Hand protection	Recommended gloves: Nitrile 6 mil minimum thickness.
Eye protection	Avoid contact with eyes Wear safety glasses; chemical goggles (if splashing is possible).
Skin and body protection	Use personal protective equipment to minimize exposure to skin and eye.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state	Not available.
Color	Light Cyan
Odor	Not available.
Odor threshold	Not available.
pH	Not applicable.
Vapor pressure	Not determined.
Boiling point	Not determined.
Melting point/Freezing point	Not determined.
Solubility (water)	Not available.
Specific gravity	0.94 @ 20 Degrees C
Flash point	> 145.0 °F (> 62.8 °C) Closed Cup
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Auto-ignition temperature	Not available.
VOC	< 850 g/L
Evaporation rate	Not determined.

10. STABILITY AND REACTIVITY

Stability	Stable at normal conditions
Conditions to avoid	Not available.
Hazardous decomposition products	None known.
Materials to avoid	strong oxidizing agents Strong acids and strong alkalis. oxidizing agents
Hazardous polymerization	Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity	Harmful in contact with skin.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory sensitizer	Based on available data, the classification criteria are not met.
Skin sensitization	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Mutagenicity	Based on available data, the classification criteria are not met.
Reproductivity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Further information	Complete toxicity data are not available for this specific formulation

Toxicological data Components	Species	Test Results
Ethylacetate (CAS 141-78-6)		
Acute		
<i>Inhalation</i>		
LC50	Rat	16000 ppm, 6 Hours
LD50	Mouse	1500 ppm, 4 Hours
	Rabbit	2500 ppm, 4 Hours

Components	Species	Test Results
	Rat	4000 ppm, 4 Hours
<i>Oral</i>		
LD50	Mouse	0.44 g/kg
	Rabbit	4.9 g/kg
	Rat	11.3 ml/kg
		5.6 g/kg
<i>Other</i>		
LD50	Cat	3 g/kg
	Guinea pig	3 g/kg

Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)

Acute		
<i>Dermal</i>		
LD50	Rabbit	1500 mg/kg
<i>Inhalation</i>		
LC50	Cat	> 460 ppm, 6 Hours
	Guinea pig	> 460 ppm, 6 Hours
	Mouse	> 460 ppm, 6 Hours
	Rabbit	> 460 ppm, 6 Hours
	Rat	> 460 ppm, 6 Hours
<i>Oral</i>		
LD100	Rabbit	987 mg/kg
LD50	Mouse	2820 mg/kg
	Rat	1600 mg/kg
		7.46 ml/kg
<i>Other</i>		
LD50	Mouse	754 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity This product has not been tested for ecological effects.

Environmental effects Not available.

Bioaccumulation

Bioaccumulative potential

Octanol/water partition coefficient log Kow

Ethylacetate 0.73

Ecotoxicological data

Components	Species	Test Results
Ethylacetate (CAS 141-78-6)		
Aquatic		
Fish	LC50	Indian catfish (<i>Heteropneustes fossilis</i>) 200.32 - 225.42 mg/l, 96 hours

13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not dispose of together with general office waste.
Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.

14. TRANSPORT INFORMATION

DOT

UN number NA1993

Material name: CD403 Series

11291 Version #: 02 Revision date: 14-Mar-2017 Issue date: 29-Aug-2014

SDS PHILIPPINES

4 / 6

UN proper shipping name Combustible liquid n.o.s. (butyl cellosolve acetate) -Not regulated in quantities less than 119 gallons

Transport hazard class(es)

Class Combustible

Subsidiary risk -

Packaging group III

Special precautions for user Not available.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

16. OTHER INFORMATION

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Prepared by

HP Chemical Compliance & Toxicology Department

Issue date

29-Aug-2014

Revision date

14-Mar-2017

Version #

02

This data sheet contains changes from the previous version in section(s):

This document has undergone significant changes and should be reviewed in its entirety.

Manufacturer information

HP Inc.
1501 Page Mill Road
Palo Alto, CA 94304-1112 US
(Direct) +972 (9) 892-4628

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds