



# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name or designation of the mixture CN866Series  
Registration number -  
Synonyms HP FB210 Black Scitex Ink  
Issue date 13-Nov-2013  
Version number 13  
Revision date 09-Feb-2018  
Supersedes date 25-May-2017

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing  
Uses advised against None known.

### 1.3. Details of the supplier of the safety data sheet

HP Inc. Polska Sp. z o.o.  
University Business Center II, ul. Szturmowa 2A, 4th floor - wing L  
Warsaw, Poland 02-678

Telephone +48 22 5657700

### HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209  
(Direct) 1-760-710-0048

### HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone number +48 42 657 99 00

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

#### Health hazards

|   |   |  |
|---|---|--|
| Skin corrosion/irritation                           | Category 2                              | H315 - Causes skin irritation.   |
| Serious eye damage/eye irritation                   | Category 2                              | H319 - Causes serious eye irritation.  |
| Skin sensitization                                  | Category 1                              | H317 - May cause an allergic skin reaction.  |
| Reproductive toxicity (fertility, the unborn child) | Category 1B                             | H360FD - May damage fertility. May damage the unborn child.  |
| Specific target organ toxicity - single exposure    | Category 3 respiratory tract irritation | H335 - May cause respiratory irritation.   |
| Specific target organ toxicity - repeated exposure  | Category 1 (liver, respiratory system)  | H372 - Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. |

#### Environmental hazards

|  |            |   |
|--|------------|---|
| Hazardous to the aquatic environment, long-term aquatic hazard | Category 2 | H411 - Toxic to aquatic life with long lasting effects. |
|--|------------|---|

### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** (octahydro-4.7-methano-1H-indenediyl)bis(methylene) diacrylate, 1-vinylhexahydro-2H-azepin-2-one, 2-methyl-1-(4-methylthiophenyl)- 2-morpholinopropan-1-one, Amine modified polyetheracrylate, Benzoic acid, 4-(dimethylamino)-, ethyl ester, Carbon black, D-Limonene, exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate, Oxybis(methyl-2,1-ethanediyl) diacrylate, Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide

### Hazard pictograms



### Signal word

Danger

### Hazard statements

|        |   |
|--------|---|
| H315   | Causes skin irritation.   |
| H319   | Causes serious eye irritation.  |
| H317   | May cause an allergic skin reaction.  |
| H360FD | May damage fertility. May damage the unborn child.  |
| H335   | May cause respiratory irritation.   |
| H372   | Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. |
| H411   | Toxic to aquatic life with long lasting effects.  |

### Precautionary statements

#### Prevention

|      |  |
|------|--|
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P260 | Do not breathe dust/fume/gas/mist/vapors/spray.                            |
| P271 | Use only outdoors or in a well-ventilated area.                            |
| P201 | Obtain special instructions before use.                                    |
| P202 | Do not handle until all safety precautions have been read and understood.  |
| P270 | Do not eat, drink or smoke when using this product.                        |
| P264 | Wash hands thoroughly after handling.                                      |
| P273 | Avoid release to the environment.  |

#### Response

|                    |  |
|--------------------|--|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337 + P313        | If eye irritation persists: Get medical advice/attention.  |
| P302 + P352        | IF ON SKIN: Wash with plenty of soap and water.  |
| P333 + P313        | If skin irritation or rash occurs: Get medical advice/attention.   |
| P308 + P313        | IF EXPOSED OR CONCERNED: Get medical attention/advice.   |
| P304 + P340        | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.                                 |
| P312               | Call a POISON CENTER/doctor/physician if you feel unwell.  |
| P391               | Collect spillage.  |
| P362               | Take off contaminated clothing and wash before reuse.  |

#### Storage

|             |  |
|-------------|--|
| P405        | Store locked up.   |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |

#### Disposal

|      |   |
|------|---|
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |
|------|---|

**Supplemental label information** None.

### 2.3. Other hazards

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

| Chemical name                    | %   | CAS-No. / EC No. | REACH Registration No. | Index No. | Notes |
|----------------------------------|-----|------------------|------------------------|-----------|-------|
| Amine modified polyetheracrylate | <40 | Proprietary      | -                      | -         |       |

**Classification:** Skin Sens. 1;H317

| Chemical name   | %   | CAS-No. / EC No.         | REACH Registration No. | Index No.    | Notes |
|---|---|--------------------------|------------------------|--------------|-------|
| 1-vinylhexahydro-2H-azepin-2-one                                | <30   | 2235-00-9<br>218-787-6   | 01-2119977109-27-XXXX  | -            |       |
| <b>Classification:</b>  | Acute Tox. 4;H302, Acute Tox. 4;H312, Skin Sens. 1B;H317, Eye Irrit. 2;H319, STOT RE 1;H372       |                          |                        |              |       |
| exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate             | <30   | 5888-33-5<br>227-561-6   | 01-2119957862-25-XXXX  | -            |       |
| <b>Classification:</b>  | Skin Irrit. 2;H315, Skin Sens. 1B;H317, Eye Irrit. 2;H319, STOT SE 3;H335, Aquatic Chronic 1;H410 |                          |                        |              |       |
| Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide             | <5  | 162881-26-7<br>423-340-5 | -                      | 015-189-00-5 |       |
| <b>Classification:</b>  | Skin Sens. 1A;H317, Aquatic Chronic 4;H413  |                          |                        |              |       |
| (octahydro-4,7-methano-1H-indenediy l)bis(methylene) diacrylate | <2.5  | 42594-17-2<br>-          | -                      | -            |       |
| <b>Classification:</b>  | Skin Irrit. 2;H315  |                          |                        |              |       |
| Benzoic acid, 4-(dimethylamino)-, ethyl ester                   | <2.5  | 10287-53-3<br>233-634-3  | -                      | -            |       |
| <b>Classification:</b>  | -   |                          |                        |              |       |
| 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one        | <1  | 71868-10-5<br>400-600-6  | -                      | 606-041-00-6 |       |
| <b>Classification:</b>  | Acute Tox. 4;H302, Repr. 1B;H360D, Repr. 1B;H360F, Aquatic Chronic 2;H411                         |                          |                        |              |       |
| Carbon black  | <1  | 1333-86-4<br>215-609-9   | 01-2119384822-32-XXXX  | -            |       |
| <b>Classification:</b>  | -   |                          |                        |              |       |
| D-Limonene  | <1  | 5989-27-5<br>227-813-5   | -                      | 601-029-00-7 |       |
| <b>Classification:</b>  | Flam. Liq. 3;H226, Skin Irrit. 2;H315, Skin Sens. 1;H317, Aquatic Chronic 1;H410                  |                          |                        |              |       |
| Oxybis(methyl-2,1-ethanediy l) diacrylate                       | <1  | 57472-68-1<br>260-754-3  | -                      | -            |       |
| <b>Classification:</b>  | Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Dam. 1;H318  |                          |                        |              |       |

## SECTION 4: First aid measures

**General information** Not available.

### 4.1. Description of first aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

**Skin contact** Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

**Eye contact** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Ingestion** If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed** Not available.

**4.3. Indication of any immediate medical attention and special treatment needed** Not available.

## SECTION 5: Firefighting measures

**General fire hazards** Not available.

|   |  |
|---|--|
| <b>5.1. Extinguishing media</b>                                   |  |
| <b>Suitable extinguishing media</b>                               | Dry powder. Carbon dioxide (CO2). Water may be ineffective.                                  |
| <b>Unsuitable extinguishing media</b>                             | Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire. |
| <b>5.2. Special hazards arising from the substance or mixture</b> | Not available.   |
| <b>5.3. Advice for firefighters</b>                               |  |
| <b>Special protective equipment for firefighters</b>              | Not available.   |
| <b>Special fire fighting procedures</b>                           | Avoid runoff into storm sewers and ditches which lead to waterways.                          |

---

## SECTION 6: Accidental release measures

|   |  |
|---|--|
| <b>6.1. Personal precautions, protective equipment and emergency procedures</b> |  |
| <b>For non-emergency personnel</b>  | Wear appropriate personal protective equipment. Do not touch or walk through spilled material. |
| <b>For emergency responders</b>   | Not available.   |
| <b>6.2. Environmental precautions</b>   | Do not let product enter drains. Do not flush into surface water or sanitary sewer system.     |
| <b>6.3. Methods and material for containment and cleaning up</b>                | Not available.   |
| <b>6.4. Reference to other sections</b>   | Not available.   |

---

## SECTION 7: Handling and storage

|  |   |
|--|---|
| <b>7.1. Precautions for safe handling</b>                                | Avoid contact with skin, eyes and clothing.   |
| <b>7.2. Conditions for safe storage, including any incompatibilities</b> | Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage. |
| <b>7.3. Specific end use(s)</b>  | Not available.  |

---

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

Poland. MACs. Minister of Labour and Social Policy Regarding Maximum Allowable Concentrations and Intensities in Working Environment

| Components                   | Type | Value   | Form                |
|------------------------------|------|---------|---------------------|
| Carbon black (CAS 1333-86-4) | TWA  | 4 mg/m3 | Inhalable fraction. |

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Not available.

#### Derived no effect levels (DNELs)

| Components  | Type      | Route      | Value      | Form               |
|---|-----------|------------|------------|--------------------|
| 1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)                    | Workers   | Dermal     | 0.7 mg/kg  | Systemic long term |
|   |           | Inhalation | 4.9 mg/m3  | Systemic long term |
|   |           | Inhalation | 0.17 mg/m3 | Local long term    |
| Carbon black (CAS 1333-86-4)  | Consumers | Inhalation | 1.75 mg/m3 | Local long term    |
|   |           | Inhalation | 0.06 mg/m3 | Systemic long term |
|   |           | Workers    | Inhalation | 2 mg/m3            |
| exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate (CAS 5888-33-5) | Workers   | Inhalation | 1 mg/m3    | Systemic long term |
|   |           | Dermal     | 1.39 mg/kg | Systemic long term |

#### Predicted no effect concentrations (PNECs)

| Components                                       | Type           | Route        | Value     | Form     |
|--|----------------|--------------|-----------|----------|
| 1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9) | Not applicable | Freshwater   | 0.1 mg/l  |          |
|  |                | Intermittent | 1 mg/l    | Releases |
|  |                | Marine water | 0.01 mg/l |          |

| Components  | Type           | Route        | Value         | Form                   |
|---|----------------|--------------|---------------|------------------------|
| Carbon black (CAS 1333-86-4)  | Not applicable | Sediment     | 0.829 mg/kg   | Freshwater             |
|   |                | Sediment     | 0.0829 mg/kg  | Marine water           |
|   |                | Soil         | 0.107 mg/kg   |                        |
|   |                | STP          | 262 mg/l      | Sewage Treatment Plant |
|   |                | Freshwater   | 5 mg/l        |                        |
|   |                | Marine water | 5 mg/l        |                        |
| exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate (CAS 5888-33-5) | Not applicable | Freshwater   | 0.00092 mg/l  |                        |
|   |                | Intermittent | 0.00704 mg/l  | Releases               |
|   |                | Marine water | 0.000092 mg/l |                        |
|   |                | Sediment     | 0.145 mg/kg   | Freshwater             |
|   |                | Sediment     | 0.0145 mg/kg  | Marine water           |
|   |                | Soil         | 0.0285 mg/kg  |                        |
|   |                | STP          | 2 mg/l        | Sewage Treatment Plant |
|   |                |              |               |                        |

## 8.2. Exposure controls

**Appropriate engineering controls** Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.

### Individual protection measures, such as personal protective equipment

**General information** Not available.

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.

#### Skin protection

**- Hand protection** Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.

**- Other** Wear appropriate chemical resistant clothing.

**Respiratory protection** Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

**Thermal hazards** Not available.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

**Environmental exposure controls** Not available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state** Liquid.

**Form** Liquid.

**Color** Black.

**Odor** Characteristic.

**Odor threshold** Not available.

**pH** Not available.

**Melting point/freezing point** Not available.

**Initial boiling point and boiling range** Not available.

**Flash point** > 212.0 °F (> 100.0 °C) Closed Cup EPA Method 1020

**Evaporation rate** Not available.

**Flammability (solid, gas)** Not available.

#### Upper/lower flammability or explosive limits

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

**Vapor pressure** Not available.

**Vapor density** Not available.

#### Solubility(ies)

**Solubility (water)** Not available.

|   |                |
|---|----------------|
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature               | Not available. |
| Decomposition temperature               | Not available. |
| Viscosity                               | Not available. |
| Explosive properties                    | Not available. |
| Oxidizing properties                    | Not available. |

## 9.2. Other information

VOC < 95 g/L Method 24/ASTM D5409-93

## SECTION 10: Stability and reactivity

|  |   |
|--|---|
| 10.1. Reactivity                         | Not available.  |
| 10.2. Chemical stability                 | Stable under normal storage conditions.   |
| 10.3. Possibility of hazardous reactions | Hazardous polymerization can occur with decreased inhibitor content.  |
| 10.4. Conditions to avoid                | Exposure to sunlight.   |
| 10.5. Incompatible materials             | Incompatible with strong bases and oxidizing agents. alkaline metals  |
| 10.6. Hazardous decomposition products   | Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |

## SECTION 11: Toxicological information

General information Not available.

### Information on likely routes of exposure

|              |  |
|--------------|--|
| Inhalation   | May cause irritation to the respiratory system.                  |
| Skin contact | Causes skin irritation. May cause sensitization by skin contact. |
| Eye contact  | Causes serious eye irritation.                                   |
| Ingestion    | Ingestion is not a likely route of exposure.                     |

Symptoms Not available.

### 11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

| Components | Species | Test Results |
|------------|---------|--------------|
|------------|---------|--------------|

Carbon black (CAS 1333-86-4)

#### Acute

#### Oral

|      |     |               |
|------|-----|---------------|
| LD50 | Rat | > 10000 mg/kg |
|------|-----|---------------|

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work**

Not listed.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

|                              |   |
|------------------------------|---|
| Carbon black (CAS 1333-86-4) | Possibly carcinogenic to humans. 2B                 |
| D-Limonene (CAS 5989-27-5)   | Not classifiable as to carcinogenicity to humans. 3 |

Reproductive toxicity May damage fertility. May damage the unborn child.

Specific target organ toxicity - single exposure May cause irritation to the respiratory system.

Specific target organ toxicity - repeated exposure Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Mixture versus substance information Not available.

**SECTION 12: Ecological information**

|  |  |
|--|--|
| <b>12.1. Toxicity</b>                                  | No toxicity data noted for the ingredient(s).  |
| <b>Aquatic toxicity</b>                                | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects. |
| <b>12.2. Persistence and degradability</b>             | Not available.   |
| <b>12.3. Bioaccumulative potential</b>                 | Not available.   |
| <b>Partition coefficient n-octanol/water (log Kow)</b> |  |
| D-Limonene   | 4.232  |
| <b>Bioconcentration factor (BCF)</b>                   | Not available.   |
| <b>12.4. Mobility in soil</b>                          | Not available.   |
| <b>12.5. Results of PBT and vPvB assessment</b>        | Not a PBT or vPvB substance or mixture.  |
| <b>12.6. Other adverse effects</b>                     | Not available.   |

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

|                                     |  |
|-------------------------------------|--|
| <b>Residual waste</b>               | Not available.   |
| <b>Contaminated packaging</b>       | Not available.   |
| <b>EU waste code</b>                | Not available.   |
| <b>Disposal methods/information</b> | Do not dispose of together with general office waste.<br>Do not allow this material to drain into sewers/water supplies.<br>Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.<br>Ensure collection and disposal with an appropriately licensed waste contractor. |

**SECTION 14: Transport information****DOT**

Not regulated as dangerous goods.

**DOT Supplemental Information** DOT Classification only applies to shipments within the US and Puerto Rico.

**IATA**

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN3082  |
| <b>UN proper shipping name</b>      | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative) |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 9   |
| <b>Subsidiary risk</b>              | -   |
| <b>Packing group</b>                | III   |
| <b>Environmental hazards</b>        | Yes   |
| <b>Special precautions for user</b> | Not available.  |

**IATA Supplemental Information** When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

**IMDG**

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN3082  |
| <b>UN proper shipping name</b>      | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative), MARINE POLLUTANT |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 9   |
| <b>Subsidiary risk</b>              | -   |
| <b>Packing group</b>                | III   |
| <b>Transport hazard class(es)</b>   |   |
| <b>Marine pollutant</b>             | Yes   |
| <b>EmS</b>                          | F-A, S-F  |
| <b>Special precautions for user</b> | Not available.  |


**IMDG Supplemental Information** When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.

**ADR**


|                                   |   |
|-----------------------------------|---|
| <b>UN number</b>                  | UN3082  |
| <b>UN proper shipping name</b>    | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative) |
| <b>Transport hazard class(es)</b> |   |
| <b>Class</b>                      | 9   |
| <b>Subsidiary risk</b>            | -   |

|                                     |   |
|-------------------------------------|---|
| <b>Hazard No. (ADR)</b>             | Not available.                                    |
| <b>Tunnel restriction code</b>      | Not available.                                    |
| <b>Packing group</b>                | III   |
| <b>Environmental hazards</b>        | Yes   |
| <b>Special precautions for user</b> | Not available.                                    |
| <b>ADR Supplemental Information</b> | When shipping ≤ 5L containers, ADR 375 may apply. |

**ADR; IATA; IMDG**



**Marine pollutant**




---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I**

Not listed.

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II**

Not listed.

**Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry**

Not listed.

**Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA**

Not listed.

#### Authorizations

**Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work**

Not regulated.



## Other EU regulations

### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

2-methyl-1-(4-methylthiophenyl)- 2-morpholinopropan-1-one (CAS 71868-10-5)  
D-Limonene (CAS 5989-27-5)

## Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, South Korea, New Zealand, and China.

## Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

## National regulations

Ordinance of the Minister of Labour and Social Policy of 06 June 2014 concerning maximum permissible concentrations and intensities of agents harmful to health in a work environment (Journal of Laws 2014 item 817).

Act on Waste of 14 December 2012 (Dz. U. /Journal of Laws/ of 2013, No. 0, item 21).

Act on Packaging and Packaging Waste Management of 13 June 2013 (Dz. U. /Journal of Laws/ of 2013, No. 0, item 888).

Act on Chemical Substances and Their Mixtures of 25 February 2011 (Dz. U. /Journal of Laws/ No. 63, item 322).

Regulation of the Minister of Labour and Social Policy on the general occupational health and safety regulations of 26 September 1997 (Dz. U. /Journal of Laws/ of 2003, No. 169, item 1650 as amended).

### Poland. Substances that could yield hazardous waste (Law on waste, DZ.U. poz. 21/2013, Annex 4)

Not listed.

## 15.2. Chemical safety assessment

See attached SUMI or GEIS document, if applicable.

---

## SECTION 16: Other information

### References

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

### Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

### Full text of any H-statements not written out in full under Sections 2 to 15

H226 Flammable liquid and vapor.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H360D May damage the unborn child.  
H360F May damage fertility.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H413 May cause long lasting harmful effects to aquatic life.

**Revision information**

Product and Company Identification: Synonyms  
SECTION 2: Hazards identification: Hazard statements  
Composition / Information on Ingredients: Ingredients  
SECTION 3: Composition/information on ingredients: Composition comments  
SECTION 11: Toxicological information: Carcinogenicity  
SECTION 11: Toxicological information: Eye contact  
SECTION 11: Toxicological information: Ingestion  
SECTION 11: Toxicological information: Inhalation  
SECTION 11: Toxicological information: Skin contact  
Regulatory Information: Risk Phrases - Class.  
SECTION 15: Regulatory information: Other regulations  
SECTION 16: Other information: Information on evaluation method leading to the classification of mixture  
SECTION 16: Other information: References  
SECTION 16: Other information: Training information

**Training information**

Follow training instructions when handling this material.

**Disclaimer**

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

**Explanation of abbreviations**

|               |   |
|---------------|---|
| <b>ACGIH</b>  | American Conference of Governmental Industrial Hygienists           |
| <b>CAS</b>    | Chemical Abstracts Service  |
| <b>CERCLA</b> | Comprehensive Environmental Response Compensation and Liability Act |
| <b>CFR</b>    | Code of Federal Regulations   |
| <b>COC</b>    | Cleveland Open Cup  |
| <b>DOT</b>    | Department of Transportation  |
| <b>EPCRA</b>  | Emergency Planning and Community Right-to-Know Act (aka SARA)       |
| <b>IARC</b>   | International Agency for Research on Cancer                         |
| <b>NIOSH</b>  | National Institute for Occupational Safety and Health               |
| <b>NTP</b>    | National Toxicology Program   |
| <b>OSHA</b>   | Occupational Safety and Health Administration                       |
| <b>PEL</b>    | Permissible Exposure Limit  |
| <b>RCRA</b>   | Resource Conservation and Recovery Act                              |
| <b>REC</b>    | Recommended   |
| <b>REL</b>    | Recommended Exposure Limit  |
| <b>SARA</b>   | Superfund Amendments and Reauthorization Act of 1986                |
| <b>STEL</b>   | Short-Term Exposure Limit   |
| <b>TCLP</b>   | Toxicity Characteristics Leaching Procedure                         |
| <b>TLV</b>    | Threshold Limit Value   |
| <b>TSCA</b>   | Toxic Substances Control Act  |
| <b>VOC</b>    | Volatile Organic Compounds  |

# Safe Use of Mixture Information (SUMI)

--

## UV digital printing inks: UV01 \*English\*

### Disclaimer

*This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.  
The REACH registration number(s), where applicable, completes an extended product SDS.*

### Operational conditions

|                              |   |
|------------------------------|---|
| <b>Maximum duration</b>      | Up to 8 hours per day   |
| <b>Frequency of exposure</b> | < 240 days per year   |
| <b>Process conditions</b>    | Covers use at ambient temperatures.<br>Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace.<br>Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS.<br>Avoid direct contact.<br>Regular cleaning of equipment and work area.<br>Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions foll |

### Risk management measures

|  |  |
|--|--|
| <b>Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation</b> | <p>Wear safety glasses with side shields (or goggles), if splashing is possible.<br/>Wear appropriate chemical resistant gloves: see section 8 of the SDS.<br/>Wear appropriate chemical resistant clothing.<br/>Eye wash fountain and emergency showers are recommended.<br/>Avoid breathing mist/vapours.<br/>Avoid contact with skin, eyes and clothing.<br/>Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.</p> <div style="display: flex; justify-content: space-around; align-items: center;">     </div> |
|--|--|

### Good practice advice

|  |   |
|--|---|
| <p>Use personal protective equipment as required.<br/>Wash hands before breaks and after work.<br/>Keep good industrial hygiene and safety practice.<br/>Use only with adequate ventilation.<br/>Do no eat, drink or smoke when using this product.<br/>Wash contaminated clothing before reuse.<br/>Store in a well-ventilated place.<br/>Keep container tightly closed.<br/>Store at room temperature.</p> |   |
|--|---|

### Environmental measures

Do not allow this material to drain into sewers/water supplies.  
Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.  
Ensure collection and disposal with appropriately licenced waste contractor.

### Use descriptors

- IS-Use at industrial sites
- PW-Widespread use by professional workers
- SU7-Printing and reproduction media
- PC18-Inks and Toners
- PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
- PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
- PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities
- ERC5-Use at industrial site leading to inclusion into/onto article
- ERC8c-Widespread use leading to inclusion into/onto article (indoor)

### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.  
The classification of the mixture is based on the individual ingredients and their concentration within the mixture.  
All ingredients contributing to the classification are stated in Section 3 of the SDS.  
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.  
The product may contain sensitizing ingredients that may cause allergic reaction to certain people.  
Section 2 of the SDS states these ingredients where applicable.  
The product is classified as toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.