



# SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Trade name or designation of the mixture CH133Series

### Other means of identification

Synonyms HP Scitex FB240 Black Ink

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing.

Uses advised against None known.

### Company identification

HP Computing and Printing Ltd. Belgrade  
Omladinskih Brigada 90b, 1st Floor (Module N.)  
Belgrade  
Serbia 11070  
Telephone +381-11-2014283

HP Inc. health effect line  
(Toll-free within US) 1-800-457-4209  
(Direct) 1-760-710-0048  
HP Inc. Customer Care Line  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com

## 2. HAZARDS IDENTIFICATION

### 2.1 GHS classification of substance or mixture, and national or regional information

Physical hazards Not classified.

Health hazards

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Reproductive toxicity	Category 2
Specific target organ toxicity - repeated exposure	Category 1

Environmental hazards Hazardous to the aquatic environment, long-term aquatic hazard Category 2

### 2.2 GHS label elements

#### Hazard symbol(s)



#### Signal word

Danger

#### Hazard statement(s)

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects.

## Precautionary statement

### Prevention

P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.  
P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P270 - Do not eat, drink or smoke when using this product.  
P264 - Wash hands thoroughly after handling.  
P273 - Avoid release to the environment.

### Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 - If eye irritation persists: Get medical advice/attention.  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P308 + P313 - IF exposed or concerned: Get medical attention/advice.  
P391 - Collect spillage.  
P362 - Take off contaminated clothing and wash before reuse.

### Storage

P405 - Store locked up.

## Precautionary statements

### Disposal

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3. Other hazards

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans).

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Proprietary initiator - In animal testing, risk of impaired fertility was shown only after repeated ingestion of very high doses of this substance.

## Supplemental information

Contains Glycerolpropoxytriacylate. May produce an allergic reaction.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Components	CAS #	Percent
2-phenoxyethyl acrylate	48145-04-6	<40
1-vinylhexahydro-2H-azepin-2-one	2235-00-9	<25
Tridecyl acrylate	3076-04-8	<25
Neopentylglycol propoxylate diacrylate	84170-74-1	<10
[2-(hydroxymethyl)-3-prop-2-enoyloxy-2-[[3-prop-2-enoyloxy-2,2-bis(prop-2-enoyloxymethyl)propoxy]methyl]propyl] prop-2-enoate	60506-81-2	<5
Poly (ethylene glycol) diacrylate	26570-48-9	<5
Proprietary initiator	Proprietary	<5
Carbon black	1333-86-4	<2.5
2-benzyl-2-dimethylamino-4-morpholinobutyrophenone	119313-12-1	<1

### Composition comments

Carbon black is present only in a bound form in this preparation.

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

#### Inhalation

Move to fresh air. If symptoms persist, get medical attention.

#### Skin contact

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

#### Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

<b>Ingestion</b>	If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	Not available.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	Not available.
<b>General information</b>	Not available.

---

## 5. FIRE-FIGHTING MEASURES

<b>5.1. Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Dry powder. Carbon dioxide (CO2). Water may be ineffective.
<b>Unsuitable extinguishing media</b>	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
<b>5.2. Special hazards arising from the substance or mixture</b>	Not available.
<b>5.3. Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	Not available.
<b>Special fire fighting procedures</b>	Avoid runoff into storm sewers and ditches which lead to waterways.
<b>General fire hazards</b>	Not available.

---

## 6. ACCIDENTAL RELEASE MEASURES

<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	
<b>For non-emergency personnel</b>	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
<b>For emergency responders</b>	Not available.
<b>6.2. Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
<b>6.3. Methods and material for containment and cleaning up</b>	Not available.
<b>6.4. Reference to other sections</b>	Not available.

---

## 7. HANDLING AND STORAGE

<b>7.1. Precautions for safe handling</b>	Avoid contact with skin, eyes and clothing.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.
<b>7.3. Specific end use(s)</b>	Not available.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>8.1. Control parameters</b>	
<b>Occupational exposure limits</b>	No exposure limits noted for ingredient(s).
<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Recommended monitoring procedures</b>	Not available.
<b>Recommended monitoring procedures</b>	
<b>Additional exposure data</b>	Exposure limits have not been established for this product.

### Derived no-effect level (DNEL)

Components	Type	Route	Value	Form
[2-(hydroxymethyl)-3-prop-2-enoyloxy-2-[[3-prop-2-enoyloxy-2,2-bis(prop-2-enoyloxymethyl)propoxy]methyl]propyl] prop-2-enoate (CAS 60506-81-2)	Industry	Dermal	0.5 mg/kg/day	
		Inhalation	1.76 mg/m <sup>3</sup>	
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Workers	Dermal	0.7 mg/kg	Systemic long term
		Inhalation	4.9 mg/m <sup>3</sup>	Systemic long term
2-benzyl-2-dimethylamino-4-morpholinobutyrophenone (CAS 119313-12-1)	Workers	Inhalation	0.17 mg/m <sup>3</sup>	Local long term
		Dermal	5 mg/kg	Local short term
		Dermal	1 mg/kg	Local long term
		Dermal	0.23 mg/kg	systemic short term
		Dermal	0.17 mg/kg	Systemic long term
		Inhalation	5 mg/m <sup>3</sup>	Local short term
		Inhalation	1.65 mg/m <sup>3</sup>	systemic short term
		Inhalation	1 mg/m <sup>3</sup>	Local long term
		Inhalation	0.17 mg/m <sup>3</sup>	systemic long term
		2-phenoxyethyl acrylate (CAS 48145-04-6)	Industry	Dermal
Inhalation	10 mg/m <sup>3</sup>			
Workers	Dermal		1.5 mg/kg	Systemic long term
	Inhalation		77 mg/m <sup>3</sup>	Local long term
Carbon black (CAS 1333-86-4)	Consumers	Inhalation	10 mg/m <sup>3</sup>	Systemic long term
		Inhalation	1.75 mg/m <sup>3</sup>	Local long term
	Workers	Inhalation	0.06 mg/m <sup>3</sup>	Systemic long term
		Inhalation	2 mg/m <sup>3</sup>	Local long term
Neopentylglycol propoxylate diacrylate (CAS 84170-74-1)	Workers	Inhalation	1 mg/m <sup>3</sup>	Systemic long term
		Dermal	3.33 mg/kg	Systemic long term
		Inhalation	11.75 mg/m <sup>3</sup>	Systemic long term

### Predicted no effect concentrations (PNECs)

Components	Type	Route	Value	Form
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Not applicable	Freshwater	0.1 mg/l	
		Intermittant	1 mg/l	Releases
		Marine water	0.01 mg/l	
		Sediment	0.829 mg/kg	Freshwater
		Sediment	0.0829 mg/kg	Marine water
		Soil	0.107 mg/kg	
		STP	262 mg/l	Sewage Treatment Plant
2-benzyl-2-dimethylamino-4-morpholinobutyrophenone (CAS 119313-12-1)	Not applicable	Freshwater	0.0005 mg/l	
		Intermittant	0.005 mg/l	Releases
		Marine water	0.00005 mg/l	
		Sediment	0.0005 mg/kg	Freshwater
		Sediment	0.00015 mg/kg	Marine water
		Soil	0.0026 mg/kg	
		STP	0.59 mg/l	Sewage Treatment Plant
2-phenoxyethyl acrylate (CAS 48145-04-6)	Not applicable	Freshwater	0.002 mg/l	
		Intermittant	0.0121 mg/l	Releases
		Marine water	0.0002 mg/l	
		Sediment	0.02 mg/kg	Freshwater
		Sediment	0.002 mg/kg	Marine water
		Soil	0.006 mg/kg	
		STP	1.77 mg/l	Sewage Treatment Plant
Carbon black (CAS 1333-86-4)	Not applicable	Freshwater	5 mg/l	
		Marine water	5 mg/l	

Components	Type	Route	Value	Form
Neopentylglycol propoxylate diacrylate (CAS 84170-74-1)	Not applicable	Freshwater	0.0027 mg/l	
		Intermittant	0.027 mg/l	Releases
		Marine water	0.00027 mg/l	
		Sediment	0.188 mg/kg	Freshwater
		Sediment	0.018 mg/kg	Marine water
		Soil	0.036 mg/kg	
		STP	0.2 mg/l	Sewage Treatment Plant
<b>Exposure guidelines</b>	Exposure limits have not been established for this product.			
<b>8.2. Exposure controls</b>				
<b>Appropriate engineering controls</b>	Not available.			
<b>Individual protection measures, such as personal protective equipment</b>				
<b>General information</b>	Not available.			
<b>Eye/face protection</b>	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.			
<b>Skin protection</b>				
- <b>Hand protection</b>	Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.			
<b>Individual protection measures, for example personal protective equipment (PPE)</b>				
<b>Skin protection</b>				
<b>Individual protection measures, such as personal protective equipment</b>				
- <b>Other</b>	Wear appropriate chemical resistant clothing.			
<b>Respiratory protection</b>	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.			
<b>Thermal hazards</b>	Not available.			
<b>Hygiene measures</b>	Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.			
<b>Environmental exposure controls</b>	Not available.			

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Black.
<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	> 212.0 °F (> 100.0 °C) (Closed Cup)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.

<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Solubility (other)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Explosive properties</b>	Not available.
<b>Oxidizing properties</b>	Not available.
<b>9.2. Other information</b>	
<b>Chemical family</b>	Acrylate/Polymer/Pigment Blend
<b>VOC (Weight %)</b>	< 95 g/L

---

## 10. STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Not available.
<b>10.2. Chemical stability</b>	Stable under normal storage conditions.
<b>10.3. Possibility of hazardous reactions</b>	Hazardous polymerization can occur with decreased inhibitor content.
<b>10.4. Conditions to avoid</b>	Exposure to sunlight.
<b>10.5. Incompatible materials</b>	Incompatible with strong bases and oxidizing agents. alkaline metals
<b>10.6. Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

---

## 11. TOXICOLOGICAL INFORMATION

**General information** Not available.

### 11.1. Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
Carbon black (CAS 1333-86-4)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	> 8000 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

**Respiratory sensitization** Based on available data, the classification criteria are not met.

### Respiratory or skin sensitization

**Skin sensitization** May cause sensitization by skin contact.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met. Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans).

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

### IARC Monographs: Evidence of carcinogenicity in humans

    Carbon black (CAS 1333-86-4) Inadequate data.

**Reproductive toxicity** Suspected of damaging fertility.

**Specific target organ toxicity - single exposure** Based on available data, the classification criteria are not met.

**Specific target organ toxicity - repeated exposure** Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

**Other information** Complete toxicity data are not available for this specific formulation

---

## 12. ECOLOGICAL INFORMATION

<b>12.1. Toxicity</b>	Not toxicity data noted for the ingredient(s).
<b>Aquatic toxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.
<b>12.2. Persistence and degradability</b>	Not available.
<b>12.3. Bioaccumulative potential</b>	Not available.
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>12.5. Results of PBT and vPvB assessment</b>	Not a PBT or vPvB substance or mixture.
<b>12.6. Other adverse effects</b>	Not available.

---

## 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

<b>Residual waste</b>	Not available.
<b>Contaminated packaging</b>	Not available.
<b>EU waste code</b>	Not available.
<b>Disposal methods/information</b>	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.

---

## 14. TRANSPORT INFORMATION

### DOT

Not regulated as dangerous goods.

**DOT supplemental information** DOT Classification only applies to shipments within the US and Puerto Rico.

### IATA

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Special precautions for user</b>	Not available.

**IATA supplemental information** When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

### IMDG

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	F-A, S-F
<b>Special precautions for user</b>	Not available.

**IMDG supplemental information** When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.

### ADR

<b>Proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Hazard class</b>	9
<b>UN number</b>	3082
<b>Packing group</b>	III
<b>Marine pollutant</b>	Yes

**ADR supplemental information**


When shipping ≤ 5L containers, ADR 375 may apply.

**IATA; IMDG**



**ADR**

**Marine pollutant**



---

**15. REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.2. Chemical safety assessment** See attached SUMI or GEIS document, if applicable.

**International regulations** All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

---

**16. OTHER INFORMATION**

**List of abbreviations** Not available.

**References** Not available.

**Information on evaluation method leading to the classification of mixture** Not available.

**Revision information** 3. Composition / Information on Ingredients: Ingredients  
14. Transport Information: Material Transportation Information  
15. Regulatory Information: United States  
GHS: Qualifiers

**Manufacturer information** HP Inc.  
1501 Page Mill Road  
Palo Alto, CA 94304-1112 US  
Product Information 1-800-925-0563

**Training information** Not available.



**Disclaimer**

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.