

# SAFETY DATA SHEET

# Section 1. Identification of the chemical and information on the person placing the chemical on the market

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Chemical identification

CH220Series

Other means of identification

**Synonyms** HP Scitex FB250 Light Cyan Ink

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Inkjet printing Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP Computing and Printing d.o.o., Omladinskih Brigada 90b, Belgrade

Serbia 11070

HP Europe B.V. PO Box 667

1180 AR Amstelveen The Netherlands +31 20 721 3400

(Toll-free within US) 1-800-457-4209 1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

HP Inc. health effect line

Line

**Telephone** 

1-800-474-6836 (Toll-free within the US) 1-208-323-2551 (Direct)

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

1-760-710-0048

### Section 2. Hazards identification

#### 2.1. Classification of the substance or mixture

**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2 Skin sensitization Category 1 Reproductive toxicity Category 1B

Specific target organ toxicity - single Category 3 respiratory tract irritation

Category 1

Category 2

exposure

Specific target organ toxicity - repeated

exposure

**Environmental hazards** Hazardous to the aquatic environment,

long-term aquatic hazard

2.2. Label elements

**Hazard pictograms** 



Signal word Danger

**Hazard statements** 

Material name: CH220Series

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

# **Precautionary statements**

#### Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P202 Do not handle until all safety precautions have been read and understood.

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention. P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P308 + P313 IF exposed or concerned: Get medical attention/advice.

P312 Call a poison center/doctor if you feel unwell.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

**Storage** 

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3. Other hazards** Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans).

#### Supplemental information

#### None.

### Section 3. Composition/information on ingredients

#### 3.2. Mixtures

# **General information**

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
2-phenoxyethyl acrylate		<30	48145-04-6 256-360-6	01-2119980532-35-XXXX	-	
Classification:	Repr. 2;H361	d				
1-vinylhexahydro-2H-aze	epin-2-one	<25	2235-00-9 218-787-6	01-2119977109-27-XXXX	-	
Classification:	Acute Tox. 4; RE 1;H372	H302, Ac	cute Tox. 4;H312, Skir	n Sens. 1B;H317, Eye Irrit. 2;I	H319, STOT	
Tridecyl acrylate		<15	3076-04-8 221-351-8	-	-	
Classification:	-					
Neopentylglycol, propoxy with acrylic acid	/lated esters	<7.5	84170-74-1 -	01-2119970213-43-XXXX	-	
Classification:	-					
2-[[3-hydroxy-2,2-bis[[(1-methyl]propoxy]methyl]-2 oxy]methyl]-1,3-propandi	2-[[(1-oxoallyl)	<5	60506-81-2 262-270-8	-	-	
Classification:	-					

Material name: CH220Series SDS SERBIA

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Diphenyl (2,4,6-trimethylb phosphine oxide	enzoyl)	<5	75980-60-8 278-355-8	01-2119972295-29-XXXX	015-203-00-X	
Classification:	Skin Sens. 18	3;H317, Re	epr. 2;H361fd, Aqua	tic Chronic 2;H411		
Blue Pigment		<2.5	Proprietary -	-	-	
Classification:	-					
Ethyl 4-dimethylaminoben	zoate	<2.5	10287-53-3 233-634-3	-	-	
Classification:	-					
Poly (ethylene glycol) diad	crylate	<2.5	26570-48-9	-	-	
Classification:	Skin Irrit. 2;Hi Chronic 2;H4		Sens. 1;H317, Eye [	Oam. 1;H318, STOT SE 3;H3	335, Aquatic	
2,6-di-tert-butylalphadir -p-cresol	nethylamino	<1	88-27-7 201-816-1	-	-	
Classification:	Acute Tox. 4;	H302, Aqu	atic Acute 1;H400			
2-benzyl-2-dimethylamino nobutyrophenone	-4-morpholi	<1	119313-12-1 404-360-3	-	606-047-00-9	
Classification:	Aquatic Acute	1;H400				
Benzophenone		<1	119-61-9 204-337-6	-	-	
Classification:	Aquatic Chro	nic 3;H412				
Glycerol, propoxylated, es acrylic acid	ters with	<1	52408-84-1 500-114-5	01-2119487948-12-XXXX	-	
Classification:	-					
Propionic acid,	phinylidene	<1	55818-57-0 500-130-2	01-2119490020-53-XXXX	-	
2-methyl-3,3'-(phenylphos )di-, diallyl ester						

### Section 4. First aid measures

4.1. Description of first aid measures

Move to fresh air. If symptoms persist, get medical attention. Inhalation

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical Skin contact

attention.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Ingestion

Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

Not available. **General information** 

### Section 5. Fire fighting measures

5.1. Extinguishing media

Suitable extinguishing

Dry powder. Carbon dioxide (CO2). Water may be ineffective.

media

Unsuitable extinguishing Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire. media

5.2. Special hazards arising from the substance or mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Special fire fighting procedures

Avoid runoff into storm sewers and ditches which lead to waterways.

Not available. General fire hazards

### Section 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Wear appropriate personal protective equipment. Do not touch or walk through spilled material.

personnel

For emergency responders Not available.

6.2. Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also

section 13 Disposal considerations.

6.3. Methods and material for containment and cleaning up

Not available.

6.4. Reference to other

Not available.

sections

### Section 7. Handling and storage

7.1. Precautions for safe

Avoid contact with skin, eyes and clothing.

handling

7.2. Conditions for safe storage, including any incompatibilities

Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE)

containers are recommended for shipping and storage.

7.3. Specific end use(s) Not available.

# Section 8. Exposure controls and personal protection

### 8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

#### Derived no effect levels (DNELs)

erm erm erm erm erm erm erm
erm erm erm erm
erm erm erm erm erm
erm erm erm erm
erm erm erm erm
erm erm erm
erm erm
erm
erm
_

Material name: CH220Series

Components	Туре	Route	Value	Form
2-phenoxyethyl acrylate (CAS 48145-04-6)	Not applicable	Freshwater	0.002 mg/l	
		Intermittent	0.0121 mg/l	Releases
		Marine water	0.0002 mg/l	
		Sediment	0.02 mg/kg	Freshwater
		Sediment	0.002 mg/kg	Marine water
		Soil	0.006 mg/kg	
		STP	1.77 mg/l	Sewage Treatment Plant
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide (CAS 75980-60-8)	Not applicable	Freshwater	0.00353 mg/l	
		Intermittent	0.0353 mg/l	Releases
		Marine water	0.0005353 mg/l	
		Sediment	0.29 mg/kg	Freshwater
		Sediment	0.029 mg/kg	Marine water
		Soil	0.0557 mg/kg	
Glycerol, propoxylated, esters with acrylic acid (CAS 52408-84-1)	Not applicable	Freshwater	0.00574 mg/l	
,		Intermittent	0.0574 mg/l	Releases
		Marine water	0.01697 mg/kg	
		Sediment	0.001697 mg/kg	Marine water
		Soil	0.00111 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant
Neopentylglycol, propoxylated esters with acrylic acid (CAS 84170-74-1)	Not applicable	Freshwater	0.0027 mg/l	•
		Intermittent	0.027 mg/l	Releases
		Marine water	0.00027 mg/l	
		Sediment	0.188 mg/kg	Freshwater
		Sediment	0.018 mg/kg	Marine water
		Soil	0.036 mg/kg	
		STP	0.2 mg/l	Sewage Treatment Plant
Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester (CAS 55818-57-0)	Not applicable	Freshwater	0.1 mg/l	
		Intermittent	1 mg/l	Releases
		Marine water	0.01 mg/l	
		Sediment	35.8 mg/kg	Freshwater
		Sediment	3.58 mg/kg	Marine water
		Soil	7.1 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant

**Exposure guidelines** Exposure limits have not been established for this product.

8.2. Exposure controls

Appropriate engineering

Not available.

controls

Individual protection measures, such as personal protective equipment

General information Not available.

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and

emergency showers are recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum

thickness.

- Other Wear appropriate chemical resistant clothing.

**Respiratory protection** Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice. Do not get this material in

your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before

reuse. Keep away from food and drink.

**Environmental exposure** 

controls

Not available.

## Section 9. Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Color Light Cyan
Odor Characteristic.
Odor threshold Not available.

pH 6.2 - 6.6 Metler Toledo pH Meter. Temperature 25°C

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point > 199.9 °F (> 93.3 °C) Calculated

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

t - upper Not available.

Vapor pressureNot available.Vapor densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 9.3 - 10.6 cP Brookfield Viscometer Temperature 50°C

**Explosive properties**Not available. **Oxidizing properties**Not available.

9.2. Other information

Chemical family Acrylate/Polymer/Pigment Blend

VOC < 95 g/L Calculated

# Section 10. Stability and reactivity

**10.1. Reactivity** Not available.

**10.2. Chemical stability** Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Hazardous polymerization can occur with decreased inhibitor content.

**10.4. Conditions to avoid** Exposure to sunlight.

10.6. Hazardous Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

decomposition products dioxide and/or low molecular weight hydrocarbons.

### **Section 11. Toxicological information**

General information Not available.

Information on likely routes of exposure

InhalationInhalation may result in mild irritation to the respiratory system.Skin contactCauses skin irritation. May cause sensitization by skin contact.

**Eye contact** Causes serious eye irritation.

**Ingestion** Ingestion is not a likely route of exposure.

**Symptoms** Not available.

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components Species Test Results

1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)

Acute Dermal

LD50 Rabbit 1700 mg/kg

Inhalation

LC50 Rat > 1.6 mg/l

Oral

LD50 Rat 1114 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Based on available data, the classification criteria are not met.

**Skin sensitization** May cause sensitization by skin contact.

**Germ cell mutagenicity**Based on available data, the classification criteria are not met. **Carcinogenicity**Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Benzophenone (CAS 119-61-9) 2B Possibly carcinogenic to humans.

**Reproductive toxicity** May damage fertility or the unborn child.

Specific target organ toxicity -

single exposure

May cause irritation to the respiratory system.

Specific target organ toxicity -

repeated exposure

Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

# Section 12. Ecotoxicological information

#### 12.1. Toxicity

Aquatic toxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This

product has not been tested for ecological effects.

Components		Species	Test Results
2-phenoxyethyl acrylate (C	AC 4014E 04 6)	Opecies	rest Results
2-prierioxyetityi acrylate (C. Acute	AS 40 145-04-0)		
Acule	EC10	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
	EC50	Desmodesmus subcapitatus	4.44 mg/l, 72 h (DIN 38412 L9)
	LC50	Leuciscus idus	10 mg/l, 96 h (DIN 38 412)
	NOEC	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C)
Diphenyl (2,4,6-trimethylbe	nzoyl) phosphine o	oxide (CAS 75980-60-8)	
Acute			
	EC10	Pseudokirchneriella subcapitata	1.56 mg/l, 72 h (OECD 201)
	EC50	Pseudokirchneriella subcapitata	> 2.01 mg/l, 72 h (OECD 201)
	LC50	Cyprinus carpio	1.4 mg/l, 96 h (OECD 203)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	3.53 mg/l, 48 h (OECD 202)
Neopentylglycol, propoxyla	ted esters with acry	ylic acid (CAS 84170-74-1)	
Acute			
	EC10	Pseudokirchneriella subcapitata	2.3 mg/l, 72 h (OECD 201)

Components		Species	Test Results
	EC50	Pseudokirchneriella subcapitata	11 mg/l, 72 h (OECD 201)
Aquatic			
Acute			
Crustacea	EC50	Daphnia Magna	37 mg/l, 48 h (OECD 202)
Fish	LC50	Danio rerio	2.7 mg/l, 96 h (OECD 203)
•	nylphosphinylide	ne)di-, diallyl ester (CAS 55818-57-0)	
Acute	EC50	Pseudokirchneriella subcapitata	105 mg/l, 72 h (OECD 201)
	LC50	Cyprinus carpio	> 0.082 mg/l, 96 h (OECD 203)
	NOEC	Pseudokirchneriella subcapitata	29 mg/l, 72 h (OECD 201)
Acustic	NOEC	r seddokii ciiileileila subcapitata	29 High, 72 H (OECD 201)
<b>Aquatic</b> Acute			
Crustacea	EC50	Daphnia magna	> 16 mg/l, 48 h (OECD 202)
	NOEC	Daphnia magna	> 16 mg/l, 48 h (OECD 202)
Chronic			
Crustacea	EC10	Daphnia magna	> 0.51 mg/l, 21 d (OECD 211)
	NOEC	Daphnia magna	> 0.51 mg/l, 21 d (OECD 211)
Fish	EC10	Pimephales promelas	0.43 mg/l, 33 d (OECD 210)
	NOEC	Pimephales promelas	0.25 mg/l, 33 d (OECD 210)
2.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient	Not available.		

n-octanol/water (log Kow)

**Bioconcentration factor (BCF)** 

Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide

72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatsu No . 615, 4 MITI/MHW Chemical Substance Control Law, Japan)

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

# Section 13. Disposal

13.1. Waste treatment methods

Not available. Residual waste Not available. Contaminated packaging **EU** waste code Not available.

Disposal methods/information Do not dispose of together with general office waste.

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

### **Section 14. Transport information**

DOT

**UN** number Not available. **UN** proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

**Environmental hazards** 

Marine pollutant Nο

Special precautions for user Not available.

**DOT Supplemental Information** 

DOT Classification only applies to shipments within the US and Puerto Rico.

**IATA** 

UN3082 **UN** number

**UN** proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards Yes

Special precautions for user Not available.

IATA Supplemental Information When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

**IMDG** 

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Transport hazard class(es)

Marine pollutant Yes
EmS F-A, S-F
Special precautions for user Not available.

**IMDG Supplemental Information** When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.

**ADR** 

UN number UN3082

**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

Transport hazard class(es)

Class 9 Subsidiary risk -

Hazard No. (ADR) Not available.


Tunnel restriction code Not available.

Packing group III
Environmental hazards Yes

Special precautions for user Not available.

**ADR Supplemental Information** When shipping ≤ 5L containers, ADR 375 may apply.

ADR; IATA; IMDG



### Marine pollutant



**Further information** 

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

#### Section 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions and prohibitions on manufacture, placing on the market and use of chemicals (Regulation 90/2013, Annex 1, Part 1, as amended)

Not listed.

#### Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

#### International regulations

The components of this product are reported in the following inventories: USA, European Union, Canada, Japan, China, Australia, Korea.

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Montreal Protocol** 

Not applicable.

Kyoto protocol

Not applicable. **Basel Convention** 

Not applicable.

15.2. Chemical safety assessment

See attached SUMI or GEIS document, if applicable.

#### Section 16. Other information

#### References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Revision information

Training information

1. Product and Company Identification: EU Poison Center Follow training instructions when handling this material.

Material name: CH220Series SDS SERBIA

#### Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds