

C8747Series[B][2]-MSDS_RUSSIA-English-24.pdf

C8747Series[Y][2]-MSDS_RUSSIA-English-15.pdf



MATERIAL SAFETY DATA SHEET

1. Product and company identification

Product name C8747Series[B][2]
Recommended use Inkjet printing
Limitations on use Not available.
Issue date 02-Jul-2015
Revision date 21-Aug-2016
Version # 04
Company identification ZAO Hewlett-Packard A.O.
Highway Leningradskoe, House 16A, Building 3,
125171, Moscow
Telephone 7 495 797-3500

HP Inc. health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048
HP Inc. Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazards identification

Hazard classification
Physical hazards Not classified.
Health hazards Toxic to reproduction Category 1B
Environmental hazards Not classified.

Label elements



Signal word Danger
Hazard statement May damage fertility or the unborn child.
Precautionary statement
Prevention P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
Response P308 + P313 - IF exposed or concerned: Get medical attention/advice.
Storage P405 - Store locked up.
Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Potential routes of overexposure to this product are skin and eye contact.
Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

3. Composition/information on ingredients

Substance or mixture Mixture

| Chemical property | CAS Number | Concentration (%) |
|----------------------------------|------------|-------------------|
| Water | 7732-18-5 | 80-90 |
| 1-(2-hydroxyethyl)-2-pyrrolidone | 3445-11-2 | < 2.5 |
| Sulfolane | 126-33-0 | < 1 |

Composition comments This ink supply contains an aqueous ink formulation.
Carbon black is present only in a bound form in this preparation.

4. First aid measures

First aid measures for different exposure routes

Inhalation Move to fresh air. If symptoms persist, get medical attention.
Ingestion If ingestion of a large amount does occur, seek medical attention.
Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Most important symptoms and effects Not available.

Notes to physician Not available.

5. Fire-fighting measures

Flash point 212.0 °F (100.0 °C) Pensky-Martens Closed Cup

General fire hazards Not available.

Suitable extinguishing media Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media None known.

Specific hazards during fire fighting Not available.

Special fire fighting procedures None.

Personal protective equipment for fire-fighting None.

Specific methods None established.

6. Accidental release measures

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Clean-up methods and materials and containment measures Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

7. Handling and storage

Handling

Safe handling advice Avoid contact with skin, eyes and clothing.

Storage

Technical measures Keep out of the reach of children.
Keep away from excessive heat or cold.

Incompatible materials Not available.

8. Exposure controls/personal protection

Occupational exposure limits

Russian Federation. Hygiene Norm GN 2.2.5.1313-03. Executive No. 76 of 30 April 2003. Maximum allowable concentration (MAC) of harmful substances in the air of working zones, as amended.

| Components | Type | Value | Form |
|--------------------------|---------|----------------------|--------------------|
| Sulfolane (CAS 126-33-0) | Ceiling | 40 mg/m ³ | Vapor and aerosol. |

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Engineering measures Use in a well ventilated area.

Personal protective equipment

Respiratory protection Not available.

Hand protection Not available.

Eye protection Not available.

Skin and body protection Not available.

9. Physical and chemical properties

Appearance

| | |
|---|---|
| Physical state | Not available. |
| Color | Black. |
| Odor | Not available. |
| Odor threshold | Not available. |
| pH | 8.7 - 9.1 |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not determined |
| Flash point | 212.0 °F (100.0 °C) Pensky-Martens Closed Cup |
| Heat of combustion | Not available. |
| Auto-ignition temperature | Not determined |
| Decomposition temperature | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not determined |
| Flammability limit - upper (%) | Not available. |
| Vapor pressure | Not determined |
| Viscosity | Not available. |
| Solubility | Soluble in water |
| Partition coefficient (n-octanol/water) | Not available. |
| Other data | |
| Evaporation rate | Not determined |
| Oxidizing properties | Not determined |
| VOC (Weight %) | < 117 g/L |

10. Stability and reactivity

| | |
|------------------------------------|---|
| Stability | Stable under recommended storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | None. |
| Incompatible materials | Incompatible with strong bases and oxidizing agents. |
| Hazardous decomposition products | Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |

11. Toxicological information

| | |
|-----------------------------------|---|
| Acute toxicity | Based on available data, the classification criteria are not met. |
| Skin corrosion/irritation | Based on available data, the classification criteria are not met. |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. |
| Respiratory sensitization | Based on available data, the classification criteria are not met. |
| Skin sensitization | Based on available data, the classification criteria are not met. |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. |
| Carcinogenicity | Based on available data, the classification criteria are not met. |

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Russian Federation. Sanitary-Epidemiological Rules, 1.2.2353-08, Chemical substances, mixtures and products which are carcinogenic factors, 21 April 2008

Not listed.

| | |
|---|---|
| Toxic to reproduction | May damage fertility or the unborn child. |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - repeated exposure | Based on available data, the classification criteria are not met. |
| Aspiration hazard | Based on available data, the classification criteria are not met. |
| Other information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. |

| Components | Species | Test Results |
|--------------------------|------------|--------------------|
| Sulfolane (CAS 126-33-0) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rabbit | 4009 mg/kg |
| | Rat | > 2000 mg/kg |
| <i>Inhalation</i> | | |
| LC50 | Rat | > 12 mg/l, 4 Hours |
| <i>Oral</i> | | |
| LD50 | Guinea pig | 1445 mg/kg |
| | Mouse | 1500 mg/kg |
| | Rat | 1941 mg/kg |
| <i>Other</i> | | |
| LD50 | Guinea pig | 1331 mg/kg |
| | Mouse | 1080 mg/kg |
| | Rabbit | 1.9 g/kg |
| | Rat | 1094 mg/kg |

12. Ecological information

Persistence and degradability Not available.

Bioaccumulation

Bioaccumulative potential

Octanol/water partition coefficient log Kow

Sulfolane -0.77

Mobility in soil Not available.

Other hazardous effects Not available.

13. Disposal considerations

Local disposal regulations Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.
HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

Applicable regulations All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Russian Federation. Sanitary-Epidemiological Rules, 1.2.2353-08, Chemical substances, mixtures and products which are carcinogenic factors, 21 April 2008

Not listed.

Ministry of Health and Social Development of Russian Federation. Order № 83 of 16.08.2004. List of hazardous and/or dangerous production factors and work under which preliminary and periodic medical examinations are conducted, methods of the examinations.

Not listed.

Hygiene Norm GN 2.2.5.1313-03. Executive No. 76 of 30 April 2003. Maximum allowable concentration (MAC) of harmful substances in the air of working zones, as amended.

Sulfolane (CAS 126-33-0)

Listed.

16. Other information

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date 02-Jul-2015

Revision date 21-Aug-2016

Version # 04

Manufacturer information HP Inc.
1501 Page Mill Road
Palo Alto, CA 94304-1112 US
Direct 1-650-857-5020

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |



MATERIAL SAFETY DATA SHEET

1. Product and company identification

Product name C8747Series[Y][2]
Recommended use Inkjet printing
Limitations on use Not available.
Issue date 02-Jul-2015
Revision date 21-Aug-2016
Version # 03
Company identification ZAO Hewlett-Packard A.O.
Highway Leningradskoe, House 16A, Building 3,
125171, Moscow
Telephone 7 495 797-3500

HP Inc. health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048
HP Inc. Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazards identification

Hazard classification

- Physical hazards** Not classified.
- Health hazards** Not classified.
- Environmental hazards** Not classified.

Label elements

- Symbols** None.
- Signal word** None.

Hazard statement Not available.

Precautionary statement

- Prevention** Not available.
- Response** Not available.
- Storage** Not available.
- Disposal** Not available.

Other hazards Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

3. Composition/information on ingredients

Substance or mixture Mixture

| Chemical property | CAS Number | Concentration (%) |
|----------------------|-------------|-------------------|
| Water | 7732-18-5 | 70-80 |
| Tripropylene glycol | 24800-44-0 | < 10 |
| Tetraethylene glycol | 112-60-7 | < 5 |
| Yellow pigment | Proprietary | < 5 |

Composition comments This ink supply contains an aqueous ink formulation.

4. First aid measures

First aid measures for different exposure routes

- Inhalation** Move to fresh air. If symptoms persist, get medical attention.
- Ingestion** If ingestion of a large amount does occur, seek medical attention.

| | |
|--|---|
| Skin contact | Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention. |
| Most important symptoms and effects | Not available. |
| Notes to physician | Not available. |

5. Fire-fighting measures

| | |
|--|---|
| Flash point | 212.0 °F (100.0 °C) Pensky-Martens Closed Cup |
| General fire hazards | Not available. |
| Suitable extinguishing media | CO2, water, dry chemical, or foam |
| Unsuitable extinguishing media | None known. |
| Specific hazards during fire fighting | Not available. |
| Special fire fighting procedures | None. |
| Personal protective equipment for fire-fighting | None. |
| Specific methods | Wear self contained breathing apparatus for fire fighting if necessary. |

6. Accidental release measures

| | |
|--|---|
| Personal precautions | Wear appropriate personal protective equipment. |
| Environmental precautions | Do not let product enter drains. Do not flush into surface water or sanitary sewer system. |
| Clean-up methods and materials and containment measures | Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. |

7. Handling and storage

| | |
|-------------------------------|--|
| Handling | |
| Safe handling advice | Avoid contact with skin, eyes and clothing. |
| Storage | |
| Technical measures | Keep out of the reach of children. Keep away from excessive heat or cold. |
| Incompatible materials | Not available. |

8. Exposure controls/personal protection

Occupational exposure limits

Russian Federation. Hygiene Norm GN 2.2.5.1313-03. Executive No. 76 of 30 April 2003. Maximum allowable concentration (MAC) of harmful substances in the air of working zones, as amended.

| Components | Type | Value | Form |
|-------------------------------------|---------|----------|--------------------|
| Tetraethylene glycol (CAS 112-60-7) | Ceiling | 10 mg/m3 | Vapor and aerosol. |

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Engineering measures Use in a well ventilated area.

Personal protective equipment

Respiratory protection Not available.

Hand protection Not available.

Eye protection Not available.

Skin and body protection Not available.

9. Physical and chemical properties

Appearance

Physical state Not available.

Color Yellow.

Odor Not available.

Odor threshold Not available.

pH 8.9

| | |
|---|---|
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not determined |
| Flash point | 212.0 °F (100.0 °C) Pensky-Martens Closed Cup |
| Heat of combustion | Not available. |
| Auto-ignition temperature | Not determined |
| Decomposition temperature | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not determined |
| Flammability limit - upper (%) | Not available. |
| Vapor pressure | Not determined |
| Viscosity | Not available. |
| Solubility | Soluble in water |
| Partition coefficient (n-octanol/water) | Not available. |
| Other data | |
| Evaporation rate | Not determined |
| Oxidizing properties | Not determined |
| VOC (Weight %) | < 193 g/L |

10. Stability and reactivity

| | |
|---|--|
| Stability | Stable under recommended storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | None. |
| Incompatible materials | Incompatible with strong bases and oxidizing agents. |
| Hazardous decomposition products | Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Decomposition of this product may yield oxides of phosphorus. hydrogen fluoride fluorinated hydrocarbons |

11. Toxicological information

| | |
|--|---|
| Acute toxicity | Based on available data, the classification criteria are not met. |
| Skin corrosion/irritation | Based on available data, the classification criteria are not met. |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. |
| Respiratory sensitization | Based on available data, the classification criteria are not met. |
| Skin sensitization | Based on available data, the classification criteria are not met. |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. |
| Carcinogenicity | Based on available data, the classification criteria are not met. |
| Russian Federation. Sanitary-Epidemiological Rules, 1.2.2353-08, Chemical substances, mixtures and products which are carcinogenic factors, 21 April 2008 | |
| | Not listed. |
| Toxic to reproduction | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - single exposure | Based on available data, the classification criteria are not met. |
| Specific target organ toxicity - repeated exposure | Based on available data, the classification criteria are not met. |
| Aspiration hazard | Based on available data, the classification criteria are not met. |
| Other information | Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures. |

| Components | Species | Test Results |
|-------------------------------------|---------|--------------|
| Tetraethylene glycol (CAS 112-60-7) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rabbit | 22570 mg/kg |
| <i>Oral</i> | | |
| LD50 | Rat | 29 g/kg |

12. Ecological information

Aquatic toxicity This product has not been tested for ecological effects.

Persistence and degradability Not available.

Bioaccumulation Not available.

Mobility in soil Not available.

Other hazardous effects Not available.

Ecotoxicological data

| Product | Species | Test Results |
|-------------------|---------|---|
| C8747Series[Y][2] | | |
| Aquatic | | |
| Fish | LC50 | Fathead minnow (<i>Pimephales promelas</i>) 490 mg/l, 96 hr |

13. Disposal considerations

Local disposal regulations Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

15. Regulatory information

Applicable regulations All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Russian Federation. Sanitary-Epidemiological Rules, 1.2.2353-08, Chemical substances, mixtures and products which are carcinogenic factors, 21 April 2008

Not listed.

Ministry of Health and Social Development of Russian Federation. Order № 83 of 16.08.2004. List of hazardous and/or dangerous production factors and work under which preliminary and periodic medical examinations are conducted, methods of the examinations.

Not listed.

Hygiene Norm GN 2.2.5.1313-03. Executive No. 76 of 30 April 2003. Maximum allowable concentration (MAC) of harmful substances in the air of working zones, as amended.

Tetraethylene glycol (CAS 112-60-7) Listed.

16. Other information

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date

02-Jul-2015

Revision date

21-Aug-2016

Version

03

Manufacturer information

HP Inc.
1501 Page Mill Road
Palo Alto, CA 94304-1112 US
Direct 1-650-857-5020

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |