



# MATERIAL SAFETY DATA SHEET

## 1. Product and company identification

**Product name** F6V21Series  
**Recommended use** Inkjet printing  
**Limitations on use** Not available.  
**Issue date** 26-May-2015  
**Revision date** 07-Feb-2016  
**Version #** 03  
**Company identification** ZAO Hewlett-Packard A.O.  
Highway Leningradskoe, House 16A, Building 3,  
125171, Moscow  
Telephone 7 495 797-3500  
  
HP Inc. health effects line  
(Toll-free within the US) 1-800-457-4209  
(Direct) 1-760-710-0048  
HP Inc. Customer Care Line  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com

## 2. Hazards identification

**Hazard classification**

- Physical hazards** Not classified.
- Health hazards** Not classified.
- Environmental hazards** Not classified.

**Label elements**

- Symbols** None.
- Signal word** None.

**Hazard statement** Not available.

**Precautionary statement**

- Prevention** Not available.
- Response** Not available.
- Storage** Not available.
- Disposal** Not available.

**Other hazards** Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

## 3. Composition/information on ingredients

<b>Substance or mixture</b>	Mixture		
<b>Chemical property</b>		<b>CAS Number</b>	<b>Concentration (%)</b>
Water		7732-18-5	70-80
1,5-pentanediol		111-29-5	<7.5
2-pyrrolidone		616-45-5	<7.5
Carbon black		1333-86-4	<5

**Composition comments** This ink supply contains an aqueous ink formulation.  
  
Carbon black is present only in a bound form in this preparation.

---

## 4. First aid measures

### First aid measures for different exposure routes

<b>Inhalation</b>	Move to fresh air. If symptoms persist, get medical attention.
<b>Ingestion</b>	If ingestion of a large amount does occur, seek medical attention.
<b>Skin contact</b>	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
<b>Eye contact</b>	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

**Most important symptoms and effects** Not available.

**Notes to physician** Not available.

---

## 5. Fire-fighting measures

**Flash point** > 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup

**General fire hazards** Not available.

**Suitable extinguishing media** CO<sub>2</sub>, water, dry chemical, or foam

**Unsuitable extinguishing media** None known.

**Specific hazards during fire fighting** None.

**Special fire fighting procedures** None.

**Personal protective equipment for fire-fighting** None.

**Specific methods** None established.

---

## 6. Accidental release measures

**Personal precautions** Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

**Clean-up methods and materials and containment measures** Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

---

## 7. Handling and storage

### Handling

**Safe handling advice** Avoid contact with skin, eyes and clothing.

### Storage

**Technical measures** Keep out of the reach of children.  
Keep away from excessive heat or cold.

**Incompatible materials** Not available.

---

## 8. Exposure controls/personal protection

### Occupational exposure limits

**Russian Federation. Hygiene Norm GN 2.2.5.1313-03. Executive No. 76 of 30 April 2003. Maximum allowable concentration (MAC) of harmful substances in the air of working zones, as amended.**

Components	Type	Value	Form
2-pyrrolidone (CAS 616-45-5)	Ceiling	10 mg/m <sup>3</sup>	Aerosol.

### Personal protective equipment

**General** Use personal protective equipment to minimize exposure to skin and eye.

**Engineering measures** Use in a well ventilated area.

### Personal protective equipment

**Respiratory protection** Not available.

**Hand protection** Not available.

**Eye protection** Not available.

**Skin and body protection** Not available.

---

## 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	Not available.
<b>Color</b>	Black.
<b>Odor</b>	Not available.
<b>Odor threshold</b>	Not available.
<b>pH</b>	7 - 8
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not determined
<b>Flash point</b>	> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
<b>Heat of combustion</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not determined
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not determined
<b>Viscosity</b>	>= 2 cp
<b>Solubility</b>	Soluble in water
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Other data</b>	
<b>Evaporation rate</b>	Not determined
<b>Oxidizing properties</b>	Not determined
<b>Relative density</b>	1 - 1.2 g/cm <sup>3</sup>
<b>Specific gravity</b>	1 - 1.2
<b>VOC (Weight %)</b>	< 146 g/L

---

## 10. Stability and reactivity

<b>Stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	Will not occur.
<b>Conditions to avoid</b>	None.
<b>Incompatible materials</b>	Incompatible with strong bases and oxidizing agents.
<b>Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

---

## 11. Toxicological information

<b>Acute toxicity</b>	Based on available data, the classification criteria are not met.
<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met.
<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met.
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.
<b>Skin sensitization</b>	Based on available data, the classification criteria are not met.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

<b>Toxic to reproduction</b>	Based on available data, the classification criteria are not met.
------------------------------	---

<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.
<b>Other information</b>	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Guinea pig	6500 mg/kg
	Rat	6500 mg/kg
Carbon black (CAS 1333-86-4)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	> 8000 mg/kg

## 12. Ecological information

**Aquatic toxicity** Not expected to be harmful to aquatic organisms.

**Persistence and degradability** Not available.

### Bioaccumulation

#### Bioaccumulative potential

##### Octanol/water partition coefficient log Kow

2-pyrrolidone -0.85

**Mobility in soil** Not available.

**Other hazardous effects** Not available.

### Ecotoxicological data

Product	Species	Test Results
F6V21Series (CAS Mixture)		
<b>Aquatic</b>		
<i>Acute</i>		
Fish	LC50	Fathead minnow ( <i>Pimephales promelas</i> ) > 750 mg/l, 96 hours
Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
<b>Aquatic</b>		
Crustacea	EC50	Water flea ( <i>Daphnia pulex</i> ) 13.21 mg/l, 48 hours

## 13. Disposal considerations

**Local disposal regulations** Do not allow this material to drain into sewers/water supplies.  
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

### ADR

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

---

## 15. Regulatory information

**Applicable regulations** All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

**Hygiene Norm GN 2.2.5.1313-03. Executive No. 76 of 30 April 2003. Maximum allowable concentration (MAC) of harmful substances in the air of working zones, as amended.**

2-pyrrolidone (CAS 616-45-5)

Listed.

---

## 16. Other information

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

**Issue date** 26-May-2015

**Revision date** 07-Feb-2016

**Version #** 03

**Manufacturer information** HP Inc.  
1501 Page Mill Road  
Palo Alto, CA 94304-1112 US  
Direct 1-650-857-5020

### Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds