



SAFETY DATA SHEET

1. Identification of the chemical and information about the manufacturer or supplier

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***

1.1 Identification of the chemical products

1.1.1 Technical name CN951 Series

Other means of identification

Synonyms HP Scitex XL300 Classic Yellow Ink

1.1.2 Recommended use of the chemical and restrictions on use

Recommended use Inkjet printing

Limitations on use None known.

1.2 Manufacturer/Importer/Supplier/Distributor information

1.2.1 Manufacturer

HP Inc. Limited Liability Company
Highway Leningradskoe, House 16A, Building 3,
125171, Moscow
Russian Federation

Telephone 8 (499) 921-32-50

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

2.1. Hazard identification of chemical product as a whole (classification according to GOST 12.1.007-76 and GHS)

Classification according to GOST 12.1.007-76 Not available.

GHS classification

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 5
	Acute toxicity, inhalation	Category 4
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
Environmental hazards	Not classified.	

2.2 Labeling elements in compliance with GOST 31340-2013

2.2.1 Signal word Warning

2.2.2 Symbols



2.2.3 Hazard statement

H227	Combustible liquid.
H332	Harmful if inhaled.
H313	May be harmful in contact with skin.
H303	May be harmful if swallowed.
H336	May cause drowsiness or dizziness.

Precautionary statement

Prevention

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P271	Use only outdoors or in a well-ventilated area.
P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Response

P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a poison center/doctor if you feel unwell.
P370 + P378	In case of fire: Use sand, carbon dioxide (CO ₂) or dry chemical to extinguish.

Storage

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P235	Keep cool.
P405	Store locked up.

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

Other hazards

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Supplemental information

None.

3. Composition/information on ingredients

3.1 Information on product as a whole

3.1.1 Chemical name (IUPAC)	CN951 Series
3.1.2 Chemical formula	Not available.
3.1.3 General description of the composition (taking into account the brand assortment; preparation method)	Not available.

3.2 Components

Components	Concentration by weight (%)	Hygienic standards in the working area			CAS-No.	EC No.
		MAC, mg/m ³	TSEL, mg/m ³	Hazard classification		
2-butoxyethyl acetate	<70	None.	None.		112-07-2	203-933-3
2-methoxy-1-methylethyl acetate	<30	10 Vapor.	None.	4	108-65-6	203-603-9
Toluene	<0.1	150 Vapor.	50 Vapor.	3	108-88-3	203-625-9

4. First-aid measures

4.1. Observed symptoms

4.1.1 In case of exposure via inhalation	Harmful if inhaled.
4.1.2 In contact with skin	Contact with skin may result in mild irritation.
4.1.3 In contact with eyes	Contact with eyes may result in mild irritation.
4.1.4 In case of exposure via ingestion	Ingestion is not a likely route of exposure.

4.2 First-aid measures to be provided to victims

4.2.1 In case of exposure via inhalation	Move to fresh air. If symptoms persist, get medical attention.
4.2.2 In contact with skin	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation persists get medical attention. Remove and isolate contaminated clothing and shoes. Thoroughly wash (or discard) clothing and shoes before reuse.
4.2.3 In contact with eyes	In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15 minutes. If irritation persists get medical attention.
4.2.4 In case of exposure via ingestion	If swallowed, seek medical advice immediately and show this container or label.
4.2.5 Contraindications	Not available.

5. Fire-fighting and explosion safety measures and means

5.1 General characteristics of fire-explosion properties	Not available.
5.2 Fire-explosion indicators	Not available.
5.3 Combustion and/or thermal destruction products and hazards arising from these	Not available.
5.4 Recommended extinguishing media	CO ₂ , water, dry chemical, or foam
5.5 Forbidden extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
5.6 Special protective equipment for firefighters	Not available.
5.7 Specific extinguishing methods	Not available.
Special fire fighting procedures	Firefighters should wear full protective clothing including self contained breathing apparatus.

6. Accident and emergency prevention and response measures and their consequences

6.1 Measures to prevent harmful effects on people, environment, buildings, constructions, etc. in case of accidents and emergencies	
6.1.1 General required actions in case of an accident or emergency	Ensure adequate ventilation.
6.1.2 Personal protection equipment in case of the accident	Not available.
6.2 Procedures for the elimination of accidents and emergencies	
6.2.1 Procedures in case of leaks, spills, splashes	Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations.
6.2.2 Actions in case of fire	Not available.
Methods and materials for containment and cleaning up	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Environmental precautions	Not available.

7. Storage and handling requirements of chemicals during loading and unloading

7.1 Safety precautions when handling chemical products	
7.1.1 Technical safety measures	Wear personal protective equipment.
7.1.2 Environmental protection measures	Not available.
7.1.3 Recommended safe handling and transportation advice	Use this product with adequate ventilation. Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product.
Local and general ventilation	Use with adequate ventilation.
7.2 Chemical storage requirements	
7.2.1 Terms and conditions for safe storage	Not available.
7.2.2 Packaging	Not available.
7.3 Safety measures and storage requirements at domestic use	Keep away from heat, sparks and open flame. Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Equipment for monitoring exposure and personal protective equipment

8.1 Parameters of the working area that require monitoring

Occupational exposure limits

Hygiene Norm GN 2.2.5.1313-03. Executive No. 76 of 30 April 2003. Maximum allowable concentration (MAC) of harmful substances in the air of working zones, as amended

Components	Type	Value	Form
Propylene Glycol Monomethyl Ether Acetate (CAS 108-65-6)	Ceiling	10 mg/m3	Vapor.
Toluene (CAS 108-88-3)	Ceiling	150 mg/m3	Vapor.
	TWA	50 mg/m3	Vapor.

8.2 Measures to ensure the content of harmful substances in the working area below the exposure level concentration None established.

Appropriate engineering controls Use in a well ventilated area.
Ensure adequate ventilation, especially in confined areas. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.

8.3 Worker personal protective equipment

8.3.1 General recommendations Not available.

8.3.2 Respiratory protection Not available.

8.3.3 Protective equipment

Eye/face protection Avoid contact with eyes
Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection Not available.

Other Use personal protective equipment to minimize exposure to skin and eye.

Thermal hazards Not available.

8.3.4 Personal protection equipment in case of domestic use Not applicable.

General hygiene considerations Keep away from food and drink. Wash hands before breaks and at the end of workday.

9. Physical and chemical properties

9.1 Physical appearance

Physical state Not available.

Form Not available.

Color Yellow

Odor Not available.

Odor threshold Not available.

9.2 Parameters characterizing basic properties of the product

pH 5.8 - 6.2 Metler Toledo pH Meter. Temperature 25°C

Melting point/freezing point Not available.

Initial boiling point and boiling range 325.4 °F (163 °C) Estimated

Flash point 150.8 °F (66.0 °C) Setaflash Closed Tester

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Vapor pressure Not determined.

Density 1.00 g/cm3

Viscosity 10.2 - 11.2 cP Brookfield Viscometer (± 0.5) Temperature 22°C. Spindle # 18 (S18) RPM 100. Wait approx 10 min to take the reading.

Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Other data	
VOC	< 901 g/L

10. Stability and reactivity

10.1 Chemical stability	Stable at normal conditions
Hazardous decomposition products	None known.
10.2 Reactivity	Not available.
10.3 Conditions to avoid	Not available.
Possibility of hazardous reactions	Will not occur.
Incompatible materials	Oxidizing agents. Strong acids and strong alkalis.

11. Toxicological information

11.1 General exposure characteristics	Not available.
11.2 Routes of exposure	Not available.
11.3 Affected/target organs, tissues and systems of humans	
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
11.4 Information on health hazards in case of direct exposure to the product and its effect	
Effect on upper respiratory tract irritation	Not available.
Respiratory or skin sensitization	Not available.
Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
11.5 Information on long-term hazardous health effects	
Carcinogenicity	Based on available data, the classification criteria are not met.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Toluene (CAS 108-88-3)	3 Not classifiable as to carcinogenicity to humans.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Mutagenicity	Based on available data, the classification criteria are not met.
Cumulativeness	Not available.
Chronic effects	Not available.
11.6 Acute toxicity data	Harmful if inhaled. May be harmful in contact with skin. May be harmful if swallowed.
Further information	Complete toxicity data are not available for this specific formulation.

12. Environmental impact information

12.1 General description of the impact on the environment	Not available.
12.2 Routes of exposure to environment	Not available.
12.3 The most important characteristics of the environmental impact	
12.3.1 Hygienic standards	Not available.
12.3.2 Ecotoxicity	No ecotoxicity data noted for the ingredient(s)

12.3.3 Biomigration and transformation of the environment due to the biodegradation or other processes

Persistence and degradability Not available.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Toluene 2.73

Mobility in soil Not available.

Other adverse effects Not available.

13. Recommendations for waste (residues) disposal

13.1 Safety precautions when handling the waste generated during use, storage, transportation Do not dispose of together with general office waste.
Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.

13.2 Information on the location and disposal methods, recycling or disposal of product waste, including packaging Not available.

13.3 Recommendation on the waste disposal generated during its domestic use Not available.

14. Transport information

DOT

UN number NA1993

UN proper shipping name Combustible liquid n.o.s. (2-methoxy-1-methylethyl acetate) -Not regulated in quantities less than 119 gallons

Transport hazard class(es)

Class Combustible

Subsidiary risk -

Packing group III

Special precautions for user Not available.

DOT Supplemental Information DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

15. National and international regulatory information

15.1 National legislation

15.1.1 Laws of the Russian Federation Not available.

15.1.2 Information about the documentation, regulatory requirements for the protection of human health and environment

Sanitary-Epidemiological Rules, 1.2.2353-08, Chemical substances, mixtures and products which are carcinogenic factors, 21 April 2008

Not listed.

Precursors subject to limitation and control (Regulation on narcotics No 681/1998, List IV)

Toluene (CAS 108-88-3)

15.2 International Conventions and Agreements All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information**16.1 Information on revision of the SDS**

Issue date	20-Nov-2013
Revision date	18-Apr-2021
Version #	07
Previous SDS number	Not applicable.
Revision information	3. Composition / Information on Ingredients: Disclosure Overrides

16.2 List of references used in compiling the safety data sheet

Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds