



# MATERIAL SAFETY DATA SHEET

## 1. Product and company identification

**Product name** CP779B  
**Synonyms** HP HDR240 Yellow Scitex Ink  
**Recommended use** Inkjet printing  
**Limitations on use** Not available.  
**Issue date** 30-Oct-2013  
**Revision date** 16-Apr-2017  
**Version #** 08  
**Company identification** ZAO Hewlett-Packard A.O.  
Highway Leningradskoe, House 16A, Building 3,  
125171, Moscow  
Telephone 7 495 797-3500  
  
HP Inc. health effects line  
(Toll-free within the US) 1-800-457-4209  
(Direct) 1-760-710-0048  
HP Inc. Customer Care Line  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com

## 2. Hazards identification

### Hazard classification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Acute toxicity (Oral)	Category 5
	Acute toxicity (Dermal)	Category 5
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Skin sensitization	Category 1
	Toxic to reproduction	Category 2
	Specific target organ toxicity - single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity - repeated exposure	Category 1
<b>Environmental hazards</b>	Chronic aquatic toxicity	Category 2

### Label elements



### Signal word

Danger

### Hazard statement

May be harmful if swallowed. May be harmful in contact with skin. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of damaging fertility. May cause respiratory irritation. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

## Precautionary statement

### Prevention

P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.  
P271 - Use only outdoors or in a well-ventilated area.  
P202 - Do not handle until all safety precautions have been read and understood.  
P201 - Obtain special instructions before use.  
P270 - Do not eat, drink or smoke when using this product.  
P264 - Wash hands thoroughly after handling.  
P273 - Avoid release to the environment.

### Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P308 + P313 - IF exposed or concerned: Get medical attention/advice.  
P312 - Call a POISON CENTER/doctor/physician if you feel unwell.  
P391 - Collect spillage.  
P362 - Take off contaminated clothing and wash before reuse.

### Storage

P405 - Store locked up.  
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Other hazards

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Diphenyl (2,4,6-trimethylbenzoyl) phosphineoxide - In animal testing, risk of impaired fertility was shown only after repeated ingestion of very high doses of this substance.

## 3. Composition/information on ingredients

Substance or mixture	Mixture	CAS Number	Concentration (%)
Chemical property			
2-phenoxyethyl acrylate		48145-04-6	<30
Isobornyl acrylate		5888-33-5	<25
Vinyl Caprolactam		2235-00-9	<25
2-propenoic acid, reaction products with pentaerythritol		Proprietary	<5
Diphenyl (2,4,6-trimethylbenzoyl) phosphine		75980-60-8	<5
Reaction mass of Decyl acrylate and Octyl acrylate		Not available	<5
Urethane acrylate oligomer A		Proprietary	<5
Acrylated oligoamine resin		Proprietary	<2.5
Propoxylated glycerol triacrylate		52408-84-1	<1

## 4. First aid measures

### First aid measures for different exposure routes

#### Inhalation

Move to fresh air. If symptoms persist, get medical attention.

#### Ingestion

If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.

#### Skin contact

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

#### Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

### Most important symptoms and effects

Not available.

### Notes to physician

Not available.

## 5. Fire-fighting measures

### Flash point

233.6 °F (112.0 °C) Closed Cup EPA Method 1020

### General fire hazards

Not available.

### Suitable extinguishing media

Dry powder. Carbon dioxide (CO<sub>2</sub>). Water may be ineffective.

<b>Unsuitable extinguishing media</b>	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
<b>Specific hazards during fire fighting</b>	Not available.
<b>Special fire fighting procedures</b>	Avoid runoff into storm sewers and ditches which lead to waterways.
<b>Personal protective equipment for fire-fighting</b>	None.

---

## 6. Accidental release measures

<b>Personal precautions</b>	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
<b>Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
<b>Clean-up methods and materials and containment measures</b>	Not available.

---

## 7. Handling and storage

<b>Handling</b>	
<b>Safe handling advice</b>	Avoid contact with skin, eyes and clothing.
<b>Storage</b>	
<b>Technical measures</b>	Do not handle or store near an open flame, heat or other sources of ignition. Keep away from excessive heat or cold. Do not store in direct sunlight. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.
<b>Incompatible materials</b>	Not available.

---

## 8. Exposure controls/personal protection

<b>Occupational exposure limits</b>	
<b>Engineering measures</b>	Not available.
<b>Personal protective equipment</b>	
<b>Respiratory protection</b>	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
<b>Hand protection</b>	Recommended gloves: Nitrile 6 mil minimum thickness. Wear appropriate chemical resistant gloves.
<b>Eye protection</b>	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.
<b>Skin and body protection</b>	Wear appropriate chemical resistant clothing.

---

## 9. Physical and chemical properties

<b>Appearance</b>	
<b>Physical state</b>	Liquid.
<b>Color</b>	Yellow
<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	233.6 °F (112.0 °C) Closed Cup EPA Method 1020
<b>Heat of combustion</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Solubility</b>	Not available.

<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Other data</b>	
<b>VOC (Weight %)</b>	20 g/L Method 24/ASTM D5403-93

## 10. Stability and reactivity

<b>Stability</b>	Stable under normal storage conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization can occur with decreased inhibitor content.
<b>Conditions to avoid</b>	Exposure to sunlight.
<b>Incompatible materials</b>	Incompatible with strong bases and oxidizing agents. alkaline metals
<b>Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## 11. Toxicological information

<b>Acute toxicity</b>	May be harmful if swallowed. May be harmful in contact with skin.
<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	Causes serious eye damage.
<b>Respiratory sensitization</b>	Based on available data, the classification criteria are not met.
<b>Skin sensitization</b>	May cause sensitization by skin contact.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Russian Federation. Sanitary-Epidemiological Rules, 1.2.2353-08, Chemical substances, mixtures and products which are carcinogenic factors, 21 April 2008</b>	
Not listed.	

<b>Toxic to reproduction</b>	Suspected of damaging fertility.
<b>Specific target organ toxicity - single exposure</b>	May cause irritation to the respiratory system.
<b>Specific target organ toxicity - repeated exposure</b>	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.
<b>Other information</b>	Complete toxicity data are not available for this specific formulation

Components	Species	Test Results
Propoxylated glycerol triacrylate (CAS 52408-84-1)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg

## 12. Ecological information

<b>Aquatic toxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.
<b>Persistence and degradability</b>	Not available.
<b>Bioaccumulation</b>	Not available.
<b>Mobility in soil</b>	Not available.
<b>Other hazardous effects</b>	Not available.

## 13. Disposal considerations

<b>Local disposal regulations</b>	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
-----------------------------------	--

## 14. Transport information

### DOT

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packaging group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>Special precautions for user</b>	Not available.

**DOT supplemental information** DOT Classification only applies to shipments within the US and Puerto Rico.

### IATA

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Special precautions for user</b>	Not available.

### IMDG

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	F-A, S-F
<b>Special precautions for user</b>	Not available.

### ADR

#### Basic shipping requirements:

<b>Proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Hazard class</b>	9
<b>UN number</b>	3082
<b>Packing group</b>	III
<b>Marine pollutant</b>	Yes

### DOT; IATA; IMDG



**ADR**



---

## 15. Regulatory information

### Applicable regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

**Russian Federation. Sanitary-Epidemiological Rules, 1.2.2353-08, Chemical substances, mixtures and products which are carcinogenic factors, 21 April 2008**

Not listed.

**Ministry of Health and Social Development of Russian Federation. Order № 83 of 16.08.2004. List of hazardous and/or dangerous production factors and work under which preliminary and periodic medical examinations are conducted, methods of the examinations.**

Not listed.

**Hygiene Norm GN 2.2.5.1313-03. Executive No. 76 of 30 April 2003. Maximum allowable concentration (MAC) of harmful substances in the air of working zones, as amended.**

Not listed.

---

## 16. Other information

### Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

### Issue date

30-Oct-2013

### Revision date

16-Apr-2017

### Version #

08

### Manufacturer information

HP Inc.  
1501 Page Mill Road  
Palo Alto, CA 94304-1112 US  
(Direct) +972 (9) 892-4628

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds