



# SAFETY DATA SHEET

## 1. Identification of the chemical and information about the manufacturer or supplier

**Important information** \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. \*\*\*

### 1.1 Identification of the chemical products

**1.1.1 Technical name** CP831Series

### Other means of identification

**Synonyms** HP HDR250 Black Scitex Ink Cartridge

### 1.1.2 Recommended use of the chemical and restrictions on use

**Recommended use** Inkjet printing

**Limitations on use** None known.

### 1.2 Manufacturer/Importer/Supplier/Distributor information

#### 1.2.1 Manufacturer

HP Inc. Limited Liability Company  
Highway Leningradskoe, House 16A, Building 3,  
125171, Moscow  
Russian Federation

**Telephone** 8 (499) 921-32-50

#### HP Inc. health effects line

**(Toll-free within the US)** 1-800-457-4209

**(Direct)** 1-760-710-0048

#### HP Inc. Customer Care Line

**(Toll-free within the US)** 1-800-474-6836

**(Direct)** 1-208-323-2551

**Email:** [hpcustomer.inquiries@hp.com](mailto:hpcustomer.inquiries@hp.com)

## 2. Hazard(s) identification

### 2.1. Hazard identification of chemical product as a whole (classification according to GOST 12.1.007-76 and GHS)

**Classification according to GOST 12.1.007-76** Not available.

#### GHS classification

**Physical hazards** Not classified.

|                              |  |   |
|------------------------------|--|---|
| <b>Health hazards</b>        | Acute toxicity, oral                                   | Category 5                              |
|                              | Acute toxicity, dermal                                 | Category 5                              |
|                              | Skin corrosion/irritation                              | Category 2                              |
|                              | Serious eye damage/eye irritation                      | Category 2A                             |
|                              | Reproductive toxicity (fertility, the unborn child)    | Category 2                              |
|                              | Specific target organ toxicity, single exposure        | Category 3 respiratory tract irritation |
|                              | Specific target organ toxicity, repeated exposure      | Category 1                              |
| <b>Environmental hazards</b> | Hazardous to the aquatic environment, long-term hazard | Category 2                              |

### 2.2 Labeling elements in compliance with GOST 31340-2013

**2.2.1 Signal word** Danger

#### 2.2.2 Symbols



#### 2.2.3 Hazard statement

H303 May be harmful if swallowed.

|        |   |
|--------|---|
| H313   | May be harmful in contact with skin.  |
| H315   | Causes skin irritation.   |
| H319   | Causes serious eye irritation.  |
| H317   | May cause an allergic skin reaction.  |
| H335   | May cause respiratory irritation.   |
| H361fd | Suspected of damaging fertility. Suspected of damaging the unborn child.                    |
| H411   | Toxic to aquatic life with long lasting effects.  |
| H372   | Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. |

## Precautionary statement

### Prevention

|      |  |
|------|--|
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P260 | Do not breathe dust/fume/gas/mist/vapors/spray.                            |
| P271 | Use only outdoors or in a well-ventilated area.                            |
| P201 | Obtain special instructions before use.                                    |
| P202 | Do not handle until all safety precautions have been read and understood.  |
| P270 | Do not eat, drink or smoke when using this product.                        |
| P264 | Wash hands thoroughly after handling.                                      |
| P273 | Avoid release to the environment.  |

### Response

|                    |  |
|--------------------|--|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337 + P313        | If eye irritation persists: Get medical advice/attention.  |
| P302 + P352        | IF ON SKIN: Wash with plenty of soap and water.  |
| P333 + P313        | If skin irritation or rash occurs: Get medical advice/attention.   |
| P304 + P340        | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.                                 |
| P308 + P313        | IF exposed or concerned: Get medical attention/advice.   |
| P312               | Call a POISON CENTER/doctor/physician if you feel unwell.  |
| P391               | Collect spillage.  |
| P362               | Take off contaminated clothing and wash before reuse.  |

### Storage

|             |  |
|-------------|--|
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405        | Store locked up.   |

### Disposal

|      |   |
|------|---|
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |
|------|---|

## Other hazards

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

## Supplemental information

None.

## 3. Composition/information on ingredients

### 3.1 Information on product as a whole

**3.1.1 Chemical name (IUPAC)** CP831Series

**3.1.2 Chemical formula** Not available.

**3.1.3 General description of the composition (taking into account the brand assortment; preparation method)** Not available.

### 3.2 Components

#### Hygienic standards in the working area

| Components   | Concentration by weight (%) | MAC, mg/m <sup>3</sup> | TSEL, mg/m <sup>3</sup> | Hazard classification | CAS-No.       | EC No.    |
|--|-----------------------------|------------------------|-------------------------|-----------------------|---------------|-----------|
| 2-phenoxyethyl acrylate                            | <30                         | None.                  | None.                   |                       | 48145-04-6    | 256-360-6 |
| 1-vinylhexahydro-2H-azepin-2-one                   | <20                         | None.                  | None.                   |                       | 2235-00-9     | 218-787-6 |
| Reaction mass of decyl acrylate and octyl acrylate | <15                         | None.                  | None.                   |                       | Not available | 911-295-9 |

### Hygienic standards in the working area

| Components  | Concentration by weight (%) | MAC, mg/m <sup>3</sup> | TSEL, mg/m <sup>3</sup> | Hazard classification | CAS-No.      | EC No.    |
|---|-----------------------------|------------------------|-------------------------|-----------------------|--------------|-----------|
| exo-1,7,7-trimethylbicyclo[2.2,1]hept-2-yl acrylate                     | <7.5                        | None.                  | None.                   |                       | 5888-33-5    | 227-561-6 |
| 2-propenoic acid, reaction products with pentaerythritol                | <5                          | None.                  | None.                   |                       | 1245638-61-2 | -         |
| 2-Propenoic acid, reaction products with pentaerythritol and TDI        | <5                          | None.                  | None.                   |                       | 68412-43-1   | -         |
| Butyl substituted ethyl acrylate  | <5                          | None.                  | None.                   |                       | Proprietary  | -         |
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide                       | <5                          | None.                  | None.                   |                       | 75980-60-8   | 278-355-8 |
| 2-isopropyl-9H-thioxanthen-9-one  | <2.5                        | None.                  | None.                   |                       | 5495-84-1    | 226-827-9 |
| 2-Propenoic acid-1,6-hexanediylester, polymer with disubstituted alkane | <2.5                        | None.                  | None.                   |                       | 67906-98-3   | -         |
| Glycerol, propoxylated, esters with acrylic acid                        | <1                          | None.                  | None.                   |                       | 52408-84-1   | 500-114-5 |
| Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide                     | <1                          | None.                  | None.                   |                       | 162881-26-7  | 423-340-5 |

**Composition comments** Carbon black is present only in a bound form in this preparation.

#### 4. First-aid measures

##### 4.1. Observed symptoms

- 4.1.1 In case of exposure via inhalation** May cause irritation to the respiratory system.
- 4.1.2 In contact with skin** Causes skin irritation. May cause sensitization by skin contact.
- 4.1.3 In contact with eyes** Causes serious eye irritation.
- 4.1.4 In case of exposure via ingestion** Ingestion is not a likely route of exposure.

##### 4.2 First-aid measures to be provided to victims

- 4.2.1 In case of exposure via inhalation** Move to fresh air. If symptoms persist, get medical attention.
- 4.2.2 In contact with skin** Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
- 4.2.3 In contact with eyes** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
- 4.2.4 In case of exposure via ingestion** If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.
- 4.2.5 Contraindications** Not available.

#### 5. Fire-fighting and explosion safety measures and means

- 5.1 General characteristics of fire-explosion properties** Not available.
- 5.2 Fire-explosion indicators** Not available.
- 5.3 Combustion and/or thermal destruction products and hazards arising from these** Not available.
- 5.4 Recommended extinguishing media** Dry powder. Carbon dioxide (CO<sub>2</sub>). Water may be ineffective.
- 5.5 Forbidden extinguishing media** Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
- 5.6 Special protective equipment for firefighters** Not available.

|   |   |
|---|---|
| <b>5.7 Specific extinguishing methods</b> | Not available.  |
| <b>Special fire fighting procedures</b>   | Avoid runoff into storm sewers and ditches which lead to waterways. |

---

## 6. Accident and emergency prevention and response measures and their consequences

### 6.1 Measures to prevent harmful effects on people, environment, buildings, constructions, etc. in case of accidents and emergencies

|   |  |
|---|--|
| <b>6.1.1 General required actions in case of an accident or emergency</b> | Wear appropriate personal protective equipment. Do not touch or walk through spilled material. |
| <b>6.1.2 Personal protection equipment in case of the accident</b>        | Not available.   |

### 6.2 Procedures for the elimination of accidents and emergencies

|  |   |
|--|---|
| <b>6.2.1 Procedures in case of leaks, spills, splashes</b> | Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations. |
| <b>6.2.2 Actions in case of fire</b>                       | Not available.  |

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

---

## 7. Storage and handling requirements of chemicals during loading and unloading

### 7.1 Safety precautions when handling chemical products

|  |   |
|--|---|
| <b>7.1.1 Technical safety measures</b>                           | Not available.                              |
| <b>7.1.2 Environmental protection measures</b>                   | Not available.                              |
| <b>7.1.3 Recommended safe handling and transportation advice</b> | Avoid contact with skin, eyes and clothing. |

### 7.2 Chemical storage requirements

|  |                |
|--|----------------|
| <b>7.2.1 Terms and conditions for safe storage</b> | Not available. |
| <b>7.2.2 Packaging</b>                             | Not available. |

**7.3 Safety measures and storage requirements at domestic use** Do not handle or store near an open flame, heat or other sources of ignition. Keep away from excessive heat or cold. Do not store in direct sunlight. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

---

## 8. Equipment for monitoring exposure and personal protective equipment

### 8.1 Parameters of the working area that require monitoring

|  |   |
|--|---|
| <b>Occupational exposure limits</b>  | No exposure limits noted for ingredient(s).                 |
| <b>8.2 Measures to ensure the content of harmful substances in the working area below the exposure level concentration</b> | Exposure limits have not been established for this product. |

### 8.3 Worker personal protective equipment

|  |  |
|--|--|
| <b>8.3.1 General recommendations</b>                               | Not available.   |
| <b>8.3.2 Respiratory protection</b>                                | Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.                     |
| <b>8.3.3 Protective equipment</b>                                  |  |
| <b>Eye/face protection</b>   | Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended. |
| <b>Hand protection</b>   | Recommended gloves: Nitrile 6 mil minimum thickness. Wear appropriate chemical resistant gloves.                           |
| <b>Other</b>   | Wear appropriate chemical resistant clothing.  |
| <b>Thermal hazards</b>   | Not available.   |
| <b>8.3.4 Personal protection equipment in case of domestic use</b> | Not applicable.  |

**General hygiene considerations**

Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

---

**9. Physical and chemical properties****9.1 Physical appearance**

|                |         |
|----------------|---------|
| Physical state | Liquid. |
| Form           | Liquid. |
| Color          | Black.  |

**Odor** Characteristic.

**Odor threshold** Not available.

**9.2 Parameters characterizing basic properties of the product**

**pH** 6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C

**Melting point/freezing point** Not available.

**Initial boiling point and boiling range** Not available.

**Flash point** > 230.0 °F (> 110.0 °C) Closed Cup EPA Method 1020

**Auto-ignition temperature** Not available.

**Decomposition temperature** Not available.

**Upper/lower flammability or explosive limits**

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

**Vapor pressure** Not available.

**Density** 0.93 g/cm<sup>3</sup>

**Viscosity** 12.5 - 13.5 cP Cone and Plate Rheometer, Temperature 50°C. C60/1° Sensor. Values recorded at 4000 1/s.

**Solubility(ies)**

**Solubility (water)** Not available.

**Partition coefficient (n-octanol/water)** Not available.

**Other data**

**VOC** 19 g/L Method 24/ASTM D5403-93

---

**10. Stability and reactivity**

**10.1 Chemical stability** Stable under normal storage conditions.

**Hazardous decomposition products** Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

**10.2 Reactivity** Not available.

**10.3 Conditions to avoid** Exposure to sunlight.

**Possibility of hazardous reactions** Hazardous polymerization can occur with decreased inhibitor content.

**Incompatible materials** Incompatible with strong bases and oxidizing agents. alkaline metals

---

**11. Toxicological information**

**11.1 General exposure characteristics** Not available.

**11.2 Routes of exposure** Not available.

**11.3 Affected/target organs, tissues and systems of humans**

**Specific target organ toxicity - single exposure** May cause irritation to the respiratory system.

**Specific target organ toxicity - repeated exposure** Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

**11.4 Information on health hazards in case of direct exposure to the product and its effect**

**Effect on upper respiratory tract irritation** Not available.

|  |   |
|--|---|
| <b>Respiratory or skin sensitization</b> | Not available.  |
| <b>Respiratory sensitization</b>         | Based on available data, the classification criteria are not met.               |
| <b>Skin sensitization</b>                | May cause sensitization by skin contact.  |
| <b>Skin corrosion/irritation</b>         | Causes skin irritation.   |
| <b>Serious eye damage/eye irritation</b> | Causes serious eye irritation. Caused moderate irritation in rabbit (OECD 405). |
| <b>Aspiration hazard</b>                 | Based on available data, the classification criteria are not met.               |

#### 11.5 Information on long-term hazardous health effects

|                              |  |
|------------------------------|--|
| <b>Carcinogenicity</b>       | Based on available data, the classification criteria are not met.<br><br>Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. |
| <b>Reproductive toxicity</b> | Suspected of damaging the unborn child. Suspected of damaging fertility.   |
| <b>Mutagenicity</b>          | Based on available data, the classification criteria are not met.  |
| <b>Cumulativeness</b>        | Not available.   |
| <b>Chronic effects</b>       | Not available.   |

#### 11.6 Acute toxicity data

May be harmful if swallowed. May be harmful in contact with skin.

| Components                                       | Species  | Test Results |
|--|--|--------------|
| 1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9) |  |              |
| <b>Acute</b>                                     |  |              |
| <b>Dermal</b>                                    |  |              |
| LD50   | Rabbit   | 1700 mg/kg   |
| <b>Inhalation</b>                                |  |              |
| LC50   | Rat  | > 1.6 mg/l   |
| <b>Oral</b>                                      |  |              |
| LD50   | Rat  | 1114 mg/kg   |
| <b>Further information</b>                       | Complete toxicity data are not available for this specific formulation |              |

## 12. Environmental impact information

**Aquatic toxicity** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.

**12.1 General description of the impact on the environment** Not available.

**12.2 Routes of exposure to environment** Not available.

#### 12.3 The most important characteristics of the environmental impact

**12.3.1 Hygienic standards** Not available.

##### 12.3.2 Ecotoxicity

| Components   | Species                         | Test Results   |
|--|---------------------------------|--|
| 2-phenoxyethyl acrylate (CAS 48145-04-6)                           |                                 |  |
| <i>Acute</i>   |                                 |  |
| EC10   | Desmodesmus subcapitatus        | 0.71 mg/l, 72 h (DIN 38412 L9)                             |
| EC50   | Desmodesmus subcapitatus        | 4.44 mg/l, 72 h (DIN 38412 L9)                             |
| LC50   | Leuciscus idus                  | 10 mg/l, 96 h (DIN 38 412)                                 |
| NOEC   | Desmodesmus subcapitatus        | 0.71 mg/l, 72 h (DIN 38412 L9)                             |
| <b>Aquatic</b>   |                                 |  |
| <i>Acute</i>   |                                 |  |
| Crustacea  | EC50 Daphnia magna              | 1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C) |
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide (CAS 75980-60-8) |                                 |  |
| <i>Acute</i>   |                                 |  |
| EC10   | Pseudokirchneriella subcapitata | 1.56 mg/l, 72 h (OECD 201)                                 |

| Components  | Species   | Test Results                    |                              |
|---|---|---------------------------------|------------------------------|
|   | EC50  | Pseudokirchneriella subcapitata | > 2.01 mg/l, 72 h (OECD 201) |
|   | LC50  | Cyprinus carpio                 | 1.4 mg/l, 96 h (OECD 203)    |
| <b>Aquatic</b>  |   |                                 |                              |
| <i>Acute</i>  |   |                                 |                              |
| Crustacea   | EC50  | Daphnia magna                   | 3.53 mg/l, 48 h (OECD 202)   |
| Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide (CAS 162881-26-7)   |   |                                 |                              |
| <i>Acute</i>  |   |                                 |                              |
|   | EC50  | Desmodesmus subspicatus         | > 260 µg/l, 72 h (OECD 201)  |
|   | LC50  | Danio rerio                     | > 90 µg/l, 96 h (OECD 203)   |
|   | NOEC  | Desmodesmus subspicatus         | > 260 µg/l, 72 h (OECD 201)  |
| <b>Aquatic</b>  |   |                                 |                              |
| <i>Acute</i>  |   |                                 |                              |
| Crustacea   | EC50  | Daphnia magna                   | > 1175 µg/l, 48 h (OECD 202) |
| <i>Chronic</i>  |   |                                 |                              |
| Crustacea   | NOEC  | Daphnia magna                   | >= 8.1 µg/l, 21 d (OECD 211) |
| <b>12.3.3 Biomigration and transformation of the environment due to the biodegradation or other processes</b> |   |                                 |                              |
| <b>Persistence and degradability</b>  | Not available.  |                                 |                              |
| <b>Bioaccumulative potential</b>  |   |                                 |                              |
| <b>Bioconcentration factor (BCF)</b>  |   |                                 |                              |
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide   | 72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatsu No . 615, 49-Kikyoku No . 392, MITI/MHW Chemical Substance Control Law, Japan) |                                 |                              |
| Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide   | 5, (similar to OECD 305 C)  |                                 |                              |
| <b>Mobility in soil</b>   | Not available.  |                                 |                              |
| <b>Other adverse effects</b>  | Not available.  |                                 |                              |

## 13. Recommendations for waste (residues) disposal

|   |  |
|---|--|
| <b>13.1 Safety precautions when handling the waste generated during use, storage, transportation</b>                      | Do not dispose of together with general office waste.<br>Do not allow this material to drain into sewers/water supplies.<br>Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.<br>Ensure collection and disposal with an appropriately licensed waste contractor. |
| <b>13.2 Information on the location and disposal methods, recycling or disposal of product waste, including packaging</b> | Not available.   |
| <b>13.3 Recommendation on the waste disposal generated during its domestic use</b>  | Not available.   |

## 14. Transport information

|                                     |   |
|-------------------------------------|---|
| <b>DOT</b>                          |   |
| <b>UN number</b>                    | UN3082  |
| <b>UN proper shipping name</b>      | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 9   |
| <b>Subsidiary risk</b>              | -   |
| <b>Packing group</b>                | III   |
| <b>Environmental hazards</b>        |   |
| <b>Marine pollutant</b>             | Yes   |
| <b>Special precautions for user</b> | Not available.  |
| <b>DOT Supplemental Information</b> | DOT Classification only applies to shipments within the US and Puerto Rico.       |
| <b>IATA</b>                         |   |
| <b>UN number</b>                    | UN3082  |
| <b>UN proper shipping name</b>      | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)                   |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 9   |
| <b>Subsidiary risk</b>              | -   |

**Packing group** III  
**Environmental hazards** Yes  
**Special precautions for user** Not available.


#### IMDG

**UN number** UN3082  
**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT  
**Transport hazard class(es)**  
    **Class** 9  
    **Subsidiary risk** -  
**Packing group** III  
**Transport hazard class(es)**  
    **Marine pollutant** Yes  
**EmS** F-A, S-F  
**Special precautions for user** Not available.


#### ADR

**UN number** UN3082  
**UN proper shipping name** Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)  
**Transport hazard class(es)**  
    **Class** 9  
    **Subsidiary risk** -  
    **Hazard No. (ADR)** Not available.  
    **Tunnel restriction code** Not available.  
**Packing group** III  
**Environmental hazards** Yes  
**Special precautions for user** Not available.

#### ADR; DOT; IATA; IMDG



#### Marine pollutant



---

## 15. National and international regulatory information

### 15.1 National legislation

**15.1.1 Laws of the Russian Federation** Not available.

**15.1.2 Information about the documentation, regulatory requirements for the protection of human health and environment**

**Sanitary-Epidemiological Rules, 1.2.2353-08, Chemical substances, mixtures and products which are carcinogenic factors, 21 April 2008**

Not listed.

### 15.2 International Conventions and Agreements

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### Stockholm Convention

Not applicable.



**Rotterdam Convention**

Not applicable.

**Montreal Protocol**

Not applicable.

**Kyoto protocol**

Not applicable.

**Basel Convention**

Not applicable.

**16. Other information****16.1 Information on revision of the SDS**

|                             |  |
|-----------------------------|--|
| <b>Issue date</b>           | 13-Feb-2015  |
| <b>Revision date</b>        | 21-Apr-2021  |
| <b>Version #</b>            | 12   |
| <b>Previous SDS number</b>  | Not applicable.  |
| <b>Revision information</b> | 1. Product and Company Identification: EU Poison Center<br>3. Composition / Information on Ingredients: Disclosure Overrides |

**16.2 List of references used in compiling the safety data sheet**

Not available.

**Disclaimer**

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

**Explanation of abbreviations**

|               |   |
|---------------|---|
| <b>ACGIH</b>  | American Conference of Governmental Industrial Hygienists           |
| <b>CAS</b>    | Chemical Abstracts Service  |
| <b>CERCLA</b> | Comprehensive Environmental Response Compensation and Liability Act |
| <b>CFR</b>    | Code of Federal Regulations   |
| <b>COC</b>    | Cleveland Open Cup  |
| <b>DOT</b>    | Department of Transportation  |
| <b>EPCRA</b>  | Emergency Planning and Community Right-to-Know Act (aka SARA)       |
| <b>IARC</b>   | International Agency for Research on Cancer                         |
| <b>NIOSH</b>  | National Institute for Occupational Safety and Health               |
| <b>NTP</b>    | National Toxicology Program   |
| <b>OSHA</b>   | Occupational Safety and Health Administration                       |
| <b>PEL</b>    | Permissible Exposure Limit  |
| <b>RCRA</b>   | Resource Conservation and Recovery Act                              |
| <b>REC</b>    | Recommended   |
| <b>REL</b>    | Recommended Exposure Limit  |
| <b>SARA</b>   | Superfund Amendments and Reauthorization Act of 1986                |
| <b>STEL</b>   | Short-Term Exposure Limit   |
| <b>TCLP</b>   | Toxicity Characteristics Leaching Procedure                         |
| <b>TLV</b>    | Threshold Limit Value   |
| <b>TSCA</b>   | Toxic Substances Control Act  |
| <b>VOC</b>    | Volatile Organic Compounds  |