

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

1.1. Product identifier

Trade name or designation

of the mixture

HP Indigo ElectroInk Calibration Cartridge Silver for use with HP Indigo Digital Presses 7600,

7800, 7900, WS6600, WS6800 and 6900

Y8M50A

Registration number -

Synonyms Part Number Y8M50A

Issue date 26-Nov-2017

Version number 04

Revision date 17-Oct-2020 Supersedes date 23-Sep-2019

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Printing ink for use with HP Indigo Digital Presses 7600, 7800, 7900, WS6600, WS6800, 6900.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP Europe B.V. PO Box 667

1180 AR Amstelveen The Netherlands

Telephone +31 20 721 3400

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label information None.

2.3. Other hazards None known.

Material name: Y8M50A SDS SLOVENIA

14545 Version #: 04 Revision date: 17-Oct-2020 Issue date: 26-Nov-2017

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Petroleum hydrocarbon	<80	90622-58-5 920-901-0	01-2119456810-40-XXXX	-	
Classification:	Asp. Tox. 1;H304				
Aluminum	<7.5	7429-90-5 231-072-3	-	-	
Classification:	-				

SECTION 4: First aid measures

General information

4.1. Description of first aid measures

Inhalation If overcome by vapor, remove person from exposure to fresh air. If breathing is difficult, give

oxygen. If symptoms persist, get medical attention.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Do not apply neutralizing agents.

Do not induce vomiting. Never give anything by mouth to an unconscious person. Ingestion

If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms

and effects, both acute and

delayed

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Suitable extinguishing media: Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

None known.

5.2. Special hazards arising

from the substance or mixture

5.3. Advice for firefighters

Special protective

equipment for firefighters

Not available.

Special fire fighting

Move containers from fire area if you can do it without risk.

Evacuate area and fight fire from a safe distance. procedures

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Not available.

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. 6.2. Environmental precautions

6.3. Methods and material for

containment and cleaning up

Not available.

Not available.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid prolonged or repeated skin contact with this material.

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures

against static discharges.

Material name: Y8M50A SDS SLOVENIA

14545 Version #: 04 Revision date: 17-Oct-2020 Issue date: 26-Nov-2017

7.2. Conditions for safe storage, including any incompatibilities

Keep away from excessive heat or cold. Store in a cool and shaded area. Do not store in direct

sunlight.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no effect levels

(DNELs)

Not available

Predicted no effect concentrations (PNECs)

Not available.

Exposure guidelines

Manufacturer recommended exposure limit based on petroleum hydrocarbon at > 75%. TWA =

171ppm (1200 mg/m3).

8.2. Exposure controls

Appropriate engineering

Use in a well ventilated area.

controls

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection

Not available.

Skin protection

- Hand protection Not available.
 - Other Not available.
 Respiratory protection Not available.
 Thermal hazards Not available.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Paste
Physical state Solid.

Form Not available.

Color Silver.

Odor mild hydrocarbon-like

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not a

(9/1)

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Vapor pressureNot available.Vapor densityNot available.

Solubility(ies)

Solubility (water) Not soluble in water

Material name: Y8M50A SDS SLOVENIA

Partition coefficient (n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity** Not available. **Explosive properties** Not applicable. Oxidizing properties

9.2. Other information

0.818 Specific gravity

VOC 630 g/l (5.26 lbs/gal.US)

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

Stable under recommended storage conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

Will not occur.

Not available. 10.4. Conditions to avoid

10.5. Incompatible materials This product may react with strong oxidizing agents.

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular 10.6. Hazardous

weight hydrocarbons. decomposition products

SECTION 11: Toxicological information

General information Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Information on likely routes of exposure

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Skin contact Contact with skin may result in mild irritation. Contact with eyes may result in mild irritation. Eye contact

Ingestion is not a likely route of exposure. Health injuries are not known or expected under normal Ingestion

use.

Not available. **Symptoms**

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Not classified. Serious eye damage/eye Not classified.

irritation

Respiratory sensitization Not classified. Skin sensitization Not classified. Germ cell mutagenicity Not classified. Not classified. Carcinogenicity Not classified. Reproductive toxicity Not classified. Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Not classified. **Aspiration hazard** Mixture versus substance Not available.

information

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity This product has not been tested for ecological effects.

Material name: Y8M50A SDS SLOVENIA Components Species Test Results

Aluminum (CAS 7429-90-5)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 0.16 mg/l, 96 hours

(Oncorhynchus mykiss)

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative potential Not available. **Partition coefficient** Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

Disposal methods/information Dispose of in compliance with federal, state, and local regulations.

SECTION 14: Transport information

DOT

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards

Marine pollutant No

Special precautions for user Not available.

IATA

UN number Not available.
UN proper shipping name Not Regulated.

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards No.

Special precautions for user Not available.

IMDG

UN number Not available.
UN proper shipping name Not Regulated.

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Transport hazard class(es)

Marine pollutant No.

EmS Not available. Special precautions for user Not available.

ADR

UN number Not available.
UN proper shipping name Not Regulated.

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR) Not available.

Material name: Y8M50A SDS SLOVENIA

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No.

Special precautions for user Not available.

Further information Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Aluminum (CAS 7429-90-5)

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

National regulations Not available.

15.2. Chemical safety

assessment

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals

Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of

substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

.....

Full text of any H-statements not written out in full under

Sections 2 to 15

H304 May be fatal if swallowed and enters airways.

Material name: Y8M50A SDS SLOVENIA

Revision information Training information

Disclaimer

SECTION 2: Hazards identification: Classification according to Regulation (EC) No 1272/2008

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: Y8M50A SDS SLOVENIA

14545 Version #: 04 Revision date: 17-Oct-2020 Issue date: 26-Nov-2017

Safe Use of Mixture Information (SUMI)

--

Liquid Electrophotography Digital Printing inks: LE01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions					
Maximum duration	Up to 8 hours per day				
Frequency of exposure	< 240 days per year				
Process conditions	Covers use at ambient temperatures.				
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides				
	Avoid direct contact.				
	Regular cleaning of equipment and work area.				
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions follow				
Risk management measures					
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.				
related to Personal Protection	Wear appropriate chemical resistent gloves: see section 8 of the SDS.				
Equipment, hygiene and health	Wear appropriate chemical resistent clothing.				
evaluation	Eye wash fountain and emergency showers are recommended.				
	Avoid breathing mist/vapours.				
	Avoid contact with skin, eyes and clothing.				
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.				

Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store in a well-ventilated place.

Keep container tightly closed.

Store at room temperature.

Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.



