Product name: CC660Series

Revision number: 07 Date of SDS: 19-May-2018

Date of revision: 08-Jul-2020

SDS TURKEY 1/9

1. Identification of the substance/mixture and of the company/undertaking

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

1.1. Substance/Mixture identifier

CC660Series

Other means of identification None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

HP Computer and Printing Technologies Limited Liability Company

Saray Mahallesi Dr. Adan Buyukdeniz Caddesi No:4 Umraniye, Pt. 8th Floor

Istanbul, TURKEY 34752

Telephone +90 212 224 5925

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4. Emergency Telephone

Number

National Poison 114

Information Center (UZEM)

Emergency Health 1

Services

112

2. Hazards identification

2.1. Classification of the substance or mixture

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

2.2. Label elements

Labeling in accordance with Regulation 28848 regarding the Classification, Packaging and Labeling of Substances and

Preparations 11/12/2013

Hazard pictograms None.
Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Product name: CC660Series Revision number: 07 Date of SDS: 19-May-2018

Date of revision: 08-Jul-2020

SDS TURKEY

2.3. Other hazards Complete toxicity data are not available for this specific formulation.

> Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use

conditions.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present

this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information 2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the

unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an

animal study. See Section 11.

3. Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC N	0.	Notes
Water	75-85	7732-18-5 231-791-2		
Classification:	-			
2-pyrrolidone	<3	616-45-5 210-483-1		
Classification:	Eye Irrit. 2;H319, Repr	. 1B;H360		
Isopropyl alcohol	<2.5	67-63-0 200-661-7		
Classification:	Flam. Liq. 2;H225, Eye	e Irrit. 2;H319, STO	T SE 3;H336	
1,2-Benzisothiazolin-3-on	ne <0.05	2634-33-5 220-120-9		
Classification:	Acute Tox. 4;H302, Sk Acute 1;H400	in Irrit. 2;H315, Ski	n Sens. 1;H317, Eye Dam. 1;H318, Aquatic	
mposition comments	This ink supply or	ontains an agueous	ink formulation.	

omposition comments

This ink supply contains an aqueous ink formulation.

Carbon black is present only in a bound form in this preparation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

4. First aid measures

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical Skin contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

If ingestion of a large amount does occur, seek medical attention. Ingestion

4.2. Most important symptoms and effects, both acute and

Contact with skin and eyes may result in irritation.

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed

Product name: CC660Series

Revision number: 07 Date of SDS: 19-May-2018 Date of revision: 08-Jul-2020

SDS TURKEY 3 / 9

	378			
General information	Not available.			
5. Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	CO2, water, dry chemical, or foam			
Unsuitable extinguishing media	None known.			
5.2. Special hazards arising from the substance or mixture	Not available.			
5.3. Advice for firefighters				
Special protective equipment for firefighters	None established.			
Special fire fighting procedures	Not available.			
Specific methods	None established.			
General fire hazards	Contact with skin and eyes may result in irritation.			

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency Wear appropriate personal protective equipment.

personnel

For emergency responders Not available.

6.2. Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and materials for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Slowly vacuum or sweep the material into a bag or other sealed container.

Dispose of in compliance with federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

7. Handling and storage

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

7.3. Specific end use(s) Not available.

8. Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	
Isopropyl alcohol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	

Turkey. MAK (Ordinance No. 1475 on Precautions Required in Workplaces Working with Flammable, Explosive, Dangerous and Harmful Substances, Annexes 1-3 (1973))

Components	Туре	Value	
Isopropyl alcohol (CAS 67-63-0)	MAK	500 mg/m3	

Product name: CC660Series Revision number: 07 Date of SDS: 19-May-2018

Date of revision: 08-Jul-2020

SDS TURKEY

Turkey. MAK (Ordinance No. 1475 on Precautions Required in Workplaces Working with Flammable, Explosive,

Dangerous and Harmful Substances, Annexes 1-3 (1973))

Components Value Type

200 ppm

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time	
Isopropyl alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*	

Exposure limits have not been established for this product.

Recommended monitoring

procedures

Not available.

Exposure guidelines 8.2. Exposure controls

Appropriate engineering

Use in a well ventilated area.

controls

Individual protection measures, such as personal protective equipment

General information Not available. Eye/face protection Not available.

Skin protection

- Hand protection Recommended gloves: Nitrile 4 mil minimum thickness.

Use personal protective equipment to minimize exposure to skin and eye. - Other

Respiratory protection Not available. Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure

controls

Not available.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. **Form** Not available. Color Black.

Not available. Odor **Odor threshold** Not available. 7.8 - 8.4pН Melting point/freezing point Not available. Initial boiling point and boiling 200 °F (93.33 °C)

range

131.0 - 136.0 °F (55.0 - 57.8 °C) Pensky-Martens Closed Cup Flash point

Evaporation rate Not determined Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

(%)

Not available.

Vapor pressure Not determined

^{* -} For sampling details, please see the source document.

Product name: CC660Series Revision number: 07
Date of SDS: 19-May-2018

Date of revision: 08-Jul-2020

SDS TURKEY 5 / 9

Vapor density Not available.

Solubility(ies)

Solubility (water) Soluble in water

Partition coefficient Not determined

(n-octanol/water)
Auto-ignition tempera

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity > 2 cp Explosive properties Not av

Explosive properties Not available.

Oxidizing properties Not determined

9.2. Other informationNo ignition, sustained combustion or flashing detected using the Sustained Combustibility Test

(method in US 49CFR173, Appendix H).

No ignition, sustained combustion, or flashing detected, using the Sustained Combustibility Test prescribed in the UN Manual of Tests and Criteria, Part III subsection 32.5.2. Refer to Dangerous

Goods Regulations Section 3.3.1.3.

Bulk density 1 - 1.2 gm/ml
Percent volatile 3.1 % estimated

Specific gravity 1 - 1.2 **VOC** < 116.6 g/l

10. Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

10.6. Hazardous

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

decomposition products dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

General information Not available.

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation.

Eye contact Contact with eyes may result in mild irritation.

Ingestion Health injuries are not known or expected under normal use.

Symptoms Not available.

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Acute Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritationBased on available data, the classification criteria are not met. **Serious eye damage/eye**Based on available data, the classification criteria are not met.

irritation Not classified as an irritant according to, OECD 405.

Product name: CC660Series Revision number: 07
Date of SDS: 19-May-2018

Date of revision: 08-Jul-2020

SDS TURKEY 6 / 9

Respiratory or skin sensitization

Respiratory sensitization
Skin sensitization

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Germ cell mutagenicity Carcinogenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

Reproductive toxicity Based on available data, the classification criteria are not met.

2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

12.1. Toxicity

Aquatic toxicity Not expected to be harmful to aquatic organisms.

Product Species Test Results

CC660Series

Aquatic

Acute

Fish LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

Isopropyl alcohol (CAS 67-63-0)

Aquatic

Acute

Algae EC50 Algae > 1000 mg/l, 72 hours
Crustacea EC50 Daphnia 13299 mg/l, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) 9460 mg/l, 96 hours

12.2. Persistence and

No data is available on the degradability of this product.

degradability

12.3. Bioaccumulative potential Not available.

Product name: CC660Series Revision number: 07 Date of SDS: 19-May-2018

Date of revision: 08-Jul-2020

Partition coefficient n-octanol/water (log Kow)

> 2-pyrrolidone -0.850.05 Isopropyl alcohol

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

13. Disposal information

13.1. Waste treatment methods

Not available. Residual waste

Contaminated packaging No special precautions.

Disposal methods/information Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

DOT

Not regulated as dangerous goods.

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

> No ignition, sustained combustion, or flashing detected, using the Sustained Combustibility Test prescribed in the UN Manual of Tests and Criteria, Part III subsection 32.5.2. Refer to Dangerous

Goods Regulations Section 3.3.1.3.

No ignition, sustained combustion or flashing detected using the sustained combustibility test

(method in US CFR173, Appendix H).

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

List of Priority Substances, By-Law on Inventory and Control of Chemicals, No 27092

Prohibited Chemicals at Work. Regulation on Protection of Health and Safety Measures from Risks related to Chemical Agents at Work, Annex III

Not listed.

All chemical substances in this HP product have been notified or are exempt from notification International regulations

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Stockholm Convention

Not applicable.

Product name: CC660Series Revision number: 07 Date of SDS: 19-May-2018

Date of revision: 08-Jul-2020

SDS TURKEY

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

References

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15

Not available.

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H360 May damage fertility or the unborn child.

H400 Very toxic to aquatic life.

Revision information

Training information

Compiler of the Safety Data

Sheet

Competency certificate number

Competency certificate date

Disclaimer

None.

Follow training instructions when handling this material.

HP Inc.

Not available.

Not available.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Product name: CC660Series Revision number: 07
Date of SDS: 19-May-2018

Date of revision: 08-Jul-2020

SDS TURKEY 9 / 9

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds