



# SAFETY DATA SHEET

## 1. Product and company identification

**Product name** CP782B  
**Synonyms** HP HDR240 Light Magenta Scitex Ink  
**Recommended use and Limitations on use**  
**Recommended use** Inkjet printing  
**Issue date** 30-Oct-2013  
**Revision date** 04-Aug-2015  
**Version #** 06  
**Company identification** HP Taiwan Information Technology Ltd.  
10F-2, No. 66 Jing Mao 2 Road  
Taipei, Taipei City, Taiwan 11568  
Telephone 886-2-8722-9000  
  
HP health effects line  
(Toll-free within the US) 1-800-457-4209  
(Direct) 1-760-710-0048  
HP Customer Care Line  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com

## 2. Hazards identification

### Hazard classification

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Acute toxicity (Oral)	Category 5
	Acute toxicity (Dermal)	Category 5
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Skin sensitizer	Category 1
	Toxic to reproduction	Category 2
	Specific target organ toxicity - single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity - repeated exposure	Category 1
<b>Environmental hazards</b>	Chronic hazards to the aquatic environment	Category 2

### Label elements

#### Symbols



#### Signal word

Danger

#### Hazard statement

May be harmful if swallowed. May be harmful in contact with skin. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of damaging fertility. May cause respiratory irritation. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

## Precautionary statement

### Prevention

P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray.  
P271 - Use only outdoors or in a well-ventilated area.  
P202 - Do not handle until all safety precautions have been read and understood.  
P201 - Obtain special instructions before use.  
P270 - Do not eat, drink or smoke when using this product.  
P264 - Wash hands thoroughly after handling.  
P273 - Avoid release to the environment.

### Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P308 + P313 - IF exposed or concerned: Get medical attention/advice.  
P312 - Call a POISON CENTER/doctor/physician if you feel unwell.  
P391 - Collect spillage.  
P362 - Take off contaminated clothing and wash before reuse.

### Storage

P405 - Store locked up.  
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Other hazards

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Diphenyl (2,4,6-trimethylbenzoyl) phosphineoxide - In animal testing, risk of impaired fertility was shown only after repeated ingestion of very high doses of this substance.

## 3. Composition/information on ingredients

Substance or mixture	Mixture		
Components		CAS #	Percent
Acrylic acid ester		48145-04-6	<40
Acrylate ester		5888-33-5	<25
Vinyl caprolactam (VCAP)		2235-00-9	<20
Diphenyl (2,4,6 - trimethylbenzoyl) phosphine		75980-60-8	<5
Urethane acrylate oligomer A		Proprietary	<5
Urethane acrylate oligomer B		Proprietary	<5
Acrylated oligoamine resin		Proprietary	<2.5
Glycerol, propylated, esters with acrylic acid		52408-84-1	<1

## 4. First aid measures

### First aid measures for different exposure routes

#### Inhalation

Move to fresh air. If symptoms persist, get medical attention.

#### Skin contact

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

#### Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

#### Ingestion

If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.

### Most important symptoms and effects

Not available.

### Personal protection for first-aid responders

Not available.

### Notes to physician

Not available.

---

## 5. Fire-fighting measures

<b>Flash point</b>	235.4 °F (113.0 °C) Closed Cup
<b>Extinguishing media</b>	Dry powder. Carbon dioxide (CO <sub>2</sub> ). Water may be ineffective.
<b>Extinguishing media to avoid</b>	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
<b>Specific hazards during fire fighting</b>	None.
<b>Special fire fighting procedures</b>	Avoid runoff into storm sewers and ditches which lead to waterways.
<b>Protection of fire-fighters</b>	None.

---

## 6. Accidental release measures

<b>Personal precautions</b>	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
<b>Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
<b>Spill cleanup methods</b>	Not available.
<b>Other information</b>	Dispose of in compliance with federal, state, and local regulations.

---

## 7. Handling and storage

<b>Handling</b>	
<b>Precautions</b>	Not available.
<b>Safe handling advice</b>	Avoid contact with skin, eyes and clothing.
<b>Storage</b>	
<b>Technical measures</b>	Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage. Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition.
<b>Suitable storage conditions</b>	Not available.
<b>Incompatible materials</b>	Not available.

---

## 8. Exposure controls/personal protection

<b>Exposure limits</b>	No exposure limits noted for ingredient(s).
<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Engineering measures</b>	Not available.
<b>Personal protective equipment</b>	
<b>Respiratory protection</b>	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
<b>Hand protection</b>	Wear appropriate chemical resistant gloves.
<b>Eye protection</b>	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.
<b>Skin and body protection</b>	Wear appropriate chemical resistant clothing.
<b>Hygiene measures</b>	Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.
<b>Exposure guidelines</b>	Exposure limits have not been established for this product.

---

## 9. Physical and chemical properties

<b>Appearance</b>	
<b>Physical state</b>	Liquid.
<b>Color</b>	Light Magenta
<b>Odor</b>	Characteristic.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.

<b>Boiling point, initial boiling point, and boiling range</b>	Not available.
<b>Flash point</b>	235.4 °F (113.0 °C) Closed Cup
<b>Flammability (solid, gas)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Other data</b>	
<b>VOC (Weight %)</b>	19 g/L Method 24/ASTM D5403-93

---

## 10. Stability and reactivity

<b>Stability</b>	Stable under normal storage conditions.
<b>Conditions to avoid</b>	Exposure to sunlight.
<b>Incompatible materials</b>	Incompatible with strong bases and oxidizing agents. alkaline metals
<b>Hazardous decomposition products</b>	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization can occur with decreased inhibitor content.

---

## 11. Toxicological information

<b>Acute toxicity</b>	May be harmful if swallowed. May be harmful in contact with skin.
<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	Causes serious eye damage.
<b>Respiratory sensitizer</b>	Based on available data, the classification criteria are not met.
<b>Skin sensitizer</b>	May cause sensitization by skin contact.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Toxic to reproduction</b>	Suspected of damaging fertility.
<b>Specific target organ toxicity - single exposure</b>	May cause irritation to the respiratory system.
<b>Specific target organ toxicity - repeated exposure</b>	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
<b>Other information</b>	Complete toxicity data are not available for this specific formulation

---

## 12. Ecological information

<b>Aquatic toxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.
<b>Persistence and degradability</b>	Not available.
<b>Bioaccumulation</b>	Not available.
<b>Mobility in soil</b>	Not available.
<b>Other hazardous effects</b>	Not available.

---

## 13. Disposal considerations

<b>Local disposal regulations</b>	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
-----------------------------------	--

---

## 14. Transport information

### DOT

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packaging group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>Special precautions for user</b>	Not available.

**DOT supplemental information** DOT Classification only applies to shipments within the US and Puerto Rico.

### IATA

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Special precautions for user</b>	Not available.

### IMDG

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	F-A, S-F
<b>Special precautions for user</b>	Not available.

### ADR

#### Basic shipping requirements:

<b>Proper shipping name</b>	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
<b>Hazard class</b>	9
<b>UN number</b>	3082
<b>Packing group</b>	III
<b>Marine pollutant</b>	Yes


### DOT; IATA; IMDG





**ADR**

**Marine pollutant**



---

## 15. Regulatory information

### Applicable regulations

#### Methods and Facilities Standards for the Storage, Clearance and Disposal of Industrial Waste

Not listed.

**GHS Classification List: GHS implementation phase 1 and 2 (CLA No. 0960145703, 0970146313, and 0990146707)**

Diphenyl (2,4,6 - trimethylbenzoyl) phosphine (CAS 75980-60-8)

### Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

---

## 16. Other information

### References

Not available.

### Issued by

Not available.

### Prepared by

HP

### Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

### Issue date

30-Oct-2013

### Revision date

04-Aug-2015

### Version #

06

### This data sheet contains changes from the previous version in section(s):

Other information: Disclaimer

### Manufacturer information

HP  
1501 Page Mill Road  
Palo Alto, California 94304-1112 US  
(Direct) +972 (9) 892-4628

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds