



SAFETY DATA SHEET

1. Product and company identification

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***

Name of the chemical G0Y98Series

Other means of identification
Synonyms HP FB794 Light Magenta Scitex Ink Cartridge

Recommended use of the chemical and restrictions on use
Recommended use Inkjet printing.
Recommended restrictions None known.

Company identification HP Taiwan Information Technology Ltd.
10F-2, No. 66 Jing Mao 2 Road
P.C 11568
Taipei
Taiwan

Telephone (02)3789-9900

HP Inc. health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-760-710-0048

HP Inc. Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazards identification

Hazard classification

Physical hazards Not classified.

Health hazards

Acute toxicity, oral	Category 5
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Sensitization, skin	Category 1
Reproductive toxicity (the unborn child)	Category 2
Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Specific target organ toxicity, repeated exposure	Category 1 (liver, respiratory system)

Environmental hazards Hazardous to the aquatic environment, long-term hazard Category 2

Label elements

Symbols



Signal word

Danger

Hazard statement

May be harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of damaging the unborn child. May cause respiratory irritation. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention	Wear protective gloves/protective clothing/eye protection/face protection. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical attention/advice. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash before reuse. Collect spillage.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation. Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans).

Supplemental information None.

3. Composition/information on ingredients

Mixture

Chemical name	CAS Number	Concentration (%)
2-phenoxyethyl acrylate	48145-04-6	<40
N-vinylcaprolactam	2235-00-9	<25
Tridecyl acrylate	3076-04-8	<15
Benzophenone	119-61-9	<7.5
Propoxylated Neopentyl Glycol Diacrylate	84170-74-1	<7.5
2-[[[3-hydroxy-2,2-bis[[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[[(1-oxoallyl)oxy]methyl]-1,3-propanediyl]diacrylat	60506-81-2	<5
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide	162881-26-7	<5
Poly (ethylene glycol) diacrylate	26570-48-9	<5
Propoxylated glycerol triacrylate	52408-84-1	<2.5
2,6-di-tert-butyl-.alpha.-dimethylamino-p-cresol	88-27-7	<1
Butylhydroxytoluene	128-37-0	<1
Triphenylphosphine	603-35-0	<1

Composition comments Carbon black is present only in a bound form in this preparation.

4. First aid measures

First aid measures for different exposure routes

Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.

Most important symptoms and effects Not available.

Personal protection for first-aid responders Not available.

Notes to physician Not available.

5. Fire-fighting measures

Extinguishing media Dry powder. Carbon dioxide (CO₂). Water may be ineffective.

Extinguishing media to avoid Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

Specific hazards during fire fighting None.

Special fire fighting procedures	Avoid runoff into storm sewers and ditches which lead to waterways.
Protection of fire-fighters	None.

6. Accidental release measures

Personal precautions	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
Spill cleanup methods	Not available.

7. Handling and storage

Handling	Avoid contact with skin, eyes and clothing.
Storage	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

8. Exposure controls/personal protection

Exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Butylhydroxytoluene (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapor.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Exposure limits have not been established for this product.

Appropriate engineering controls Not available.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.

Skin protection

Hand protection Recommended gloves: Nitrile 6 mil minimum thickness. Wear appropriate chemical resistant gloves.

Other

Wear appropriate chemical resistant clothing.

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Liquid.

Color Light Magenta

Odor Characteristic.

Odor threshold Not available.

Melting point/freezing point Not available.

pH 7.3 - 7.7 Metler Toledo pH Meter. Temperature 25°C

Boiling point, initial boiling point, and boiling range Not available.

Flammability (solid, gas) Not available.

Flash point > 199.9 °F (> 93.3 °C) Calculated

Decomposition temperature Not available.

Auto-ignition temperature Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Density	1.06 g/cm ³
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Evaporation rate	Not available.
Other data	
Chemical family	Acrylate/Polymer/Pigment Blend
Viscosity	9.3 - 10.6 cP Brookfield Viscometer Temperature 50°C
VOC	0.2 g/L Calculated

10. Stability and reactivity

Stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Hazardous polymerization can occur with decreased inhibitor content.
Conditions to avoid	Exposure to sunlight.
Incompatible materials	Incompatible with strong bases and oxidizing agents. alkaline metals
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Inhalation may result in mild irritation to the respiratory system.
Skin contact	Causes skin irritation. May cause sensitization by skin contact.
Eye contact	Causes serious eye damage.
Ingestion	Ingestion is not a likely route of exposure.

Symptoms Not available.

Information on toxicological effects

Acute toxicity May be harmful if swallowed.

Components	Species	Test Results
N-vinylcaprolactam (CAS 2235-00-9)		
Acute		
Dermal		
LD50	Rabbit	1700 mg/kg
Inhalation		
LC50	Rat	> 1.6 mg/l
Oral		
LD50	Rat	1114 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	May cause sensitization by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

ACGIH Carcinogens

Butylhydroxytoluene (CAS 128-37-0) A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Benzophenone (CAS 119-61-9) 2B Possibly carcinogenic to humans.
 Butylhydroxytoluene (CAS 128-37-0) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure	May cause irritation to the respiratory system.
Specific target organ toxicity - repeated exposure	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
Aspiration hazard	Based on available data, the classification criteria are not met.
Chronic effects	Not available.
Other information	Complete toxicity data are not available for this specific formulation

12. Ecological information

Aquatic toxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.

Ecotoxicity

Components		Species	Test Results
2-phenoxyethyl acrylate (CAS 48145-04-6)			
<i>Acute</i>			
	EC10	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
	EC50	Desmodesmus subcapitatus	4.44 mg/l, 72 h (DIN 38412 L9)
	LC50	Leuciscus idus	10 mg/l, 96 h (DIN 38 412)
	NOEC	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C)
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide (CAS 162881-26-7)			
<i>Acute</i>			
	EC50	Desmodesmus subspicatus	> 260 µg/l, 72 h (OECD 201)
	LC50	Danio rerio	> 90 µg/l, 96 h (OECD 203)
	NOEC	Desmodesmus subspicatus	> 260 µg/l, 72 h (OECD 201)
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	> 1175 µg/l, 48 h (OECD 202)
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	>= 8.1 µg/l, 21 d (OECD 211)
Propoxylated Neopentyl Glycol Diacrylate (CAS 84170-74-1)			
<i>Acute</i>			
	EC10	Pseudokirchneriella subcapitata	2.3 mg/l, 72 h (OECD 201)
	EC50	Pseudokirchneriella subcapitata	11 mg/l, 72 h (OECD 201)
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Daphnia Magna	37 mg/l, 48 h (OECD 202)
Fish	LC50	Danio rerio	2.7 mg/l, 96 h (OECD 203)

Persistence and degradability Not available.

Bioaccumulation

Bioaccumulative potential

Bioconcentration factor

Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide 5, (similar to OECD 305 C)

Mobility in soil Not available.

Other hazardous effects Not available.

13. Disposal considerations

Disposal instructions Do not dispose of together with general office waste.
Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.

Residual waste Not available.

Contaminated packaging Not available.

Local disposal regulations Not available.

14. Transport information

DOT

UN number Not available.
UN proper shipping name Not Regulated
Transport hazard class(es)
Class Not available.
Subsidiary risk -
Packing group Not available.
Environmental hazards
Marine pollutant No
Special precautions for user Not available.
DOT Supplemental Information DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN number UN3082
UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
Transport hazard class(es)
Class 9
Subsidiary risk -
Packing group III
Environmental hazards Yes
Special precautions for user Not available.

IATA Supplemental Information When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

IMDG

UN number UN3082
UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
Transport hazard class(es)
Class 9
Subsidiary risk -
Packing group III
Transport hazard class(es)
Marine pollutant Yes
EmS F-A, S-F
Special precautions for user Not available.


IMDG Supplemental Information When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.

ADR


UN number UN3082
UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
Transport hazard class(es)
Class 9
Subsidiary risk -
Hazard No. (ADR) Not available.
Tunnel restriction code Not available.
Packing group III
Environmental hazards Yes
Special precautions for user Not available.

ADR Supplemental Information When shipping ≤ 5L containers, ADR 375 may apply.

ADR; IATA; IMDG



Marine pollutant



Further information

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

15. Regulatory information

Applicable regulations

Methods and Facilities Standards for the Storage, Clearance and Disposal of Industrial Waste

Not listed.

Priority Management Chemical List (Regulations on Handling Priority Managed Chemicals), as amended

Not listed.

Toxic Chemical Substances (TCS) List (EPA Toxic Substances Notice No. 0960095331E, Tables 1-3, Dec. 17, 2007, as amended)

Not listed.

GHS Classification List: GHS implementation phase 1, 2 and 3 (CLA No. 0980145063, 0990146707, and 1020146801)

Acrylate ester 5 (CAS Proprietary)

Benzophenone (CAS 119-61-9)

Butylhydroxytoluene (CAS 128-37-0)

Rules on Road Transportation Safety

Regulated.

International regulations

The components of this product are reported in the following inventories: USA, European Union, Canada, Japan, China, Australia, Korea.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

References

Not available.

Issued by

HP Inc.

Prepared by

HP Inc.

Disclaimer

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds