

# SAFETY DATA SHEET

1. Identification

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

2LL72Series **GHS** product identifier

Version # 06

Issue date 14-Apr-2019 31-Mar-2021 **Revision date** Supersedes date 10-Oct-2020 Mixture CAS# Recommended use

Inkjet printing

**Recommended Restrictions** Can only be used for printing on soft signage and promotional items. Should not be applied to

clothing textiles.

Manufacturer

HP Deutschland GmbH Schickardstrasse 32 71034 Böblingen

Germany

HP Inc. health effect line

1-800-457-4209 (Toll-free within US) (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

#### 2. Hazards identification

**GHS** classification

**Physical hazards** Not classified. **Health hazards** Sensitization, skin

Not classified. **Environmental hazards** 

**GHS** label elements

Signal word Warning



**Hazard statement** May cause an allergic skin reaction.

**Precautionary statement** 

Prevention Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing

dust/fume/mist/vapors. Contaminated work clothing should not be allowed out of the workplace.

Category 1

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical Response

advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Not available.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations. Complete toxicity data are not available for this specific formulation.

Other hazards which do not

result in classification

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Material name: 2LL72Series SDS UKRAINE

11234 Version #: 06 Revision date: 31-Mar-2021 Issue date: 14-Apr-2019

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

## 3. Composition/information on ingredients

CAS#	Percent
7732-18-5	75-80
17418-58-5	<2.5
616-45-5	<2.5
70693-64-0	<2.5
9014-85-1	<1
2634-33-5	<0.05
2682-20-4	<0.05
	7732-18-5 17418-58-5 616-45-5 70693-64-0 9014-85-1 2634-33-5

#### **Composition comments**

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

#### 4. First aid measures

First aid procedures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

Most important symptoms and

effects, both acute and delayed

Not available.

Not available. Notes to physician

#### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Protective equipment and

precautions for firefighters

Specific methods

Not available.

None known.

Not available

None established.

## 6. Accidental release measures

Personal precautions

Wear appropriate personal protective equipment.

Dry chemical, CO2, water spray or regular foam.

**Environmental precautions** 

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Not available. Methods for containment Not available. Methods for cleaning up

## 7. Handling and storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

#### 8. Exposure controls / personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values Exposure guidelines** 

No biological exposure limits noted for the ingredient(s). Exposure limits have not been established for this product.

Recommended monitoring

procedures

Not available.

Use in a well ventilated area. **Engineering controls** 

Material name: 2LL72Series 2/6

11234 Version #: 06 Revision date: 31-Mar-2021 Issue date: 14-Apr-2019

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

**Skin protection**Use personal protective equipment to minimize exposure to skin and eye.

Respiratory protection Not available.

**Hand protection** Wear appropriate chemical resistant gloves.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Color Black.
Form Liquid.
Odor Not available.
Odor threshold Not available.

**pH** 8.2

Melting point/Freezing pointNot available.Boiling pointNot available.Flash point336.0 °F (168.9 °C)Evaporation rateNot available.Flammability (solid, gas)Not available.Flammability limits in air,<br/>lower, % by volumeNot available.

Flammability limits in air,

upper, % by volume

Not available.

Vapor pressureNot available.Vapor densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

VOC (Weight %) 9.47 %

Percent volatile 1.19 % estimated

Other data

Oxidizing properties Not determined

#### 10. Stability and reactivity

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Not available.

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

products dioxide and/or low molecular weight hydrocarbons.

#### 11. Toxicological information

#### Toxicological data

Components Species Test Results

1,2-Benzisothiazolin-3-one (CAS 2634-33-5)

Acute Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat 490 mg/kg

Material name: 2LL72Series SDS UKRAINE

Components	Species	Test Results	
2-methyl-2h-isothiazol-3-one (CAS	5 2682-20-4)		
<u>Acute</u>			
Dermal			
LD50	Rat	242 mg/kg	
Inhalation			
LC50	Rat	0.11 mg/l, 4 h	
Oral			
LD50	Rat	120 mg/kg	
2-pyrrolidone (CAS 616-45-5)			
<u>Acute</u>			
Oral			
LD50	Rat	> 5000 mg/kg	
Acute toxicity	Based on available data, the classification criteria are not met.		
Skin corrosion/irritation	Based on available data, the classification criteria a		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.		
Respiratory sensitizer	Based on available data, the classification criteria are not met.		
Skin sensitization	May cause sensitization by skin contact.		
Mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
	2-pyrrolidone: This component showed developmer pregnant test animals (OECD Testing Guideline 41-Uptake by people of small doses is not expected to has not caused adverse effects on sexual function of Testing Guideline 443: Extended One-Generation F	4: Prenatal Developmental Toxicity Study). cause developmental toxicity. This component or damage to fertility in an animal study (OECD	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria a	re not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria a	re not met.	
Other information	Complete toxicity data are not available for this specific formulation		

# 12. Ecological information

Ecotoxico	logical	data
_	_	

Components		Species	Test Results
1,2-Benzisothiazolin-3-one	(CAS 2634-33-5)		
Acute			
Other	EC50	Pseudokirchnerella subcapitata	70 - 150 μg/l, 72 h OECD (201)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	2.9 mg/l, 48 h (OECD 202)
Fish	LC50	Oncorhynchus mykiss	2.15 mg/l, 96 h (OECD 203)
		Sheepshead minnow (Cyprinodon variegatus)	16.7 mg/l, 96 h EPA 540/9-85-006
2-methyl-2h-isothiazol-3-or	ne (CAS 2682-20-4)		
Acute			
Other	EC50	Pseudokirchnerella subcapitata	0.138 - 0.22 mg/l, 120 h (OECD 201)
Chronic			
	NOEC	Pseudokirchneriella subcapitata	0.05 mg/l, 120 h (OECD 201)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	1.6 mg/l, 48 h (OECD 202)

Material name: 2LL72Series SDS UKRAINE

Components **Species Test Results** LC50 0.934 mg/l, 48 h (OECD 202) Daphnia magna Fish LC50 Oncorhynchus mykiss 4.77 mg/l, 96 h (OECD 203) 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea EC50 Water flea (Daphnia pulex) 13.21 mg/l, 48 hours

**Bioaccumulation** 

Bioaccumulative potential **Bioconcentration factor** 

1.2-Benzisothiazolin-3-one 6.62, (OECD 305)

Species: Bluegill (Lepomis macrochirus) 2-methyl-2h-isothiazol-3-one

48.1, Viscera (1972)

Species: Bluegill (Lepomis macrochirus)

5.75, Carcass (1972)

Species: Bluegill (Lepomis macrochirus)

Octanol/water partition coefficient log Kow

2-pyrrolidone -0.85

## 13. Disposal considerations

Disposal methods Do not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

## 14. Transport information

DOT

**UN number** Not available. **UN** proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

**Environmental hazards** 

Marine pollutant Nο

Special precautions for user Not available.

**IATA** 

Not available. UN number Not Regulated **UN** proper shipping name

Transport hazard class(es)

Not available. Class

Subsidiary risk

Not available. **Packing group** 

**Environmental hazards** No

Special precautions for user Not available.

**IMDG** 

Not available. **UN number UN** proper shipping name Not Regulated

Transport hazard class(es)

Not available. Class

Subsidiary risk

Not available. Packing group

Transport hazard class(es)

No Marine pollutant

Not available. **EmS** Special precautions for user Not available.

**ADR** 

Not available. **UN** number Not Regulated **UN proper shipping name** 

Material name: 2LL72Series SDS UKRAINE Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

#### 15. Regulatory information

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### 16. Other information

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

SDS sections updated

1. Product and Company Identification: EU Poison Center

**Explanation of abbreviations** 

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: 2LL72Series SDS UKRAINE

11234 Version #: 06 Revision date: 31-Mar-2021 Issue date: 14-Apr-2019