



# SAFETY DATA SHEET

## 1. Identification

**GHS product identifier** CD401 Series  
**Version #** 01  
**Issue date** 16-Aug-2016  
**Recommended use** Inkjet printing  
**Recommended Restrictions** Not available.  
**Synonym(s)** HP DS100 Specialty Textile Yellow Scitex Ink  
**Manufacturer information** HP Inc.  
**Company identification** HP Deutschland GmbH  
Schickardstrasse 32, Geb. Businesspark, Boeblingen B01 (SUO07) - 1st Floor Eingang A  
Boeblingen  
Germany 71034  
  
HP Inc. health effect line  
(Toll-free within US) 1-800-457-4209  
(Direct) 1-760-710-0048  
HP Inc. Customer Care Line  
(Toll-free within the US) 1-800-474-6836  
(Direct) 1-208-323-2551  
Email: hpcustomer.inquiries@hp.com

## 2. Hazards identification

### GHS classification

**Physical hazards** Not classified.  
**Health hazards** Not classified.  
**Environmental hazards** Not classified.

### GHS label elements

**Signal word** Warning



**Hazard statement** Combustible liquid. Harmful in contact with skin.

### Precautionary statement

**Prevention** P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**Response** P370 + P378 - In case of fire: Use sand, carbon dioxide (CO2) or dry chemical to extinguish.  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P312 - Call a POISON CENTER/doctor/physician if you feel unwell.  
P363 - Wash contaminated clothing before reuse.

**Storage** P403 + P235 - Store in a well-ventilated place. Keep cool.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards which do not result in classification** Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

**Supplemental information** None.

## 3. Composition/information on ingredients

Components	CAS #	Percent
Ethylene Glycol, Monobutyl Ether Acetate	112-07-2	<90
Ethylacetate	141-78-6	<2.5

---

## 4. First aid measures

### First aid procedures

<b>Inhalation</b>	Move to fresh air. If symptoms persist, get medical attention.
<b>Skin</b>	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If irritation persists get medical attention. Remove and isolate contaminated clothing and shoes. Thoroughly wash (or discard) clothing and shoes before reuse.
<b>Eye</b>	In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15 minutes. If irritation persists get medical attention.
<b>Ingestion</b>	If swallowed, seek medical advice immediately and show this container or label.
<b>Most important symptoms and effects, both acute and delayed</b>	Not available.
<b>Notes to physician</b>	Treat symptomatically.

---

## 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	CO <sub>2</sub> , water, dry chemical, or foam
<b>Unsuitable extinguishing media</b>	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
<b>Specific hazards arising from the chemical</b>	Not available.
<b>Protective equipment and precautions for firefighters</b>	Not available.
<b>Protection of fire-fighters</b>	Firefighters should wear full protective clothing including self contained breathing apparatus.
<b>Specific methods</b>	Water mist may be used to cool closed containers.

---

## 6. Accidental release measures

<b>Personal precautions</b>	Not available.
<b>Environmental precautions</b>	Not available.
<b>Methods for containment</b>	Not available.
<b>Methods for cleaning up</b>	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
<b>Other information</b>	Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations.

---

## 7. Handling and storage

<b>Handling</b>	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Wear personal protective equipment.
<b>Storage</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

---

## 8. Exposure controls / personal protection

### Control parameters

#### US. ACGIH Threshold Limit Values

Components	Type	Value
Ethylacetate (CAS 141-78-6)	TWA	400 ppm
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)	TWA	20 ppm

<b>Occupational exposure limits</b>	No exposure limits noted for ingredient(s).
<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Exposure guidelines</b>	None established.
<b>Recommended monitoring procedures</b>	Not available.
<b>Engineering controls</b>	Use in a well ventilated area. Ensure adequate ventilation, especially in confined areas. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.

## Personal protective equipment

<b>Eye/face protection</b>	Avoid contact with eyes Wear safety glasses; chemical goggles (if splashing is possible).
<b>Skin protection</b>	Use personal protective equipment to minimize exposure to skin and eye.
<b>Respiratory protection</b>	Not available.
<b>Hand protection</b>	Recommended gloves: Nitrile 6 mil minimum thickness.
<b>General hygiene considerations</b>	Not available.

---

## 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	Not available.
<b>Color</b>	Yellow
<b>Form</b>	Not available.
<b>Odor</b>	Not available.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not applicable.
<b>Melting point/Freezing point</b>	Not determined.
<b>Boiling point</b>	Not determined.
<b>Flash point</b>	> 145.0 °F (> 62.8 °C) (Closed Cup)
<b>Evaporation rate</b>	Not determined.
<b>Flammability (solid, gas)</b>	Not available.
<b>Flammability limits in air, lower, % by volume</b>	Not available.
<b>Flammability limits in air, upper, % by volume</b>	Not available.
<b>Vapor pressure</b>	Not determined.
<b>Vapor density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Specific gravity</b>	0.94 @ 20 Degrees C
<b>VOC (Weight %)</b>	< 850 g/L

---

## 10. Stability and reactivity

<b>Chemical stability</b>	Stable at normal conditions
<b>Possibility of hazardous reactions</b>	Will not occur.
<b>Conditions to avoid</b>	Not available.
<b>Incompatible materials</b>	strong oxidizing agents Strong acids and strong alkalis. oxidizing agents
<b>Hazardous decomposition products</b>	None known.

---

## 11. Toxicological information

### Toxicological data

<b>Product</b>	<b>Species</b>	<b>Test Results</b>
CD401 Series		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	2400 mg/kg

Components	Species	Test Results
Ethylacetate (CAS 141-78-6)		
<b>Acute</b>		
<i>Inhalation</i>		
LC50	Rat	16000 ppm, 6 Hours
LD50	Mouse	1500 ppm, 4 Hours
	Rabbit	2500 ppm, 4 Hours
	Rat	4000 ppm, 4 Hours
<i>Oral</i>		
LD50	Mouse	0.44 g/kg
	Rabbit	4.9 g/kg
	Rat	11.3 ml/kg 5.6 g/kg
<i>Other</i>		
LD50	Cat	3 g/kg
	Guinea pig	3 g/kg
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	1500 mg/kg
<i>Oral</i>		
LD50	Rat	2400 mg/kg
<i>Other</i>		
LD50	Mouse	754 mg/kg
<b>Acute toxicity</b>	Harmful in contact with skin.	
<b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met.	
<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met.	
<b>Respiratory sensitizer</b>	Based on available data, the classification criteria are not met.	
<b>Skin sensitization</b>	Based on available data, the classification criteria are not met.	
<b>Mutagenicity</b>	Based on available data, the classification criteria are not met.	
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.	
<b>ACGIH Carcinogens</b>		
Ethylene Glycol, Monobutyl Ether Acetate (CAS 112-07-2) A3 Confirmed animal carcinogen with unknown relevance to humans.		
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.	
<b>Specific target organ toxicity - single exposure</b>	Based on available data, the classification criteria are not met.	
<b>Specific target organ toxicity - repeated exposure</b>	Based on available data, the classification criteria are not met.	
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.	
<b>Other information</b>	Complete toxicity data are not available for this specific formulation	

## 12. Ecological information

Ecotoxicological data		
Components	Species	Test Results
Ethylacetate (CAS 141-78-6)		
<b>Aquatic</b>		
Fish	LC50	Indian catfish ( <i>Heteropneustes fossilis</i> ) 200.32 - 225.42 mg/l, 96 hours
<b>Environmental effects</b>	Not available.	
<b>Bioaccumulation</b>		

---

### 13. Disposal considerations

**Disposal methods** Do not dispose of together with general office waste.  
Do not allow this material to drain into sewers/water supplies.  
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.  
Ensure collection and disposal with an appropriately licensed waste contractor.

---

### 14. Transport information

**DOT**

<b>UN number</b>	NA1993
<b>UN proper shipping name</b>	Combustible liquid n.o.s. (butyl cellosolve acetate) -Not regulated in quantities less than 119 gallons
<b>Transport hazard class(es)</b>	
<b>Class</b>	Combustible
<b>Subsidiary risk</b>	-
<b>Packaging group</b>	III
<b>Special precautions for user</b>	Not available.

**IATA**  
Not regulated as dangerous goods.

**IMDG**  
Not regulated as dangerous goods.

**ADR**  
Not regulated as dangerous goods.

---

### 15. Regulatory information

---

#### 16. Other information

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

**SDS sections updated**

1. Product and Company Identification: Synonyms
3. Composition / Information on Ingredients: Ingredients
8. Exposure Controls / Personal Protection: OELs
9. Physical & Chemical Properties: Multiple Properties
14. Transport Information: Material Transportation Information
15. Regulatory Information: United States  
HazReg Data: Pacific Rim

## Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds

### Manufacturer information

HP Inc.  
1501 Page Mill Road  
Palo Alto, CA 94304-1112 US  
(Direct) +972 (9) 892-4628