



SAFETY DATA SHEET

1. Identification

GHS product identifier	CN865Series
Synonym(s)	HP FB210 Black Scitex Ink
Version #	02
Issue date	17-Jul-2017
Revision date	09-Feb-2018
Supersedes date	17-Jul-2017
Recommended use	Inkjet printing
Recommended Restrictions	Not available.
Manufacturer	HP Deutschland GmbH Schickardstrasse 32 71034 Böblingen Germany
HP Inc. health effect line (Toll-free within US) (Direct)	1-800-457-4209 1-760-710-0048
HP Inc. Customer Care Line (Toll-free within the US) (Direct)	1-800-474-6836 1-208-323-2551
Email:	hpcustomer.inquiries@hp.com

2. Hazards identification

GHS classification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 5
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
	Reproductive toxicity (fertility, the unborn child)	Category 1B
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 1 (liver, respiratory system)
Environmental hazards	Hazardous to the aquatic environment, long-term hazard	Category 2

GHS label elements

Signal word Danger



Hazard statement

May be harmful if swallowed. May be harmful in contact with skin. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May damage fertility. May damage the unborn child. May cause respiratory irritation. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid release to the environment.

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. IF exposed or concerned: Get medical attention/advice. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell. Collect spillage. Take off contaminated clothing and wash before reuse.

Storage

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Diphenyl (2,4,6-trimethylbenzoyl) phosphineoxide - In animal testing, risk of impaired fertility was shown only after repeated ingestion of very high doses of this substance.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information

None.

3. Composition/information on ingredients

Components	CAS #	Percent
1-vinylhexahydro-2H-azepin-2-one	2235-00-9	<30
exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate	5888-33-5	<30
Amine modified polyetheracrylate	Proprietary	<25
(octahydro-4.7-methano-1H-indenediyl)bis(methylene) diacrylate	42594-17-2	<7.5
2-methyl-1-(4-methylthiophenyl)- 2-morpholinopropan-1-one	71868-10-5	<5
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide	162881-26-7	<5
Benzoic acid, 4-(dimethylamino)-, ethyl ester	10287-53-3	<2.5
Carbon black	1333-86-4	<2.5
Oxybis(methyl-2,1-ethanediyl) diacrylate	57472-68-1	<2.5
D-Limonene	5989-27-5	<1

4. First aid measures

First aid procedures

Inhalation

Move to fresh air. If symptoms persist, get medical attention.

Skin

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion

If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

Not available.

Notes to physician

Not available.

5. Fire-fighting measures

Suitable extinguishing media

Dry powder. Carbon dioxide (CO₂). Water may be ineffective.

Unsuitable extinguishing media

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Not available.

Protective equipment and precautions for firefighters

Not available.

Protection of fire-fighters

Avoid runoff into storm sewers and ditches which lead to waterways.

6. Accidental release measures

Personal precautions	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
Methods for containment	Not available.
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

7. Handling and storage

Handling	Avoid contact with skin, eyes and clothing.
Storage	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

8. Exposure controls / personal protection

Control parameters

US. ACGIH Threshold Limit Values Components

Type	Value	Form	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.

Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	Exposure limits have not been established for this product.
Recommended monitoring procedures	Not available.
Engineering controls	Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.
Personal protective equipment	
Eye/face protection	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.
Skin protection	Wear appropriate chemical resistant clothing.
Respiratory protection	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
Hand protection	Recommended gloves: Nitrile 6 mil minimum thickness. Wear appropriate chemical resistant gloves.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Color	Black.
Form	Liquid.
Odor	Characteristic.
Odor threshold	Not available.
pH	Not available.
Melting point/Freezing point	Not available.
Boiling point	Not available.
Flash point	> 212.0 °F (> 100.0 °C) Closed Cup EPA Method 1020
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Flammability limits in air, lower, % by volume	Not available.
Flammability limits in air, upper, % by volume	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.

Viscosity	Not available.
VOC (Weight %)	< 95 g/L Method 24/ASTM D5409-93

10. Stability and reactivity

Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Hazardous polymerization can occur with decreased inhibitor content.
Conditions to avoid	Exposure to sunlight.
Incompatible materials	Incompatible with strong bases and oxidizing agents. alkaline metals
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Toxicological data

Components	Species	Test Results
Carbon black (CAS 1333-86-4)		
Acute		
Oral		
LD50	Rat	> 10000 mg/kg
Acute toxicity	May be harmful in contact with skin. May be harmful if swallowed.	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory sensitizer	Based on available data, the classification criteria are not met.	
Skin sensitization	May cause sensitization by skin contact.	
Mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.	
ACGIH Carcinogens		
Carbon black (CAS 1333-86-4)	A3 Confirmed animal carcinogen with unknown relevance to humans.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Carbon black (CAS 1333-86-4)	2B Possibly carcinogenic to humans.	
D-Limonene (CAS 5989-27-5)	3 Not classifiable as to carcinogenicity to humans.	
Reproductive toxicity	May damage fertility. May damage the unborn child.	
Specific target organ toxicity - single exposure	May cause irritation to the respiratory system.	
Specific target organ toxicity - repeated exposure	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
Other information	Complete toxicity data are not available for this specific formulation	

12. Ecological information

Bioaccumulation

Bioaccumulative potential

Octanol/water partition coefficient log Kow

D-Limonene 4.232

Aquatic toxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.

13. Disposal considerations

Disposal methods Do not dispose of together with general office waste.
Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.

14. Transport information

DOT

Not regulated as dangerous goods.

DOT Supplemental Information DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN number UN3082
UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)
Transport hazard class(es)
Class 9
Subsidiary risk -
Packing group III
Environmental hazards Yes
Special precautions for user Not available.

IATA Supplemental Information When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

IMDG

UN number UN3082
UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative), MARINE POLLUTANT
Transport hazard class(es)
Class 9
Subsidiary risk -
Packing group III
Transport hazard class(es)
Marine pollutant Yes
EmS F-A, S-F
Special precautions for user Not available.


IMDG Supplemental Information When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.

ADR

UN number UN3082
UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)
Transport hazard class(es)
Class 9
Subsidiary risk -
Hazard No. (ADR) Not available.
Tunnel restriction code Not available.
Packing group III
Environmental hazards Yes
Special precautions for user Not available.

ADR Supplemental Information When shipping ≤ 5L containers, ADR 375 may apply.

ADR; IATA; IMDG



Marine pollutant



15. Regulatory information

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, South Korea, New Zealand, and China.

16. Other information

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

SDS sections updated Product and Company Identification: Material Types
Hazards identification: Hazard statement
Hazards identification: Disposal
Hazards identification: Response
Hazards identification: Other hazards which do not result in classification
Composition / Information on Ingredients: Ingredients
Accidental release measures: Methods for cleaning up
Regulatory information: Regulatory information
GHS: Qualifiers

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds