



SAFETY DATA SHEET

1. Identification

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***	
GHS product identifier	CP814Series	
Version #	08	
Issue date	08-Sep-2016	
Revision date	22-Apr-2021	
Supersedes date	21-Nov-2020	
Recommended use	Inkjet printing	
Recommended Restrictions	Not available.	
Synonym(s)	HP HDR230 Cyan Scitex Ink Cartridge	
Manufacturer	HP Deutschland GmbH Schickardstrasse 32 71034 Böblingen Germany	
HP Inc. health effect line (Toll-free within US) (Direct)	1-800-457-4209 1-760-710-0048	
HP Inc. Customer Care Line (Toll-free within the US) (Direct)	1-800-474-6836 1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	

2. Hazards identification

GHS classification		
Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 5
	Skin corrosion/irritation	Category 2
	Sensitization, skin	Category 1
	Reproductive toxicity (fertility, the unborn child)	Category 2
	Specific target organ toxicity, repeated exposure	Category 1 (liver, respiratory system)
Environmental hazards	Hazardous to the aquatic environment, long-term hazard	Category 2

GHS label elements

Signal word Danger



Hazard statement Suspected of damaging fertility. Suspected of damaging the unborn child. May be harmful if swallowed. May be harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention	Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.
Response	IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical attention/advice. Call a POISON CENTER/doctor/physician if you feel unwell. Get medical attention/advice if you feel unwell. Collect spillage. Wash contaminated clothing before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards which do not result in classification	<p>The classification of this mixture as a reproductive category 2 (H361) is based on the harmonized classification of diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide as mentioned in Annex VI of Regulation (EC) No.1272/2008.</p> <p>Recent test data for diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide presented on the EU REACH Dossier suggest that classification as reproductive category 1B (H360) is more suitable. This would lead to mixture classification of the product as reproductive category 1B (H360).</p> <p>The lead registrant has updated the REACH dossier and requested that the Swedish authority start the process of amending the harmonized classification. This SDS was updated according to guidance of the Swedish Chemicals Agency. Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.</p>

Supplemental information None.

3. Composition/information on ingredients

Components	CAS #	Percent
Oxybis(methyl-2,1-ethanediyl) diacrylate	57472-68-1	<25
2-phenoxyethyl acrylate	48145-04-6	<20
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	28961-43-5	<15
Dodecyl acrylate	2156-97-0	<10
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	<10
1-vinylhexahydro-2H-azepin-2-one	2235-00-9	<5
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	75980-60-8	<5
Neopentylglycol, propoxylated esters with acrylic acid	84170-74-1	<5
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide	162881-26-7	<5
1,6-Hexanediol Diacrylate	13048-33-4	<1
CUPRATE (1-), [29H, - 31H-PHTHALOCYANINE-CSULFONATO (3 -) - N29, N30, N31, N32], VODIK, COMPD. S 1-DODECANAMINOM (1: 1)	73455-75-1	<1
Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester	55818-57-0	<1

4. First aid measures

First aid procedures

Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	Not available.
Notes to physician	Not available.

5. Fire-fighting measures

Suitable extinguishing media	Dry powder. Carbon dioxide (CO ₂). Water may be ineffective.
Unsuitable extinguishing media	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical	Not available.
Protective equipment and precautions for firefighters	Not available.
Protection of fire-fighters	Avoid runoff into storm sewers and ditches which lead to waterways.

6. Accidental release measures

Personal precautions	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
Methods for containment	Not available.
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

7. Handling and storage

Handling	Avoid contact with skin, eyes and clothing.
Storage	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

8. Exposure controls / personal protection

Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Exposure guidelines	Exposure limits have not been established for this product.
Recommended monitoring procedures	Not available.
Personal protective equipment	
Eye/face protection	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.
Skin protection	Wear appropriate chemical resistant clothing.
Respiratory protection	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
Hand protection	Recommended gloves: Nitrile 6 mil minimum thickness. Wear appropriate chemical resistant gloves.

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Color	Cyan
Form	Liquid.
Odor	Characteristic.
Odor threshold	Not available.
pH	6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C
Melting point/Freezing point	Not available.
Boiling point	Not available.
Flash point	> 287.6 °F (> 142.0 °C) Pensky-Martens Closed Cup EPA Method 1020 Estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Flammability limits in air, lower, % by volume	Not available.
Flammability limits in air, upper, % by volume	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.

Viscosity 12.5 - 13.5 cP Cone and Plate Rheometer, Temperature 50°C. C60/1° Sensor. Values recorded at 4000 1/s.

VOC (Weight %) 18 g/l Method 24/ASTM D5409-93 Estimated

10. Stability and reactivity

Chemical stability Stable under normal storage conditions.

Possibility of hazardous reactions Hazardous polymerization can occur with decreased inhibitor content.

Conditions to avoid Exposure to sunlight.

Incompatible materials Incompatible with strong bases and oxidizing agents. alkaline metals

Hazardous decomposition products Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Toxicological data

Components	Species	Test Results
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)		
Acute		
Dermal		
LD50	Rabbit	1700 mg/kg
Inhalation		
LC50	Rat	> 1.6 mg/l
Oral		
LD50	Rat	1114 mg/kg
Acute toxicity	May be harmful if swallowed. May be harmful in contact with skin.	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Non-corrosive. Not a known irritant. Based on available data, the classification criteria are not met. (OECD 437)	
Respiratory sensitizer	Based on available data, the classification criteria are not met.	
Skin sensitization	May cause sensitization by skin contact.	
Mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
Reproductive toxicity	Suspected of damaging the unborn child. Suspected of damaging fertility.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - repeated exposure	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.	
Aspiration hazard	Based on available data, the classification criteria are not met.	
Other information	Complete toxicity data are not available for this specific formulation	

12. Ecological information

Ecotoxicological data

Components	Species	Test Results
2-phenoxyethyl acrylate (CAS 48145-04-6)		
Acute		
	EC10	Desmodesmus subcapitatus 0.71 mg/l, 72 h (DIN 38412 L9)
	EC50	Desmodesmus subcapitatus 4.44 mg/l, 72 h (DIN 38412 L9)
	LC50	Leuciscus idus 10 mg/l, 96 h (DIN 38 412)
	NOEC	Desmodesmus subcapitatus 0.71 mg/l, 72 h (DIN 38412 L9)
Aquatic		
Acute		
Crustacea	EC50	Daphnia magna 1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C)

Components	Species		Test Results
CUPRATE (1-), [29H, - 31H-PHTHALOCYANINE-CSULFONATO (3 -) - N29, N30, N31, N32], VODIK, COMPD. S			
1-DODECANAMINOM (1: 1) (CAS 73455-75-1)			
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	0.569 mg/l, 48 h (OECD 202)
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide (CAS 75980-60-8)			
<i>Acute</i>			
	EC10	Pseudokirchneriella subcapitata	1.56 mg/l, 72 h (OECD 201)
	EC50	Pseudokirchneriella subcapitata	> 2.01 mg/l, 72 h (OECD 201)
	LC50	Cyprinus carpio	1.4 mg/l, 96 h (OECD 203)
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	3.53 mg/l, 48 h (OECD 202)
Dodecyl acrylate (CAS 2156-97-0)			
<i>Acute</i>			
	ErC50	Pseudokirchneriella subcapitata	> 0.274 µg/l, 72 h (OECD 201)
	LC50	Leuciscus idus	460 mg/l, 96 h (DIN 38 412, part L 15, 1982)
	NOEC	Leuciscus idus	215 mg/l, 96 h (DIN 38 412, part L 15, 1982)
<i>Chronic</i>			
	LOEC	Daphnia magna	> 0.25 µg/l, 21 d (OECD 211)
Aquatic			
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.25 µg/l, 21 d (OECD 211)
Fish	LOEC	Danio rerio	> 1 µg/l, 36 d (OECD 210)
Neopentylglycol, propoxylated esters with acrylic acid (CAS 84170-74-1)			
<i>Acute</i>			
	EC10	Pseudokirchneriella subcapitata	2.3 mg/l, 72 h (OECD 201)
	EC50	Pseudokirchneriella subcapitata	11 mg/l, 72 h (OECD 201)
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Daphnia Magna	37 mg/l, 48 h (OECD 202)
Fish	LC50	Danio rerio	2.7 mg/l, 96 h (OECD 203)
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide (CAS 162881-26-7)			
<i>Acute</i>			
	EC50	Desmodesmus subspicatus	> 260 µg/l, 72 h (OECD 201)
	LC50	Danio rerio	> 90 µg/l, 96 h (OECD 203)
	NOEC	Desmodesmus subspicatus	> 260 µg/l, 72 h (OECD 201)
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	> 1175 µg/l, 48 h (OECD 202)
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	>= 8.1 µg/l, 21 d (OECD 211)
Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester (CAS 55818-57-0)			
<i>Acute</i>			
	EC50	Pseudokirchneriella subcapitata	105 mg/l, 72 h (OECD 201)
	LC50	Cyprinus carpio	> 0.082 mg/l, 96 h (OECD 203)
	NOEC	Pseudokirchneriella subcapitata	29 mg/l, 72 h (OECD 201)
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	> 16 mg/l, 48 h (OECD 202)

Components	Species	Test Results	
	NOEC	Daphnia magna	> 16 mg/l, 48 h (OECD 202)
<i>Chronic</i>			
Crustacea	EC10	Daphnia magna	> 0.51 mg/l, 21 d (OECD 211)
	NOEC	Daphnia magna	> 0.51 mg/l, 21 d (OECD 211)
Fish	EC10	Pimephales promelas	0.43 mg/l, 33 d (OECD 210)
	NOEC	Pimephales promelas	0.25 mg/l, 33 d (OECD 210)
Persistence / degradability	Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester: inherently biodegradable (42%, 28D, OECD 301F)		
Bioaccumulation	Propionic acid, 2-methyl-3,3'-(phenylphosphinylidene)di-, diallyl ester: No bioaccumulation observed, logPow = 3.8		
Bioaccumulative potential			
Bioconcentration factor			
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide	72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatsu No . 615, 49-Kikyoku No . 392, MITI/MHW Chemical Substance Control Law, Japan)		
Dodecyl acrylate	2.34, (EPA Epiwin (v.4.11))		
Phenyl, Bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5, (similar to OECD 305 C)		
Aquatic toxicity	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.		

13. Disposal considerations


Disposal methods	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
-------------------------	--

14. Transport information


DOT	
UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Special precautions for user	Not available.
DOT Supplemental Information	DOT Classification only applies to shipments within the US and Puerto Rico.
IATA	
UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
Special precautions for user	Not available.
IMDG	
UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Transport hazard class(es)	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Not available.
ADR	
UN number	UN3082

UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
Packing group	III
Environmental hazards	Yes
Special precautions for user	Not available.

ADR; DOT; IATA; IMDG



Marine pollutant



15. Regulatory information

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information

Disclaimer

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

SDS sections updated

3. Composition / Information on Ingredients: Disclosure Overrides
 Toxicological information: Acute toxicity
 Ecological information: Persistence / degradability
 Ecological information: Bioaccumulation
 Ecological information: Mobility in soil

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds