

SAFETY DATA SHEET

1. Identification of the product

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

GHS product identifier C4873Series

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended use Inkjet printing **Recommended restrictions** None known.

Supplier's details

HP Inc Argentina S.R.L. Montaneses 2150, Piso 2 Buenos Aires, Argentina 1428

HP Inc. health effect line

(Toll-free within US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

₋ine

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 1

Reproductive toxicity (fertility, the unborn Category 1B

child)

Environmental hazards Not classified.

GHS label elements, including precautionary statements





Signal word Danger

Hazard statement

H318 Causes serious eye damage.

H360 May damage fertility or the unborn child.

Precautionary statement

Prevention

P280 Wear protective gloves/protective clothing/eye protection.

P202 Do not handle until all safety precautions have been read and understood.

P201 Obtain special instructions before use.

Response

9458

P305 + P351 +

P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER or doctor/physician. P308 + P313 IF exposed or concerned: Get medical advice/attention.

Material name: C4873Series SDS URUGUAY

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use

conditions. Complete toxicity data are not available for this specific formulation.

Supplemental information 2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the

unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

3. Composition/information on ingredients

Mixtures

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
Water		7732-18-5	60-75
2-pyrrolidone		616-45-5	<10
Trimethylolpropane		77-99-6	<10
succinic acid		110-15-6	<7.5
C11-C15 secondary ethoxylated alcohols		Proprietary	<2.5
Substituted naphthalenesulfonate salt # 7		Proprietary	<2.5

Composition comments

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

4. First-aid measures

Description of necessary first-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

Most important symptoms/effects, acute and

symptoms/enects, acu

delayed

Not available.

5. Fire-fighting measures

Suitable (or unsuitable) extinguishing media

Suitable extinguishing

CO2, water, dry chemical, or foam

media

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not applicable.

Special protective actions for

firefighters

Not available.

Specific methods None established.

Material name: C4873Series SDS URUGUAY

9458

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

Not available. For emergency responders

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

Environmental precautions

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

Other issues relating to spills

and releases

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and storage

Precautions to ensure safe

Avoid contact with skin, eyes and clothing.

handling

Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

No biological exposure limits noted for the ingredient(s). **Biological limit values** Exposure limits have not been established for this product. **Exposure guidelines**

Not available. Control banding approach

Appropriate engineering

Use in a well ventilated area. controls Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Not available. Eye/face protection

Skin protection

Hand protection Recommended gloves: Nitrile 4 mil minimum thickness:

Other Use personal protective equipment to minimize exposure to skin and eye.

Not available. Respiratory protection Thermal hazards Not available.

General hygiene

considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Not available. **Form**

Color Yellow

Not available. Odor **Odor threshold** Not available. pН 3.8 - 4.3Not available. Melting point/freezing point

Initial boiling point and boiling

Not determined

range

> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup Flash point

Evaporation rate Not determined Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not determined

(%)

Flammability limit - upper Not available.

(%)

Material name: C4873Series SDS URUGUAY 9458

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot determinedVapor densityNot available.

Solubility(ies)

Solubility (water)Soluble in waterPartition coefficientNot available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity>= 2 cp

Other information

Oxidizing properties Not determined

VOC < 169 g/l Estimated

10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Not available.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition Upon decom

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation Inhalation may result in mild irritation to the respiratory system.

Skin contact Contact with skin may result in mild irritation.

Eye contact Causes serious eye damage.

Ingestion Ingestion is not a likely route of exposure.

Symptoms Not available.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components Species Test Results

2-pyrrolidone (CAS 616-45-5)

Acute Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Non irritant in rabbit (OECD 404)

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization
Skin sensitization
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Material name: C4873Series SDS URUGUAY

Reproductive toxicity May damage fertility or the unborn child.

2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD

Test Results

Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Aquatic toxicity Static acute toxicity (trout), survival (100 mg/L) = 80%

Static acute toxicity (trout), survival (10 mg/L) = 100%

LC50/96h/rainbow trout => 100 mg/l EC50/48h/daphnia => 100mg/l , OECD 202 EC50/72h/algae => 100 mg/l, OECD 201

Species

Ecotoxicity

Components

•		•	
2-pyrrolidone (CAS 616-45-5	5)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
succinic acid (CAS 110-15-6)		
Aquatic			
Fish	LC50	Fish	101, 96 Hours
Trimethylolpropane (CAS 77	-99-6)		
Aquatic			
Crustacea	EC50	Daphnia	102, 48 Hours
Fish	LC50	Fish	1000, 96 Hours
ersistence and degradability	Not available.		
oaccumulative potential	Not available.		
Partition coefficient n-octa	nol / water (log l	(ow)	
2-pyrrolidone		-0.85	
succinic acid		-0.59	
obility in soil	Not available.		
her adverse effects	Not available.		

13. Disposal considerations

Disposal methods

Disposal instructions Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

Local disposal regulations Not available.

Waste from residues / unused products

Not available.

Contaminated packaging Not available.

14. Transport information

DOT

UN number Not available.

Material name: C4873Series SDS URUGUAY 9458 SDS URUGUAY 5 / 7

UN proper shipping name

Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards

Marine pollutant No

Special precautions for user Not available.

IATA

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

IMDG

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available.

Special precautions for user Not available.

ADR

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Narcotics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)

Not listed.

Psychotropics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)

Not listed.

Uruguay. Precursor and Chemical Products (Decree No. 391/002 of 10/10/2002, Annex I, Tables 1 & 2)

Not regulated.

Uruguay. Substance list for prevention and control of occupational hazards caused by carcinogens. (Decree 183/982)

Not listed.

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Material name: C4873Series SDS URUGUAY

9458

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Basel Convention

Not applicable.

16. Other information

Issue date 21-Oct-2016
Revision date 18-Mar-2021

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information

1. Product and Company Identification: Product and Company Identification

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C4873Series SDS URUGUAY

9458