



SAFETY DATA SHEET

1. Identification of the product

GHS product identifier	CH119Series
Other means of identification	
Common name(s), synonym(s)	HP Designjet 788 Black Ink
Recommended use of the chemical and restrictions on use	
Recommended use	Inkjet printing
Recommended restrictions	None known.
Company identification	HP Inc Argentina S.R.L. Montaneses 2150, Piso 2 Buenos Aires, Argentina 1428 HP Inc. health effect line (Toll-free within US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
	Reproductive toxicity	Category 2
	Specific target organ toxicity - repeated exposure	Category 1
Environmental hazards	Hazardous to the aquatic environment — long-term aquatic hazard	Category 2

GHS label elements, including precautionary statements



Signal word	Danger
Hazard statement	Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of damaging fertility. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection. P260 - Do not breathe dust/fume/gas/mist/vapors/spray. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P270 - Do not eat, drink or smoke when using this product. P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment.

Response	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice/attention. P302 + P352 - IF ON SKIN: Wash with plenty of soap and water. P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention. P308 + P313 - IF exposed or concerned: Get medical attention/advice. P391 - Collect spillage. P362 - Take off contaminated clothing and wash before reuse.
Storage	P405 - Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans).

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Proprietary initiator - In animal testing, risk of impaired fertility was shown only after repeated ingestion of very high doses of this substance.

Supplemental information Contains Glycerolpropoxytriacyrylate. May produce an allergic reaction.

3. Composition/information on ingredients

Mixtures

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
Acrylic acid ester		Proprietary	<40
Carboxylic Acids, Esters		Proprietary	<25
Vinylcaprolactam		Proprietary	<25
Difunctional acrylic monomer		Proprietary	<10
Acrylate ester		Proprietary	<5
Aliphatic urethane acrylate		Proprietary	<5
Proprietary initiator		Proprietary	<5
TRADE SECRET		Proprietary	<5
Carbon black		1333-86-4	<2.5
2-benzyl-2-dimethylamino-4-morpholinobutyrophenone		119313-12-1	<1

Composition comments Carbon black is present only in a bound form in this preparation.

4. First-aid measures

Description of necessary first-aid measures

Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.
Most important symptoms/effects, acute and delayed	Not available.

5. Fire-fighting measures

Suitable (or unsuitable) extinguishing media

Suitable extinguishing media Dry powder. Carbon dioxide (CO₂). Water may be ineffective.

Unsuitable extinguishing media Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical Not applicable.

Special protective actions for firefighters Not available.

Fire fighting equipment/instructions Avoid runoff into storm sewers and ditches which lead to waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Wear appropriate personal protective equipment. Do not touch or walk through spilled material.

For emergency responders Not available.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

Methods and materials for containment and cleaning up Not available.

Other issues relating to spills and releases Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations.

7. Handling and storage

Precautions to ensure safe handling Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Uruguay. Occupational Exposure Limit Values

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m ³	Inhalable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m ³	Inhalable fraction.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Exposure limits have not been established for this product.

Control banding approach Not available.

Appropriate engineering controls Not available.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.

Other Wear appropriate chemical resistant clothing.

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards	Not available.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Color	Black.
Odor	Characteristic.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 212.0 °F (> 100.0 °C) Closed Cup EPA Method 1020A
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Chemical family	Acrylate/Polymer/Pigment Blend
VOC (Weight %)	< 95 g/L Method 24/ASTM D5409-93

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Hazardous polymerization can occur with decreased inhibitor content.
Conditions to avoid	Exposure to sunlight.
Incompatible materials	Incompatible with strong bases and oxidizing agents. alkaline metals
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Symptoms Not available.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components	Species	Test Results
------------	---------	--------------

Carbon black (CAS 1333-86-4)

Acute

Oral

LD50

Rat

> 8000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans).

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

ACGIH Carcinogens

Carbon black (CAS 1333-86-4)

A3 Confirmed animal carcinogen with unknown relevance to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)

2B Possibly carcinogenic to humans.

Reproductive toxicity Suspected of damaging fertility.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Other information Complete toxicity data are not available for this specific formulation

12. Ecological information

Aquatic toxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal methods

Disposal instructions Do not dispose of together with general office waste.
Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.

Local disposal regulations	Not available.
Waste from residues / unused products	Not available.
Contaminated packaging	Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

DOT supplemental information DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
Special precautions for user	Not available.

IATA supplemental information

When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

IMDG

UN number	UN3082
UN proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Not available.

IMDG supplemental information

When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.

ADR

Proper shipping name	Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)
Hazard class	9
UN number	3082
Packing group	III
Marine pollutant	Yes

ADR supplemental information

When shipping ≤ 5L containers, ADR 375 may apply.


IATA; IMDG





ADR

Marine pollutant



15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Uruguay. Substance list for prevention and control of occupational hazards caused by carcinogens. (Decree 183/982)

Carbon black (CAS 1333-86-4)

Article 5 - Prohibits the use or application of the substances listed in Table Annex IV, except when an optimal level of environmental hygiene for the involved workers is ensured and they are provided, prior to the execution of tasks, with personal protective equipment against inhalation of carcinogenic substances and/or contact with these agents.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Basel Convention

Not applicable.

16. Other information

Issue date 18-Oct-2016

Revision date 18-Oct-2016

Version # 02

List of abbreviations Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

Manufacturer information HP Inc.
1501 Page Mill Road
Palo Alto, CA 94304-1112 US
Product Information 1-800-925-0563