



# SAFETY DATA SHEET

## 1. Identification of the product

|  |   |  |
|--|---|--|
| <b>Important information</b>                                   | *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. *** |  |
| <b>GHS product identifier</b>                                  | CH833 Series  |  |
| <b>Other means of identification</b>                           |   |  |
| <b>Common name(s), synonym(s)</b>                              | HP Scitex TJ210 Black Ink   |  |
| <b>Recommended use of the chemical and restrictions on use</b> |   |  |
| <b>Recommended use</b>   | Inkjet printing   |  |
| <b>Recommended restrictions</b>                                | None known.   |  |
| <b>Supplier's details</b>                                      | HP Inc Argentina S.R.L.<br>Montaneses 2150, Piso 2<br>Buenos Aires, Argentina 1428  |  |
| <b>HP Inc. health effect line</b>                              |   |  |
| <b>(Toll-free within US)</b>                                   | 1-800-457-4209  |  |
| <b>(Direct)</b>  | 1-760-710-0048  |  |
| <b>HP Inc. Customer Care Line</b>                              |   |  |
| <b>(Toll-free within the US)</b>                               | 1-800-474-6836  |  |
| <b>(Direct)</b>  | 1-208-323-2551  |  |
| <b>Email:</b>  | hpcustomer.inquiries@hp.com   |  |

## 2. Hazard(s) identification

### Classification of the substance or mixture

|                              |   |             |
|------------------------------|---|-------------|
| <b>Physical hazards</b>      | Flammable liquids   | Category 4  |
| <b>Health hazards</b>        | Acute toxicity, oral  | Category 5  |
|                              | Skin corrosion/irritation                                       | Category 2  |
|                              | Serious eye damage/eye irritation                               | Category 2A |
|                              | Sensitization, skin   | Category 1  |
|                              | Reproductive toxicity   | Category 1B |
|                              | Specific target organ toxicity - repeated exposure              | Category 1  |
| <b>Environmental hazards</b> | Hazardous to the aquatic environment — long-term aquatic hazard | Category 2  |

### GHS label elements, including precautionary statements



**Signal word** Danger

**Hazard statement**

H227 Combustible liquid.  
H303 May be harmful if swallowed.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.  
H360FD May damage fertility. May damage the unborn child.  
H372 Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

**Precautionary statement**

**Prevention**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P270 Do not eat, drink or smoke when using this product.  
P264 Wash hands thoroughly after handling.  
P273 Avoid release to the environment.

**Response**

P370 + P378 In case of fire: Use sand, carbon dioxide (CO2) or dry chemical to extinguish.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/attention.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.  
P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
P308 + P313 IF exposed or concerned: Get medical attention/advice.  
P314 Get medical attention/advice if you feel unwell.  
P391 Collect spillage.  
P362 Take off contaminated clothing and wash before reuse.

**Storage**

P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

**Disposal**

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards which do not result in classification**

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

**GHS Supplemental information** None.

**3. Composition/information on ingredients**

**Mixtures**

| Chemical identity                                 | Common name(s), synonym(s) | CAS number and other unique identifiers | Concentration |
|---|----------------------------|---|---------------|
| Difunctional acrylic monomer                      |                            | Proprietary                             | <25           |
| Acrylate ester 4                                  |                            | Proprietary                             | <20           |
| Vinylcaprolactam                                  |                            | Proprietary                             | <20           |
| Acrylate ester 2                                  |                            | Proprietary                             | <15           |
| Acrylic acid ester                                |                            | Proprietary                             | <7.5          |
| Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide |                            | Proprietary                             | <5            |
| Thioxanthone derivative                           |                            | Proprietary                             | <5            |

| Chemical identity                                | Common name(s), synonym(s) | CAS number and other unique identifiers | Concentration |
|--|----------------------------|---|---------------|
| Black Pigment                                    |                            | Proprietary                             | <2.5          |
| Propiophenone derivative                         |                            | Proprietary                             | <2.5          |
| Glycerol, propoxylated, esters with acrylic acid |                            | Proprietary                             | <1            |

**Composition comments** Carbon black is present only in a bound form in this preparation.

## 4. First-aid measures

### Description of necessary first-aid measures

|   |  |
|---|--|
| <b>Inhalation</b>   | If dust from the material is inhaled, remove the affected person immediately to fresh air.<br><br>Move to fresh air in case of accidental inhalation of vapors or decomposition products. If breathing is difficult, give oxygen. Oxygen or artificial respiration if needed. Consult a physician for specific advice. |
| <b>Skin contact</b>                                       | Wash the skin immediately with soap and water. In case of contact with molten product, cool rapidly with water and seek immediate medical attention. Do not attempt to remove molten product from skin because skin will tear easily.  |
| <b>Eye contact</b>  | In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Get medical attention immediately.   |
| <b>Ingestion</b>  | If swallowed, do NOT induce vomiting. Get medical attention. Never give anything by mouth to an unconscious person.  |
| <b>Most important symptoms/effects, acute and delayed</b> | No experiences of acute or chronic damages in humans have been made yet.   |
| <b>General information</b>                                | Risk of skin burn caused by hot melt.<br>Do not leave the victim unattended.<br>Remove victim immediately from source of exposure.<br>Victim to lie down in the recovery position, cover and keep him warm.  |

## 5. Fire-fighting measures

### Suitable (or unsuitable) extinguishing media

|  |  |
|--|--|
| <b>Suitable extinguishing media</b>                | Dry powder. Carbon dioxide (CO <sub>2</sub> ). Water may be ineffective. |
| <b>Unsuitable extinguishing media</b>              | Do not use water jet as an extinguisher, as this will spread the fire.   |
| <b>Specific hazards arising from the chemical</b>  | None known.  |
| <b>Special protective actions for firefighters</b> | Avoid runoff into storm sewers and ditches which lead to waterways.      |
| <b>Fire fighting equipment/instructions</b>        | Avoid runoff into storm sewers and ditches which lead to waterways.      |

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

|  |   |
|--|---|
| <b>For non-emergency personnel</b>                           | Wear appropriate personal protective equipment. Do not touch or walk through spilled material.  |
| <b>For emergency responders</b>                              | Not available.  |
| <b>Environmental precautions</b>                             | Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |
| <b>Methods and materials for containment and cleaning up</b> | Not available.  |
| <b>Other issues relating to spills and releases</b>          | Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations.                             |

## 7. Handling and storage

**Precautions to ensure safe handling** Avoid contact with skin, eyes and clothing.

**Conditions for safe storage, including any incompatibilities** Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

## 8. Exposure controls/personal protection

**Control parameters**

**Occupational exposure limits**

### Uruguay. Occupational Exposure Limit Values

| Components    | Type | Value   | Form                |
|---------------|------|---------|---------------------|
| Black Pigment | TWA  | 3 mg/m3 | Inhalable fraction. |

### US. ACGIH Threshold Limit Values

| Components    | Type | Value   | Form                |
|---------------|------|---------|---------------------|
| Black Pigment | TWA  | 3 mg/m3 | Inhalable fraction. |

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** Exposure limits have not been established for this product.

**Control banding approach** Not available.

**Appropriate engineering controls** Not available.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.

**Skin protection**

**Hand protection** Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness.

**Other** Wear appropriate chemical resistant gloves.  
Wear appropriate chemical resistant clothing.

**Respiratory protection** Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

**Thermal hazards** Not available.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

## 9. Physical and chemical properties

**Appearance**

**Physical state** Liquid.

**Form** Liquid.

**Color** Black.

**Odor** Characteristic.

**Odor threshold** Not available.

**pH** 6.8 - 7.2 Metler Toledo pH Meter. Temperature 25°C

**Melting point/freezing point** Not available.

**Initial boiling point and boiling range** Not available.

**Flash point** 149.0 °F (65.0 °C) Closed Cup EPA Method 1020

**Evaporation rate** Not available.

**Flammability (solid, gas)** Not available.

**Upper/lower flammability or explosive limits**

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

|  |  |
|--|--|
| <b>Explosive limit - lower (%)</b>             | Not available.   |
| <b>Explosive limit - upper (%)</b>             | Not available.   |
| <b>Vapor pressure</b>                          | Not available.   |
| <b>Vapor density</b>                           | Not available.   |
| <b>Solubility(ies)</b>                         |  |
| <b>Solubility (water)</b>                      | Not available.   |
| <b>Partition coefficient (n-octanol/water)</b> | Not available.   |
| <b>Auto-ignition temperature</b>               | Not available.   |
| <b>Decomposition temperature</b>               | Not available.   |
| <b>Viscosity</b>                               | 13.5 - 14.5 cP Brookfield Viscometer (± 0.5) Temperature 40°C. Spindle # 18 (S18) RPM 100. Wait approx 10 min to take the reading. |
| <b>Other information</b>                       |  |
| <b>VOC</b>                                     | 3.87 g/L Method 24/ASTM D403-93  |

## 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | Not available.  |
| <b>Chemical stability</b>                 | Stable under normal storage conditions.   |
| <b>Possibility of hazardous reactions</b> | Hazardous polymerization can occur with decreased inhibitor content.  |
| <b>Conditions to avoid</b>                | Exposure to sunlight.   |
| <b>Incompatible materials</b>             | Incompatible with strong bases and oxidizing agents. alkaline metals  |
| <b>Hazardous decomposition products</b>   | Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |

## 11. Toxicological information

### Information on likely routes of exposure

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Inhalation may result in mild irritation to the respiratory system. |
| <b>Skin contact</b> | Causes skin irritation. May cause sensitization by skin contact.    |
| <b>Eye contact</b>  | Causes serious eye irritation.                                      |
| <b>Ingestion</b>    | May be harmful if swallowed.  |

**Symptoms** Not available.

### Information on toxicological effects

**Acute toxicity** May be harmful if swallowed. May be harmful in contact with skin.

| <b>Components</b>   | <b>Species</b> | <b>Test Results</b> |
|---------------------|----------------|---------------------|
| Black Pigment       |                |                     |
| <u><b>Acute</b></u> |                |                     |
| <b>Oral</b>         |                |                     |
| LD50                | Rat            | > 10000 mg/kg       |

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

### Respiratory or skin sensitization

**Respiratory sensitization** Based on available data, the classification criteria are not met.

**Skin sensitization** May cause sensitization by skin contact.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met. Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Carbon black is present only in a bound form in this preparation.

**Reproductive toxicity** May damage fertility. May damage the unborn child.

---

|   |   |
|---|---|
| <b>Specific target organ toxicity - single exposure</b>   | May cause irritation to the respiratory system.   |
| <b>Specific target organ toxicity - repeated exposure</b> | Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. |
| <b>Aspiration hazard</b>                                  | Based on available data, the classification criteria are not met.                           |
| <b>Other information</b>                                  | Complete toxicity data are not available for this specific formulation                      |

---

## 12. Ecological information

|                                      |  |
|--------------------------------------|--|
| <b>Aquatic toxicity</b>              | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects. |
| <b>Ecotoxicity</b>                   | No ecotoxicity data noted for the ingredient(s).   |
| <b>Persistence and degradability</b> | Not available.   |
| <b>Bioaccumulative potential</b>     | Not available.   |
| <b>Mobility in soil</b>              | Not available.   |
| <b>Other adverse effects</b>         | Not available.   |

---

## 13. Disposal considerations

|  |  |
|--|--|
| <b>Disposal methods</b>                      |  |
| <b>Disposal instructions</b>                 | Do not dispose of together with general office waste.<br>Do not allow this material to drain into sewers/water supplies.<br>Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.<br>Ensure collection and disposal with an appropriately licensed waste contractor. |
| <b>Local disposal regulations</b>            | Not available.   |
| <b>Waste from residues / unused products</b> | Not available.   |
| <b>Contaminated packaging</b>                | Not available.   |


---

## 14. Transport information


|                                      |   |
|--------------------------------------|---|
| <b>DOT</b>                           |   |
| <b>UN number</b>                     | UN3082  |
| <b>UN proper shipping name</b>       | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative), MARINE POLLUTANT |
| <b>Transport hazard class(es)</b>    |   |
| <b>Class</b>                         | 9   |
| <b>Subsidiary risk</b>               | -   |
| <b>Packing group</b>                 | III   |
| <b>Environmental hazards</b>         |   |
| <b>Marine pollutant</b>              | Yes   |
| <b>Special precautions for user</b>  | Not available.  |
| <b>DOT Supplemental Information</b>  | DOT Classification only applies to shipments within the US and Puerto Rico.                                 |
| <b>IATA</b>                          |   |
| <b>UN number</b>                     | UN3082  |
| <b>UN proper shipping name</b>       | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)                   |
| <b>Transport hazard class(es)</b>    |   |
| <b>Class</b>                         | 9   |
| <b>Subsidiary risk</b>               | -   |
| <b>Packing group</b>                 | III   |
| <b>Environmental hazards</b>         | Yes   |
| <b>Special precautions for user</b>  | Not available.  |
| <b>IATA Supplemental Information</b> | When shipping ≤ 5L inner packaging, Special Provision A197 may apply.                                       |
| <b>IMDG</b>                          |   |
| <b>UN number</b>                     | UN3082  |
| <b>UN proper shipping name</b>       | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative), MARINE POLLUTANT |
| <b>Transport hazard class(es)</b>    |   |
| <b>Class</b>                         | 9   |
| <b>Subsidiary risk</b>               | -   |
| <b>Packing group</b>                 | III   |

|                                      |   |
|--------------------------------------|---|
| <b>Transport hazard class(es)</b>    |   |
| <b>Marine pollutant</b>              | Yes   |
| <b>EmS</b>                           | F-A, S-F  |
| <b>Special precautions for user</b>  | Not available.  |
| <b>IMDG Supplemental Information</b> | When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.                                   |
| <b>ADR</b>                           |   |
| <b>UN number</b>                     | UN3082  |
| <b>UN proper shipping name</b>       | Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative) |
| <b>Transport hazard class(es)</b>    |   |
| <b>Class</b>                         | 9   |
| <b>Subsidiary risk</b>               | -   |
| <b>Hazard No. (ADR)</b>              | Not available.  |
| <b>Tunnel restriction code</b>       | Not available.  |
| <b>Packing group</b>                 | III   |
| <b>Environmental hazards</b>         | Yes   |
| <b>Special precautions for user</b>  | Not available.  |

**ADR; DOT; IATA; IMDG**



**Marine pollutant**



---

## 15. Regulatory information

### Safety, health and environmental regulations specific for the product in question

**Narcotics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)**

Not listed.

**Psychotropics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)**

Not listed.

**Uruguay. Precursor and Chemical Products (Decree No. 391/002 of 10/10/2002, Annex I, Tables 1 & 2)**

Not regulated.

**Uruguay. Substance list for prevention and control of occupational hazards caused by carcinogens. (Decree 183/982)**

Black Pigment (CAS Proprietary)

Article 5 - Prohibits the use or application of the substances listed in Table Annex IV, except when an optimal level of environmental hygiene for the involved workers is ensured and they are provided, prior to the execution of tasks, with personal protective equipment against inhalation of carcinogenic substances and/or contact with these agents.

### International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

**Montreal Protocol**

Not applicable.

**Stockholm Convention**

Not applicable.

**Rotterdam Convention**

Not applicable.

**Basel Convention**

Not applicable.

---

**16. Other information**

**Issue date** 17-Jul-2016

**Revision date** 15-Mar-2020

**Disclaimer**

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

**Revision information**

This document has undergone significant changes and should be reviewed in its entirety.

**Explanation of abbreviations**

|               |   |
|---------------|---|
| <b>ACGIH</b>  | American Conference of Governmental Industrial Hygienists           |
| <b>CAS</b>    | Chemical Abstracts Service  |
| <b>CERCLA</b> | Comprehensive Environmental Response Compensation and Liability Act |
| <b>CFR</b>    | Code of Federal Regulations   |
| <b>COC</b>    | Cleveland Open Cup  |
| <b>DOT</b>    | Department of Transportation  |
| <b>EPCRA</b>  | Emergency Planning and Community Right-to-Know Act (aka SARA)       |
| <b>IARC</b>   | International Agency for Research on Cancer                         |
| <b>NIOSH</b>  | National Institute for Occupational Safety and Health               |
| <b>NTP</b>    | National Toxicology Program   |
| <b>OSHA</b>   | Occupational Safety and Health Administration                       |
| <b>PEL</b>    | Permissible Exposure Limit  |
| <b>RCRA</b>   | Resource Conservation and Recovery Act                              |
| <b>REC</b>    | Recommended   |
| <b>REL</b>    | Recommended Exposure Limit  |
| <b>SARA</b>   | Superfund Amendments and Reauthorization Act of 1986                |
| <b>STEL</b>   | Short-Term Exposure Limit   |
| <b>TCLP</b>   | Toxicity Characteristics Leaching Procedure                         |
| <b>TLV</b>    | Threshold Limit Value   |
| <b>TSCA</b>   | Toxic Substances Control Act  |
| <b>VOC</b>    | Volatile Organic Compounds  |