



SAFETY DATA SHEET

1. Identification of the product

GHS product identifier CH878Series

Other means of identification
Common name(s), synonym(s) HP FB210 Specialty Flexible Black Scitex Ink

Recommended use of the chemical and restrictions on use
Recommended use Inkjet printing
Recommended restrictions None known.

Supplier's details
HP Inc Argentina S.R.L.
Montaneses 2150, Piso 2
Buenos Aires, Argentina 1428

HP Inc. health effect line
(Toll-free within US) 1-800-457-4209
(Direct) 1-760-710-0048

HP Inc. Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
	Reproductive toxicity	Category 1B
	Specific target organ toxicity - repeated exposure	Category 1
Environmental hazards	Hazardous to the aquatic environment — long-term aquatic hazard	Category 2

GHS label elements, including precautionary statements



Signal word Danger

Hazard statement

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P202	Do not handle until all safety precautions have been read and understood.
P201	Obtain special instructions before use.

P270 Do not eat, drink or smoke when using this product.
P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P308 + P313 IF exposed or concerned: Get medical attention/advice.
P314 Get medical attention/advice if you feel unwell.
P391 Collect spillage.
P363 Wash contaminated clothing before reuse.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Diphenyl (2,4,6-trimethylbenzoyl) phosphineoxide - In animal testing, risk of impaired fertility was shown only after repeated ingestion of very high doses of this substance.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
Acrylic acid ester		Proprietary	<40
Vinylcaprolactam		Proprietary	<25
Acrylate ester 5		Proprietary	<20
Diphenyl (2,4,6-trimethylbenzoyl) phosphine		Proprietary	<7.5
Polyether acrylate		Proprietary	<7.5
Difunctional acrylic monomer		Proprietary	<5
Carbon black		1333-86-4	<2.5
Propiophenone derivative		Proprietary	<2.5

Composition comments

Carbon black is present only in a bound form in this preparation.

4. First-aid measures

Description of necessary first-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.
Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion	If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.
Most important symptoms/effects, acute and delayed	Not available.

5. Fire-fighting measures

Suitable (or unsuitable) extinguishing media	
Suitable extinguishing media	Dry powder. Carbon dioxide (CO2). Water may be ineffective.
Unsuitable extinguishing media	Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	None known.
Special protective actions for firefighters	Not available.
Fire fighting equipment/instructions	Avoid runoff into storm sewers and ditches which lead to waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	Wear appropriate personal protective equipment. Do not touch or walk through spilled material.
For emergency responders	Not available.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
Methods and materials for containment and cleaning up	Not available.
Other issues relating to spills and releases	Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local regulations.

7. Handling and storage

Precautions to ensure safe handling	Avoid contact with skin, eyes and clothing.
Conditions for safe storage, including any incompatibilities	Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

8. Exposure controls/personal protection

Control parameters			
Occupational exposure limits			
Uruguay. Occupational Exposure Limit Values			
Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
US. ACGIH Threshold Limit Values			
Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Exposure guidelines	Exposure limits have not been established for this product.		
Control banding approach	Not available.		
Appropriate engineering controls	Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency showers are recommended.		

Skin protection	
Hand protection	Recommended gloves: Nitrile 6 mil minimum thickness. Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.
Thermal hazards	Not available.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Keep away from food and drink.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Color	Black.
Odor	Characteristic.
Odor threshold	Not available.
pH	Not applicable.
Melting point/freezing point	Not determined.
Initial boiling point and boiling range	Not determined.
Flash point	> 212.0 °F (> 100.0 °C) Closed Cup EPA Method 1020
Evaporation rate	Not determined.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not determined.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
VOC	< 95 g/L Method 24/ASTM D5409-93

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Hazardous polymerization can occur with decreased inhibitor content.
Conditions to avoid	Exposure to sunlight.
Incompatible materials	Incompatible with strong bases and oxidizing agents. alkaline metals.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Inhalation may result in mild irritation to the respiratory system.
Skin contact	May cause sensitization by skin contact.
Eye contact	Causes serious eye irritation.
Ingestion	Ingestion is not a likely route of exposure.

Symptoms Not available.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components	Species	Test Results
------------	---------	--------------

Carbon black (CAS 1333-86-4)

Acute

Oral

LD50	Rat	> 10000 mg/kg
------	-----	---------------

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

ACGIH Carcinogens

Carbon black (CAS 1333-86-4)	A3 Confirmed animal carcinogen with unknown relevance to humans.
------------------------------	--

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4)	2B Possibly carcinogenic to humans.
------------------------------	-------------------------------------

Reproductive toxicity May damage fertility. May damage the unborn child.

Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Other information Complete toxicity data are not available for this specific formulation

12. Ecological information

Aquatic toxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This product has not been tested for ecological effects.

Ecotoxicity No ecotoxicity data noted for the ingredient(s).

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal methods

Disposal instructions Do not dispose of together with general office waste.
Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.
Ensure collection and disposal with an appropriately licensed waste contractor.

Local disposal regulations Not available.

Waste from residues / unused products Not available.
Contaminated packaging Not available.

14. Transport information

DOT
Not regulated as dangerous goods.

DOT Supplemental Information DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN number UN3082
UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)
Transport hazard class(es)
Class 9
Subsidiary risk -
Packing group III
Environmental hazards Yes
Special precautions for user Not available.

IATA Supplemental Information When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

IMDG

UN number UN3082
UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative), MARINE POLLUTANT
Transport hazard class(es)
Class 9
Subsidiary risk -
Packing group III
Transport hazard class(es)
Marine pollutant Yes
EmS F-A, S-F
Special precautions for user Not available.


IMDG Supplemental Information When shipping ≤ 5L containers, IMDG 2.10.2.7 may apply.

ADR


UN number UN3082
UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates, Propiophenone derivative)
Transport hazard class(es)
Class 9
Subsidiary risk -
Hazard No. (ADR) Not available.
Tunnel restriction code Not available.
Packing group III
Environmental hazards Yes
Special precautions for user Not available.

ADR Supplemental Information When shipping ≤ 5L containers, ADR 375 may apply.

ADR; IATA; IMDG



Marine pollutant



15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Narcotics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)

Not listed.

Psychotropics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)

Not listed.

Uruguay. Precursor and Chemical Products (Decree No. 391/002 of 10/10/2002, Annex I, Tables 1 & 2)

Not regulated.

Uruguay. Substance list for prevention and control of occupational hazards caused by carcinogens. (Decree 183/982)

Carbon black (CAS 1333-86-4)

Article 5 - Prohibits the use or application of the substances listed in Table Annex IV, except when an optimal level of environmental hygiene for the involved workers is ensured and they are provided, prior to the execution of tasks, with personal protective equipment against inhalation of carcinogenic substances and/or contact with these agents.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, South Korea, New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Basel Convention

Not applicable.

16. Other information

Issue date 18-Oct-2016

Revision date 09-Feb-2018

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Revision information Hazard(s) identification: Hazard statement
Hazard(s) identification: Prevention
Hazard(s) identification: Response
Composition / Information on Ingredients: Ingredients
Toxicological information: Carcinogenicity
Toxicological information: Eye contact
Toxicological information: Ingestion
Toxicological information: Inhalation
Toxicological information: Skin contact
Regulatory information: International regulations
GHS: Classification

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds