



SAFETY DATA SHEET

1. Identification of the product

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***	
GHS product identifier	CN941 Series	
Other means of identification		
Common name(s), synonym(s)	HP Scitex XL300 Supreme Black Ink	
Recommended use of the chemical and restrictions on use		
Recommended use	Inkjet printing.	
Recommended restrictions	None known.	
Supplier's details	HP Inc Argentina S.R.L. Montaneses 2150, Piso 2 Buenos Aires, Argentina 1428	
HP Inc. health effect line		
(Toll-free within US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care Line		
(Toll-free within the US)	1-800-474-6836	
(Direct)	1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, dermal	Category 5
	Acute toxicity, inhalation	Category 4
	Specific target organ toxicity - single exposure	Category 3 narcotic effects
Environmental hazards	Not classified.	

GHS label elements, including precautionary statements



Signal word	Warning
Hazard statement	
H227	Combustible liquid.
H303	May be harmful if swallowed.
H313	May be harmful in contact with skin.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

Precautionary statement

Prevention	
P280	Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P271 Use only outdoors or in a well-ventilated area.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312 Call a poison center/doctor if you feel unwell.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use sand, carbon dioxide (CO2) or dry chemical to extinguish.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P235 Keep cool.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

GHS Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
2-butoxyethyl acetate		112-07-2	<70
2-methoxy-1-methylethyl acetate		Proprietary	<25
Black Pigment		Proprietary	<5

Composition comments Carbon black is present only in a bound form in this preparation.

4. First-aid measures

Description of necessary first-aid measures

Inhalation Move person to fresh air immediately.
If symptoms persist, get immediate medical attention.

Skin contact In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water. Wash clothing separately before reuse.
Get medical attention, if needed.

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get medical attention immediately.

Ingestion Rinse mouth out with water. If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting. Never give anything by mouth to an unconscious person.
Get medical attention immediately.

Most important symptoms/effects, acute and delayed Not available.

5. Fire-fighting measures

Suitable (or unsuitable) extinguishing media

Suitable extinguishing media Suitable extinguishing media: sand, carbon dioxide (CO2), and dry chemical.

Specific hazards arising from the chemical None known.

Special protective actions for firefighters Firefighters should wear full protective clothing including self contained breathing apparatus. Avoid runoff into storm sewers and ditches which lead to waterways.

Fire fighting equipment/instructions Move containers from fire area if you can do it without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Avoid contact with skin. Avoid inhalation of vapors or mists.
Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition.
Use personal protective equipment to minimize exposure to skin and eye. In the case of vapor formation use a respirator with an approved filter.

For emergency responders Not available.

Environmental precautions Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up Not available.

Other issues relating to spills and releases Dispose of in compliance with federal, state, and local regulations.

7. Handling and storage

Precautions to ensure safe handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product.
Use with adequate ventilation.
Wear personal protective equipment.

Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Uruguay. Occupational Exposure Limit Values

Components	Type	Value	Form
2-butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm	
Black Pigment	TWA	3 mg/m3	Inhalable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
2-butoxyethyl acetate (CAS 112-07-2)	TWA	20 ppm	
Black Pigment	TWA	3 mg/m3	Inhalable fraction.

Biological limit values No biological exposure limits noted for the ingredient(s).

Control banding approach Not available.

Appropriate engineering controls Not available.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible).
Eye wash fountain and emergency showers are recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing.

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available.

General hygiene considerations Do not get this material in contact with skin. Avoid contact with skin, eyes and clothing.
When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product.
Launder contaminated clothing before reuse.

9. Physical and chemical properties

Appearance

Physical state Not available.

Form Liquid.

Color Black.

Odor Solvent.

Odor threshold	Not available.
pH	5.8 - 6.2 Metler Toledo pH Meter. Temperature 25°C
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 149.0 °F (> 65.0 °C) (Closed Cup)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	10 - 11.2 cP Brookfield Viscometer (± 0.5) Temperature 22°C. Spindle # 18 (S18) RPM 100. Wait approx 10 min to take the reading
Other information	
VOC	< 896 g/L

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	None known.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Not available.
Hazardous decomposition products	Not available.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Harmful if inhaled.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Ingestion is not a likely route of exposure.

Symptoms Not available.

Information on toxicological effects

Acute toxicity Harmful if inhaled. May be harmful if swallowed. May be harmful in contact with skin.

Components	Species	Test Results
Black Pigment		
<u>Acute</u>		
Oral		
LD50	Rat	> 10000 mg/kg

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	
Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met. Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Carbon black is present only in a bound form in this preparation.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Other information	Complete toxicity data are not available for this specific formulation.

12. Ecological information

Ecotoxicity	No ecotoxicity data noted for the ingredient(s).
Persistence and degradability	Not available.
Bioaccumulative potential	Not available.
Mobility in soil	Not available.
Other adverse effects	Not available.

13. Disposal considerations

Disposal methods

Disposal instructions	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.
Local disposal regulations	Not available.
Waste from residues / unused products	Not available.
Contaminated packaging	Not available.

14. Transport information

DOT	
UN number	NA1993
UN proper shipping name	Combustible liquid n.o.s. (2-methoxy-1-methylethyl acetate) -Not regulated in quantities less than 119 gallons
Transport hazard class(es)	
Class	Combustible
Subsidiary risk	-
Packing group	III
Special precautions for user	Not available.
DOT Supplemental Information	DOT Classification only applies to shipments within the US and Puerto Rico.
IATA	
Not regulated as dangerous goods.	
IMDG	
Not regulated as dangerous goods.	
ADR	
Not regulated as dangerous goods.	

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Narcotics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)

Not listed.

Psychotropics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)

Not listed.

Uruguay. Precursor and Chemical Products (Decree No. 391/002 of 10/10/2002, Annex I, Tables 1 & 2)

Not regulated.

Uruguay. Substance list for prevention and control of occupational hazards caused by carcinogens. (Decree 183/982)

Black Pigment (CAS Proprietary)

Article 5 - Prohibits the use or application of the substances listed in Table Annex IV, except when an optimal level of environmental hygiene for the involved workers is ensured and they are provided, prior to the execution of tasks, with personal protective equipment against inhalation of carcinogenic substances and/or contact with these agents.

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Basel Convention

Not applicable.

16. Other information

Issue date 22-Oct-2016

Revision date 13-Dec-2019

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information

Identification of the product: Important information

Hazard(s) identification: Prevention

Hazard(s) identification: Response

Hazard(s) identification: Other hazards which do not result in classification

Composition / Information on Ingredients: Ingredients

Composition/information on ingredients: Composition comments

Physical & Chemical Properties: Multiple Properties

Toxicological information: Carcinogenicity

HazReg Data: Europe - EU

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds