

## SAFETY DATA SHEET

### 1. Identification of the product

Important information \*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

GHS product identifier CN951 Series

Other means of identification

Common name(s),

HP Scitex XL300 Classic Yellow Ink

synonym(s)

Recommended use of the chemical and restrictions on use

Recommended use Inkjet printing Recommended restrictions None known.

Supplier's details

HP Inc Argentina S.R.L. Montaneses 2150, Piso 2 Buenos Aires, Argentina 1428

HP Inc. health effect line

(Toll-free within US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

#### 2. Hazard(s) identification

### Classification of the substance or mixture

Physical hazardsFlammable liquidsCategory 4Health hazardsAcute toxicity, oralCategory 5Acute toxicity, dermalCategory 5Acute toxicity, inhalationCategory 4

Specific target organ toxicity - single Category 3 narcotic effects

exposure

**Environmental hazards** Not classified.

#### GHS label elements, including precautionary statements



Signal word Warning

**Hazard statement** 

H227 Combustible liquid. H332 Harmful if inhaled.

H313 May be harmful in contact with skin. H303 May be harmful if swallowed. H336 May cause drowsiness or dizziness.

**Precautionary statement** 

Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Material name: CN951 Series sps uruguay

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P271 Use only outdoors or in a well-ventilated area.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Response

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a poison center/doctor if you feel unwell.

P370 + P378 In case of fire: Use sand, carbon dioxide (C02) or dry chemical to extinguish.

**Storage** 

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P235 Keep cool. P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

GHS Supplemental information None.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical identity	Common name(s), synonym(s)	CAS number and other unique identifiers	Concentration
2-Butoxyethyl acetate		112-07-2	<70
Propylene glycol monomethyl ether acetate		Proprietary	<30
Yellow Pigment		Proprietary	<2.5

#### 4. First-aid measures

#### Description of necessary first-aid measures

**Inhalation** Move to fresh air. If symptoms persist, get medical attention.

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. If irritation persists get medical attention. Remove and isolate contaminated clothing and shoes. Thoroughly wash (or discard) clothing and shoes before

reuse

Eye contact In case of contact, immediately flush eyes with large amounts of water, continuing to flush for 15

minutes. If irritation persists get medical attention.

Ingestion If swallowed, seek medical advice immediately and show this container or label.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

Not available.

#### Suitable (or unsuitable) extinguishing media

Suitable extinguishing

5. Fire-fighting measures

media

CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

None known.

Special protective actions for

Not available.

firefighters

Fire fighting

the chemical

Firefighters should wear full protective clothing including self contained breathing apparatus.

equipment/instructions

Material name: CN951 Series SDS URUGUAY

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Ensure adequate ventilation.

Not available. For emergency responders **Environmental precautions** Not available.

Methods and materials for Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / containment and cleaning up

national regulations (see section 13).

Other issues relating to spills

and releases

Soak up with inert absorbent material. Dispose of in compliance with federal, state, and local

regulations.

7. Handling and storage

Precautions to ensure safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product.

Use with adequate ventilation.

Wear personal protective equipment.

Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,

sparks and flame.

### 8. Exposure controls/personal protection

#### **Control parameters**

Occupational exposure limits

**Uruguay. Occupational Exposure Limit Values** 

Value Components Type TWA 2-Butoxyethyl acetate (CAS 20 ppm

112-07-2)

**US. ACGIH Threshold Limit Values** 

Components Type Value TWA 2-Butoxyethyl acetate (CAS 20 ppm

112-07-2)

**Biological limit values** No biological exposure limits noted for the ingredient(s).

None established. **Exposure guidelines** Not available. Control banding approach

Appropriate engineering

controls

Use in a well ventilated area.

Ensure adequate ventilation, especially in confined areas. Facilities storing or utilizing this material

should be equipped with an eyewash facility and a safety shower. Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.

Individual protection measures, such as personal protective equipment

Avoid contact with eves Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

Hand protection Not available.

Other Use personal protective equipment to minimize exposure to skin and eye.

Respiratory protection Not available Not available. Thermal hazards

General hygiene

considerations

Keep away from food and drink. Wash hands before breaks and at the end of workday.

#### 9. Physical and chemical properties

**Appearance** Liquid.

Physical state Not available. **Form** Not available. Color Yellow Odor Not available. **Odor threshold** Not available.

5.8 - 6.2 Metler Toledo pH Meter. Temperature 25°C

Material name: CN951 Series SDS URUGUAY

Melting point/freezing point Not available.

Initial boiling point and boiling 325.4 °F (163 °C) Estimated

range

150.8 °F (66.0 °C) Setaflash Closed Tester Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not determined. Vapor pressure Vapor density Not available.

Solubility(ies)

Not available. Solubility (water) Not available. **Partition coefficient** 

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available.

**Viscosity** 10.2 - 11.2 cP Brookfield Viscometer (± 0.5) Temperature 22°C. Spindle # 18 (S18) RPM 100. Wait

approx 10 min to take the reading.

Other information

VOC < 901 g/L

## 10. Stability and reactivity

Not available. Reactivity

**Chemical stability** Stable at normal conditions

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Not available.

Incompatible materials Oxidizing agents. Strong acids and strong alkalis.

Hazardous decomposition

products

None known.

#### 11. Toxicological information

Information on likely routes of exposure

Harmful if inhaled. Inhalation

Skin contact Contact with skin may result in mild irritation. Contact with eyes may result in mild irritation. **Eve contact** Ingestion is not a likely route of exposure. Ingestion

Not available. **Symptoms** 

Information on toxicological effects

Harmful if inhaled. May be harmful if swallowed. May be harmful in contact with skin. **Acute toxicity** 

Based on available data, the classification criteria are not met. Skin corrosion/irritation Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Carcinogenicity

Material name: CN951 Series SDS URUGUAY

Based on available data, the classification criteria are not met. Reproductive toxicity

Specific target organ toxicity -

single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met. Other information Complete toxicity data are not available for this specific formulation.

### 12. Ecological information

No ecotoxicity data noted for the ingredient(s). **Ecotoxicity** 

Not available. Persistence and degradability Bioaccumulative potential Not available. Mobility in soil Not available. Other adverse effects Not available.

#### 13. Disposal considerations

Disposal methods

**Disposal instructions** Do not dispose of together with general office waste.

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

Local disposal regulations Waste from residues /

Not available. Not available.

unused products

Not available.

# Contaminated packaging 14. Transport information

DOT

**UN number** NA1993

**UN proper shipping name** Combustible liquid n.o.s. (2-methoxy-1-methylethyl acetate) -Not regulated in quantities less than

119 gallons

Transport hazard class(es)

Class Combustible

Subsidiary risk Ш Packing group

Special precautions for user Not available.

**DOT Supplemental Information** DOT Classification only applies to shipments within the US and Puerto Rico.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

#### 15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Narcotics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)

Not listed.

Psychotropics (Decree 14294, amended 10/28/1998 promulgating UN 1961 Convention, Lists I-IV)

Uruguay. Precursor and Chemical Products (Decree No. 391/002 of 10/10/2002, Annex I, Tables 1 & 2)

Not regulated.

Uruguay. Substance list for prevention and control of occupational hazards caused by carcinogens. (Decree 183/982)

Not listed.

Material name: CN951 Series SDS URUGUAY

6/7

#### International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

#### Montreal Protocol

Not applicable.

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

**Basel Convention** 

Not applicable.

#### 16. Other information

Issue date Revision date 22-Oct-2016 13-Dec-2019

**Disclaimer** 

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

#### **Revision information**

Identification of the product: Important information

Hazard(s) identification: Prevention

Hazard(s) identification: Other hazards which do not result in classification

Composition / Information on Ingredients: Ingredients

Composition/information on ingredients: Composition comments

Physical & Chemical Properties: Multiple Properties Stability and reactivity: Incompatible materials

HazReg Data: Europe - EU

Material name: CN951 Series sps uruguay

11467

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CN951 Series SDS URUGUAY