

SAFETY DATA SHEET

1. Identification

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

GHS product identifier 4UV63Series

Other means of identification None.

Recommended use Inkjet printing

Recommended restrictionsCan only be used for printing on soft signage and promotional items. Should not be applied to

clothing textiles.

Manufacturer/Importer/Supplier/Distributor information

HQ, ZA HP Inc.

12 Autumn Street, Pt. 1st Floor

2128 Sandton South Africa P.C. 2128

Telephone +27 11 069 5400 or 5529

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazardsNot classified.Health hazardsSensitization, skin

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement May cause an allergic skin reaction.

Precautionary statement

Prevention Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing

dust/fume/mist/vapors. Contaminated work clothing should not be allowed out of the workplace.

Category 1

Response IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Not available.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

Complete toxicity data are not available for this specific formulation.

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Material name: 4UV63Series SDS SOUTH AFRICA

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-pyrrolidone		616-45-5	<2.5
Blue colorant		Proprietary	<2.5
Red colorant		Proprietary	<2.5
Ethoxylated-2,4,7,9-tetramethyl-5-d ecyn-4,7-diol		9014-85-1	<1
1,2-Benzisothiazolin-3-one		2634-33-5	<0.05
2-methyl-2h-isothiazol-3-one		2682-20-4	<0.05
Non-hazardous components			
Chemical name Common name and synonyms		CAS number	%

Chemical name	Common name and synonyms	CAS number	%	
Water		7732-18-5	75-80	
Glycerol		56-81-5	<20	

Composition comments

This ink supply contains an aqueous ink formulation.

2-pyrrolidone: Specific Concentration Limit 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

4. First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Not available.

Not available.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment and precautions for firefighters

Not available.

Specific methods N

thods None established.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment.

Dry chemical, CO2, water spray or regular foam.

Methods and materials for containment and cleaning up Environmental precautions

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

Material name: 4UV63Series SDS SOUTH AFRICA

8. Exposure controls/personal protection

Occupational exposure limits

South Africa. Recommended Exposure Limits (RELs) Regulations for Hazardous Chemical Substances, Table 2

Form Components **Type** Value

Glycerol (CAS 56-81-5) **TWA** 10 mg/m3 Mist.

Biological limit values No biological exposure limits noted for the ingredient(s). Exposure limits have not been established for this product. **Exposure guidelines**

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Use personal protective equipment to minimize exposure to skin and eye. Other

Not available. Respiratory protection Not available. Thermal hazards

General hygiene Handle in accordance with good industrial hygiene and safety practice.

considerations

9. Physical and chemical properties

Appearance

Physical state Liquid. Liquid. **Form** Black. Color

Not available. Odor **Odor threshold** Not available.

pН

Melting point/freezing point Not available. Not available. Initial boiling point and boiling

range

336.0 °F (168.9 °C) Flash point

Evaporation rate Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Vapor pressure Not available. Vapor density Not available.

Solubility(ies)

Solubility (water) Not available. Not available. Partition coefficient

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Not determined Oxidizing properties

VOC 9.47 %

10. Stability and reactivity

Chemical stability Stable under recommended storage conditions.

Material name: 4UV63Series SDS SOUTH AFRICA Possibility of hazardous

reactions

Will not occur.

Conditions to avoid

Not available.

Incompatible materials

Incompatible with strong bases and oxidizing agents.

Hazardous decomposition products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation Inhalation may result in mild irritation to the respiratory system.

Skin contactMay cause sensitization by skin contact.Eye contactContact with eyes may result in mild irritation.IngestionIngestion is not a likely route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components Species Test Results

1,2-Benzisothiazolin-3-one (CAS 2634-33-5)

Acute Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat 490 mg/kg

2-methyl-2h-isothiazol-3-one (CAS 2682-20-4)

<u>Acute</u>

Dermal

LD50 Rat 242 mg/kg

Inhalation

LC50 Rat 0.11 mg/l, 4 h

Oral

LD50 Rat 120 mg/kg

2-pyrrolidone (CAS 616-45-5)

Acute

Oral

LD50 Rat > 5000 mg/kg

Glycerol (CAS 56-81-5)

Acute

Dermal

LD50 Guinea pig 45 ml/kg, Days

Inhalation

Vapor

LC50 Rat 4655 mg.min/l, 7 Hours

Oral

LD50 Rat 18300 mg/kg

Skin corrosion/irritationBased on available data, the classification criteria are not met. **Serious eye damage/eye**Based on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicityBased on available data, the classification criteria are not met. **Carcinogenicity**Based on available data, the classification criteria are not met.

Material name: 4UV63Series SDS SOUTH AFRICA

Reproductive toxicity Based on available data, the classification criteria are not met.

> 2-pyrrolidone: This component showed developmental effects only at high doses that were toxic to pregnant test animals (OECD Testing Guideline 414: Prenatal Developmental Toxicity Study). Uptake by people of small doses is not expected to cause developmental toxicity. This component has not caused adverse effects on sexual function or damage to fertility in an animal study (OECD Testing Guideline 443: Extended One-Generation Reproductive Toxicity Study).

> > **Test Results**

Based on available data, the classification criteria are not met.

Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Components

Based on available data, the classification criteria are not met.

Aspiration hazard Further information Complete toxicity data are not available for this specific formulation

Species

12. Ecological information

Ecotoxicity

Mobility in soil

Other adverse effects

Componente		Opooloo	100t Hoodito	
1,2-Benzisothiazolin-3-o	ne (CAS 2634-33-5)			
Acute				
Other	EC50	Pseudokirchnerella subcapitata	70 - 150 μg/l, 72 h OECD (201)	
Aquatic				
Acute				
Crustacea	EC50	Daphnia magna	2.9 mg/l, 48 h (OECD 202)	
Fish	LC50	Oncorhynchus mykiss	2.15 mg/l, 96 h (OECD 203)	
		Sheepshead minnow (Cyprinodon variegatus)	16.7 mg/l, 96 h EPA 540/9-85-006	
2-methyl-2h-isothiazol-3-	one (CAS 2682-20-	4)		
Acute				
Other	EC50	Pseudokirchnerella subcapitata	0.138 - 0.22 mg/l, 120 h (OECD 201)	
Chronic				
	NOEC	Pseudokirchneriella subcapitata	0.05 mg/l, 120 h (OECD 201)	
Aquatic				
Acute				
Crustacea	EC50	Daphnia magna	1.6 mg/l, 48 h (OECD 202)	
	LC50	Daphnia magna	0.934 mg/l, 48 h (OECD 202)	
Fish	LC50	Oncorhynchus mykiss	4.77 mg/l, 96 h (OECD 203)	
2-pyrrolidone (CAS 616-	45-5)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours	
sistence and degradabi	lity Not available).		
ccumulative potential	Not available	s.		
Partition coefficient n-c	octanol / water (log	Kow)		
2-pyrrolidone		-0.85		
Glycerol	··· (BCE)	-1.76		
Bioconcentration factor (BCF) 1,2-Benzisothiazolin-3-one		6.62, (OECD 305)		
		Species: Bluegill (L	epomis macrochirus)	
2-methyl-2h-isothiazol-3-one		Species: Bluegill (L	48.1, Viscera (1972) Species: Bluegill (Lepomis macrochirus) 5.75, Carcass (1972) Species: Bluegill (Lepomis macrochirus)	

Material name: 4UV63Series SDS SOUTH AFRICA

11234 Version #: 06 Revision date: 12-Apr-2021 Issue date: 28-Jun-2019

Not available.

Not available.

13. Disposal considerations

Disposal instructionsDo not dispose of together with general office waste. Do not allow this material to drain into

sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

Waste from residues / unused

products

Not available.

Contaminated packaging

Not available.

14. Transport information

DOT

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards

Marine pollutant No

Special precautions for user Not available.

IATA

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

IMDG

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

ADR

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question $\begin{tabular}{ll} \end{tabular} \label{table}$

Hazardous Substances Act, 1973 (Act No. 15 of 1973)

Not listed.

Material name: 4UV63Series SDS SOUTHAFRICA

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (FINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Kore

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Issue date28-Jun-2019Revision date12-Apr-2021

Version # 06

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: 4UV63Series SDS SOUTH AFRICA