

SAFETY DATA SHEET

1. Identification

*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

CH219Series **GHS** product identifier

Other means of identification

HP Scitex FB250 Black Ink **Synonyms**

Recommended use Inkjet printing Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

HQ, ZA HP Inc.

12 Autumn Street, Pt. 1st Floor

2128 Sandton South Africa P.C. 2128

Telephone +27 11 069 5400 or 5529

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

HP Inc. Customer Care

(Toll-free within the US) 1-800-474-6836 1-208-323-2551 (Direct)

hpcustomer.inquiries@hp.com Email:

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Not applicable

> Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Sensitization, skin Category 1 Reproductive toxicity Not applicable

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation Category 1 (liver, respiratory system)

Specific target organ toxicity, repeated

exposure

Environmental hazards Hazardous to the aquatic environment,

long-term hazard

Category 2

Label elements



Signal word

Hazard statement May damage fertility or the unborn child. Causes skin irritation. Causes serious eye irritation. May

cause an allergic skin reaction. May cause respiratory irritation. Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life with long lasting

effects.

Material name: CH219Series SDS SOUTH AFRICA

Precautionary statement

Wear protective gloves/protective clothing/eye protection/face protection. Do not handle until all Prevention

safety precautions have been read and understood. Obtain special instructions before use. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the

workplace. Avoid release to the environment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present Response

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical attention/advice. Call a poison

center/doctor if you feel unwell. Take off contaminated clothing and wash before reuse. Collect

spillage.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans).

Supplemental information

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
2-phenoxyethyl acrylate		48145-04-6	<30
N-vinylcaprolactam		2235-00-9	<25
Carboxylic Acids, Esters		Proprietary	<15
Difunctional acrylic monomer		Proprietary	<10
Acrylate ester 5		Proprietary	<5
Alkyl Acrylate Ester		Proprietary	<5
Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide		Proprietary	<5
2,6-di-tert-butylalphadimethylami no-p-cresol		88-27-7	<1
Benzophenone		119-61-9	<1
Non-hazardous components			
Chemical name	Common name and synonyms	CAS number	%
	·		

Black Pigment Proprietary <2.5

Composition comments Carbon black is present only in a bound form in this preparation.

4. First-aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

Never give anything by mouth to an unconscious person.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special Not available.

Not available.

treatment needed

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Dry powder. Carbon dioxide (CO2). Water may be ineffective. Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

Not applicable.

the chemical

Material name: CH219Series SDS SOUTH AFRICA

Special protective equipment and precautions for firefighters Not available.

Fire fighting

Avoid runoff into storm sewers and ditches which lead to waterways.

equipment/instructions

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment. Do not touch or walk through spilled material.

Methods and materials for containment and cleaning up **Environmental precautions**

Use a non-combustible material like vermiculite, sand or earth to soak up the product and place

into a container for later disposal.

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE) containers are recommended for shipping and storage.

8. Exposure controls/personal protection

Occupational exposure limits

South Africa. Recommended Exposure Limits (RELs) Regulations for Hazardous Chemical Substances, Table 2

Components **Type Black Pigment** STEL 7 mg/m3 **TWA** 3.5 mg/m3

No biological exposure limits noted for the ingredient(s). **Biological limit values Exposure guidelines** Exposure limits have not been established for this product.

Appropriate engineering

controls

Not available.

Individual protection measures, such as personal protective equipment

Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and Eye/face protection

emergency showers are recommended.

Skin protection

Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum Hand protection

thickness

Other Wear appropriate chemical resistant clothing

Respiratory protection

Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards

Not available

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Do not get this material in your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before

reuse. Keep away from food and drink.

9. Physical and chemical properties

Appearance

Liquid. Physical state **Form** Liquid. Color Black.

Characteristic. Odor Odor threshold Not available.

7.4 - 7.8 Metler Toledo pH Meter. Temperature 25°C

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

> 199.9 °F (> 93.3 °C) Calculated Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available

Material name: CH219Series SDS SOUTH AFRICA 3/8

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot available.Vapor densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 9.3 - 10.6 cP Brookfield Viscometer Temperature 50°C

Other information

Chemical family Acrylate/Polymer/Pigment Blend

VOC 0.2 g/L Calculated

10. Stability and reactivity

Chemical stability Stable under normal storage conditions.

Possibility of hazardous

reactions

Hazardous polymerization can occur with decreased inhibitor content.

leactions

Conditions to avoid Exposure to sunlight.

Incompatible materials Incompatible with strong bases and oxidizing agents. alkaline metals

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

1700 mg/kg

dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

InhalationInhalation may result in mild irritation to the respiratory system.Skin contactCauses skin irritation. May cause sensitization by skin contact.

Eye contact Causes serious eye irritation.

Ingestion Ingestion is not a likely route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

Information on toxicological effects

Acute toxicity May be harmful if swallowed.

Components Species Test Results

Black Pigment

<u>Acute</u>

Oral

LD50 Rat > 10000 mg/kg

N-vinylcaprolactam (CAS 2235-00-9)

Acute Dermal

LD50 Rabbit

Inhalation

LC50 Rat > 1.6 mg/l

Oral

LD50 Rat 1114 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Material name: CH219Series SDS SOUTH AFRICA

Respiratory or skin sensitization

Based on available data, the classification criteria are not met. Respiratory sensitization

Skin sensitization May cause sensitization by skin contact.

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Based on available data, the classification criteria are not met. Carcinogenicity

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.

IARC Monographs. Overall Evaluation of Carcinogenicity

Benzophenone (CAS 119-61-9) 2B Possibly carcinogenic to humans.

Reproductive toxicity Suspected of damaging the unborn child. Specific target organ toxicity -May cause irritation to the respiratory system.

single exposure

repeated exposure

Specific target organ toxicity -

Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Based on available data, the classification criteria are not met. **Aspiration hazard** Complete toxicity data are not available for this specific formulation **Further information**

12. Ecological information

Aquatic toxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This

product has not been tested for ecological effects.

Ecotoxicity

Components		Species	Test Results
2-phenoxyethyl acrylate (CA	S 48145-04-6)		
Acute			
	EC10	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
	EC50	Desmodesmus subcapitatus	4.44 mg/l, 72 h (DIN 38412 L9)
	LC50	Leuciscus idus	10 mg/l, 96 h (DIN 38 412)
	NOEC	Desmodesmus subcapitatus	0.71 mg/l, 72 h (DIN 38412 L9)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	1.21 mg/l, 48 h (Directive CE 79/831/CEE, Annex V, Part C)
Difunctional acrylic monome	r		
Acute			
	EC10	Pseudokirchneriella subcapitata	2.3 mg/l, 72 h (OECD 201)
	EC50	Pseudokirchneriella subcapitata	11 mg/l, 72 h (OECD 201)
Aquatic			
Acute			
Crustacea	EC50	Daphnia Magna	37 mg/l, 48 h (OECD 202)
Fish	LC50	Danio rerio	2.7 mg/l, 96 h (OECD 203)
Diphenyl (2,4,6-trimethylben:	zoyl) phosphine o	oxide	
Acute			
	EC10	Pseudokirchneriella subcapitata	1.56 mg/l, 72 h (OECD 201)
	EC50	Pseudokirchneriella subcapitata	> 2.01 mg/l, 72 h (OECD 201)
	LC50	Cyprinus carpio	1.4 mg/l, 96 h (OECD 203)
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	3.53 mg/l, 48 h (OECD 202)
sistence and degradability accumulative potential	Not available. Not available.		

Material name: CH219Series SDS SOUTH AFRICA

Bioconcentration factor (BCF)

Diphenyl (2,4,6-trimethylbenzoyl) phosphine oxide

72, (JIS K 0102-1986, 71 - Kanpogyo No .S, Yakuhatsu No . 615, 49-Kikyoku No . 392, MITI/MHW Chemical Substance

Control Law, Japan)

Mobility in soilNot available.Other adverse effectsNot available.

13. Disposal considerations

Disposal instructions Do not dispose of together with general office waste.

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

14. Transport information

DOT

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards

Marine pollutant No

Special precautions for user Not available.

DOT Supplemental Information

DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards Yes

Special precautions for user Not available.

IATA Supplemental Information When shipping ≤ 5L inner packaging, Special Provision A197 may apply.

IMDG

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Transport hazard class(es)

Marine pollutant Yes
EmS F-A, S-F
Special precautions for user Not available.

IMDG Supplemental Information When shipping \leq 5L containers, IMDG 2.10.2.7 may apply.

ADR

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

Transport hazard class(es)

Class 9 Subsidiary risk -

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.


Packing group III
Environmental hazards Yes

Special precautions for user Not available.

ADR Supplemental Information When shipping \leq 5L containers, ADR 375 may apply.

Material name: CH219Series SDS SOUTH AFRICA

ADR; IATA; IMDG



Marine pollutant



Further information

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

Hazardous Substances Act, 1973 (Act No. 15 of 1973)

Not listed.

International regulations

The components of this product are reported in the following inventories: USA, European Union, Canada, Japan, China, Australia, Korea.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Disclaimer

Issue date17-Jul-2016Revision date24-Apr-2021

Version #

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information

3. Composition / Information on Ingredients: Disclosure Overrides

Material name: CH219Series SDS SOUTH AFRICA

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CH219Series SDS SOUTH AFRICA