

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the

preparation

HP Color LaserJet Q3960A Black Print Cartridge

Use of the preparation This product is a black toner preparation that is used in HP Color LaserJet 2550/2820/2840

series printers.

Manufacturer information Hewlett-Packard Company

11311 Chinden Boulevard Boise, ID 83714 USA

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

General information telephone number

**HP Customer Care Line** 1-800-474-6836 1-800-474-6836 (Toll-free) 1-208-323-2551 (Direct) Date prepared Mar 08, 2007 195410 MSDS number

# 2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight	
Styrene acrylate copolymer	Trade Secret	75 - 85	
Wax	Trade Secret	5 - 15	
Carbon black	1333-86-4	1 - 8	

## 3. HAZARDS IDENTIFICATION

Acute health effects

Skin contact Unlikely to cause skin irritation. **Eve contact** May cause transient slight irritation

Inhalation Minimal respiratory tract irritation may occur with exposure to large amounts of toner dust. Ingestion Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Potential health effects

Routes of exposure Potential routes of exposure under normal use conditions are skin, eye contact and inhalation.

Ingestion is not expected to be a primary route of exposure for this product under normal use

conditions.

Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this Chronic health effects

product as intended does not result in inhalation of excessive amounts of dust.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly Carcinogenicity

carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not

present this carcinogenic risk.

Other information This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive

1999/45/EC, and as amended.

# 4. FIRST AID MEASURES

First aid procedures

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin

develops or persists.

Material name Q3960A MSDS US Creation date Oct 29, 2004 Version number 3 1/5



Eye Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for

at least 15 minutes or until particles are removed. If irritation persists, consult a physician.

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

## 5. FIRE FIGHTING MEASURES

Flash point and method Not applicable

Auto ignition temperature Not applicable

**Hazardous combustion** 

products

Carbon monoxide and carbon dioxide.

**Extinguishing media** CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

Unusual fire and explosion

hazard

Like most organic material in powder form, toner can form explosive dust-air mixtures when

finely dispersed in air.

Fire fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Special firefighting procedures None established.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Minimize dust generation and accumulation. Avoid breathing dust.

**Environmental precautions**Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

Procedures if material is

released or spilled

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance

with federal, state, and local regulations.

# 7. HANDLING AND STORAGE

**Handling** Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use

with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Storage Keep out of the reach of children. Store at room temperature in the original container. Keep the

container tightly closed and dry. Store away from strong oxidizers.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

OSHA - Final PELs - Time Weighted Averages (TWAs)

Carbon black 1333-86-4 3.5 mg/m3 TWA
ACGIH - Threshold Limits Values - Time Weighted Averages (TLV-TWA)
Carbon black 1333-86-4 3.5 mg/m3 TWA

Personal protective equipment

**General** No personal respiratory protective equipment required under normal conditions of use.

**Exposure guidelines** Use in a well ventilated area.

Material name Q3960A MSDS US

Creation date Oct 29, 2004 Version number 3 2 / 5



#### 9. PHYSICAL & CHEMICAL PROPERTIES

pH Not applicableVapor pressure Not applicableBoiling point Not applicable

**Softening point** 100 - 150 °C (212.0 - 302.0 °F)

**Solubility** Negligible in water. Partially soluble in toluene and xylene.

Specific gravity

Flash point

Not applicable

Viscosity

Not applicable

Vapor density

Evaporation rate

Flammability

Appearance

Not applicable

Not applicable

Not applicable

Fine powder

Form solid

Odor Slight plastic odor

Oxidizing properties No information available.

**Other information** Decomposition temperature: > 200 ° C

**Color** Black

## 10. CHEMICAL STABILITY & REACTIVITY INFORMATION

**Stability** Stable under normal storage conditions.

Conditions to avoid Imaging Drum: Exposure to light

Hazardous polymerization Will not occur.

**Hazardous decomposition** 

products

Carbon monoxide and carbon dioxide.

Incompatibility Strong oxidizers

# 11. TOXICOLOGICAL INFORMATION

Complete toxicity data are not available for this specific formulation

Refer to Section 3 for potential health effects and Section 4 for first aid measures.

**Dermal irritation** Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Sensitization Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and

OSHA HCS (US).

Chronic toxicity No information available.

Oral toxicity LD50/oral/rat >2000 mg/kg , (OECD 401), Not harmful.

Inhalation toxicity LC50: inh/rat 5 mg/l/4 hrs., (OECD 403).

Not classified for acute inhalation toxicity according to EU Directive 67/548/EEC and

1999/45/EC.

Material nameQ3960AMSDS USCreation dateOct 29, 2004Version number 33 / 5



**Carcinogenicity** Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans,

Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or

OSHA.

**OSHA - Hazard Communication Carcinogens** 

Carbon black 1333-86-4 Present

Mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop.

65, and DFG (Germany).

Symptoms and target organs

NIOSH - Pocket Guide - Target Organs

Carbon black 1333-86-4 respiratory system, eyes (lymphatic cancer in presence of PAHs)

#### 12. ECOLOGICAL INFORMATION

Other information This product has not been tested for ecological effects.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal instructions**Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if

this service is available in your location, please visit http://www.hp.com/recycle.

### 14. TRANSPORTATION INFORMATION

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

# 15. REGULATORY INFORMATION

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or

orders under TSCA.

US TSCA 12(b): Contains p-Xylene (CAS No. 106-42-3), subject to export notification

requirements.

HMIS ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely hazardous substance

No

Section 311 hazardous

No

chemical

Material nameQ3960AMSDS USCreation dateOct 29, 2004Version number 34 / 5



Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

## **16. OTHER INFORMATION**

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation

(29 CFR 1910.1200).

Issue date Mar 8 2007 9:28AM

Revision 3

Replaces sheet dated Nov 6 2006 10:22AM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

MSDS sections updated 1. Chemical Product and Company Identification: Use of the preparation

3. Hazards Identification: Routes of exposure 3. Hazards Identification: Carcinogenicity

8. Exposure Controls/Personal Protection: Exposure limit values

Physical & Chemical Properties: Other information
 Toxicological Information: Inhalation toxicity
 Toxicological Information: Carcinogenicity
 Disposal Considerations: Disposal instructions
 Regulatory Information: State regulations

**Explanation of abbreviations** 

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material nameQ3960AMSDS USCreation dateOct 29, 2004Version number 35 / 5