

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or CH116Series

designation of the mixture

Registration number -

Synonyms HP Designjet 788 Cyan Ink

Issue date 28-Aug-2013

Version number 10

Revision date 26-Jun-2016 **Supersedes date** 09-Aug-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printingUses advised againstNone known.Company identificationHP Belgium BVBA

Hermeslaan 1B, Floor B1 Diegem, Belgium 1831 Telephone 32 2 729 71 11

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Emergency numbe +32 (0) 70245245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.
Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

Reproductive toxicity (fertility)

Category 2

H361f - Suspected of damaging

fertility.

Specific target organ toxicity - repeated

exposure

Category 1 (liver, respiratory system)

H372 - Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Environmental hazards

Hazardous to the aquatic environment,

long-term aquatic hazard

Category 2

H411 - Toxic to aquatic life with

long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: [2-(hydroxymethyl)-3-prop-2-enoyloxy-2-[[3-prop-2-enoyloxy-2,2-bis(prop-2-enoyloxymethyl)prop

oxy]methyl]propyl] prop-2-enoate, 1-vinylhexahydro-2H-azepin-2-one,

2-benzyl-2-dimethylamino-4-morpholinobutyrophenone, 2-phenoxyethyl acrylate, Benzophenone, Neopentylglycol propoxylate diacrylate, Poly (ethylene glycol) diacrylate, Proprietary initiator,

Tridecyl acrylate, Vinylester resin

Hazard pictograms



Material name: CH116Series SDS Belgium

Signal word Danger

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P270 - Do not eat, drink or smoke when using this product.

P264 - Wash hands thoroughly after handling. P273 - Avoid release to the environment.

Response P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention. P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P308+P313 - IF exposed or concerned: Get medical attention/advice.

P391 - Collect spillage.

P362 - Take off contaminated clothing and wash before reuse.

Storage P405 - Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

Contains Glycerolpropoxytriacrylate. May produce an allergic reaction.

2.3. Other hazards Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Benzophenone is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans).

Proprietary initiator - In animal testing, risk of impaired fertility was shown only after repeated

ingestion of very high doses of this substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Classification:

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
2-phenoxyethyl acrylate		<40	48145-04-6 256-360-6	-	-	
Classification:	Skin Sens. 1	LA;H317, Ac	uatic Chronic 2;H41	1		
1-vinylhexahydro-2H-aze	pin-2-one	<25	2235-00-9 218-787-6	-	-	
Classification:	Acute Tox.	4;H302, Acı	ıte Tox. 4;H312, Skiı	n Sens. 1B;H317, Eye Irrit. 2;H	319, STOT RE 1;	H372
Tridecyl acrylate		<25	3076-04-8 221-351-8	-	-	

Material name: CH116Series SDS Belgium

Skin Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335, Aquatic Chronic 2;H411

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
[2-(hydroxymethyl)-3-prop-2-enoylox-2-[[3-prop-2-enoyloxy-2,2-bis(prop-enoyloxymethyl)propoxy]methyl]proyl] prop-2-enoate	2	60506-81-2 262-270-8	-	-	
Classification: Skin Sens.	1A;H317, Ey	e Irrit. 2;H319, Aqu	atic Chronic 3;H412		
Proprietary initiator	<5	Proprietary*	-	-	
Classification: Skin Sens.	1B;H317, Re	pr. 2;H361f, Aquati	c Chronic 2;H411		
Benzophenone	<2.5	119-61-9 204-337-6	-	-	
Classification: Skin Irrit. 2	;H315, Eye 1	Irrit. 2;H319, Aquati	c Chronic 3;H412		
Neopentylglycol propoxylate diacrylat	e <2.5	84170-74-1	01-2119970213-43-XXXX	-	
Classification: Skin Sens.	1B;H317, Aq	uatic Chronic 2;H41	1		
Poly (ethylene glycol) diacrylate	<2.5	26570-48-9	-	-	
Classification: Skin Irrit. 2	;H315, Eye 1	Irrit. 2;H319			
2-benzyl-2-dimethylamino-4-morphol nobutyrophenone	i <1	119313-12-1 404-360-3	-	606-047-00-9	
Classification: Repr. 2;H3	61d, Aquatic	Acute 1;H400, Aqu	atic Chronic 1;H410		
Vinylester resin	<1		-	-	
Classification: Skin Sens.	1;H317				

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If the material is swallowed, get immediate medical attention or advice -- Do not induce vomiting.

Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention

Not available.

Not available.

and special treatment

needed

SECTION 5: Firefighting measures

General fire hazards Not available.

Material name: CH116Series SDS Belgium

5.1. Extinguishing media

Suitable extinguishing

media

Dry powder. Carbon dioxide (CO2). Water may be ineffective.

Unsuitable extinguishing

media

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or

mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

Avoid runoff into storm sewers and ditches which lead to waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment. Do not touch or walk through spilled material.

For emergency responders

Not available.

6.2. Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. See also

section 13 Disposal considerations.

6.3. Methods and material for containment and cleaning up

Not available.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from excessive heat or cold. Do not store in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Opaque, high density polyethylene (HDPE)

containers are recommended for shipping and storage.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no-effect level (DNEL)

Components	Туре	Route	Value	Form
[2-(hydroxymethyl)-3-prop-2-enoyloxy-2-[[3 prop-2-enoyloxy-2,2-bis(prop-2-enoyloxymehyl)propoxy]methyl]propyl] prop-2-enoate (CAS 60506-81-2)		Dermal	0.5 mg/kg/day	
		Inhalation	1.76 mg/m3	
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Workers	Dermal	0.7 mg/kg	Systemic long term
		Inhalation	4.9 mg/m3	Systemic long term
		Inhalation	0.17 mg/m3	Local long term
2-benzyl-2-dimethylamino-4-morpholinobuty ophenone (CAS 119313-12-1)	r Workers	Dermal	5 mg/kg	Local short term
		Dermal	1 mg/kg	Local long term
		Dermal	0.23 mg/kg	systemic short term
		Dermal	0.17 mg/kg	Systemic long term
		Inhalation	5 mg/m3	Local short term
		Inhalation	1.65 mg/m3	systemic short term
		Inhalation	1 mg/m3	Local long term
		Inhalation	0.17 mg/m3	systemic long term

Material name: CH116Series SDS Belgium

components	.,pc	itoute	value	1 01111
2-phenoxyethyl acrylate (CAS 48145-04-6)	Industry	Dermal	1.5 mg/kg/day	
		Inhalation	10 mg/m3	
	Workers	Dermal	1.5 mg/kg	Systemic long term
		Inhalation	77 mg/m3	Local long term
		Inhalation	10 mg/m3	Systemic long term
Benzophenone (CAS 119-61-9)	Workers	Dermal	0.1 mg/kg	Systemic long term
		Inhalation	0.7 mg/m3	Systemic long term
Neopentylglycol propoxylate diacrylate (CAS	Workers	Dermal	3.33 mg/kg	Systemic long term
84170-74-1)			<i>5.</i> 5	, 5
		Inhalation	11.75 mg/m3	Systemic long term
dicted no effect concentrations (PNECs)				
Components	Туре	Route	Value	Form
1-vinylhexahydro-2H-azepin-2-one (CAS 2235-00-9)	Not applicable	Freshwater	0.1 mg/l	
		Intermittant	1 mg/l	Releases
		Marine water	0.01 mg/l	
		Sediment	0.829 mg/kg	Freshwater
		Sediment	0.0829 mg/kg	Marine water
		Soil	0.107 mg/kg	
		STP	262 mg/l	Sewage Treatment Plant
2-benzyl-2-dimethylamino-4-morpholinobutylophenone (CAS 119313-12-1)	Not applicable	Freshwater	0.0005 mg/l	
		Intermittant	0.005 mg/l	Releases
		Marine water	0.00005 mg/l	
		Sediment	0.0005 mg/kg	Freshwater
		Sediment	0.00015 mg/kg	Marine water
		Soil	0.0026 mg/kg	
		STP	0.59 mg/l	Sewage Treatment Plant
2-phenoxyethyl acrylate (CAS 48145-04-6)	Not applicable	Freshwater	0.002 mg/l	
		Intermittant	0.0121 mg/l	Releases
		Marine water	0.0002 mg/l	
		Sediment	0.02 mg/kg	Freshwater
		Sediment	0.002 mg/kg	Marine water
		Soil	0.006 mg/kg	
		STP	1.77 mg/l	Sewage Treatment Plant
Benzophenone (CAS 119-61-9)	Not applicable	Freshwater	0.02 mg/l	
		Intermittant	0.035 mg/l	Releases
		Marine water	0.002 mg/l	
		Sediment	1.1 mg/kg	Freshwater
		Sediment	0.11 mg/kg	Marine water
		Soil	0.31 mg/kg	
		STP	3.16 mg/l	Sewage Treatment Plant
Neopentylglycol propoxylate diacrylate (CAS 84170-74-1)	Not applicable	Freshwater	0.0027 mg/l	
		Intermittant	0.027 mg/l	Releases
		Marine water	0.00027 mg/l	
		Sediment	0.188 mg/kg	Freshwater
		Sediment	0.018 mg/kg	Marine water
		Soil	0.036 mg/kg	
		STP	0.2 mg/l	Sewage Treatment Plant
Exposure controls				
EADUSUIC CUILIUIS				

Type

Route

Value

Form

8.2. Exposure controls

Components

Appropriate engineering Not available.

controls

Individual protection measures, such as personal protective equipment

General information Not available.

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency

showers are recommended.

Skin protection

Material name: CH116Series SDS Belgium

Wear appropriate chemical resistant gloves. Recommended gloves: Nitrile 6 mil minimum thickness. - Hand protection

- Other Wear appropriate chemical resistant clothing.

Respiratory protection Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice. Do not get this material in

your eyes, on your skin, or on your clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Launder contaminated clothing before

reuse. Keep away from food and drink.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Color Cyan

Odor Characteristic. **Odor threshold** Not available. nН Not applicable. Melting point/freezing point Not available. Initial boiling point and Not available.

boiling range

> 230.0 °F (> 110.0 °C) Closed Cup Flash point **Evaporation rate** Not applicable.

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.

Not applicable. Vapor pressure **Relative density** Not available. Solubility(ies) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not applicable. **Explosive properties** Not available. Oxidizing properties Not available.

9.2. Other information

Chemical family Acrylate/Polymer/Pigment Blend

VOC (Weight %) < 95 g/L

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous Hazardous polymerization can occur with decreased inhibitor content.

reactions

10.4. Conditions to avoid Exposure to sunlight.

Incompatible with strong bases and oxidizing agents. alkaline metals 10.5. Incompatible materials

10.6. Hazardous Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

decomposition products dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available. 11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Causes skin irritation.

Material name: CH116Series SDS Belgium Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Skin sensitization

May cause sensitization by skin contact.

Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity

Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Benzophenone (CAS 119-61-9) 2B Possibly carcinogenic to humans.

Reproductive toxicity Suspected of damaging fertility.

Specific target organ toxicity

- single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity

- repeated exposure

Aspiration hazard

Causes damage to organs (liver, respiratory system) through prolonged or repeated exposure.

Based on available data, the classification criteria are not met.

Components **Species Test Results**

Benzophenone (CAS 119-61-9)

Acute Oral

LD50 Mouse 2895 mg/kg

Other

LD50 Mouse 727 mg/kg

Mixture versus substance

information

Not available.

Other information

Complete toxicity data are not available for this specific formulation

SECTION 12: Ecological information

Aquatic toxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. This

product has not been tested for ecological effects.

12.1. Toxicity

Species Test Results Components

Benzophenone (CAS 119-61-9)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 9.64 - 12.31 mg/l, 96 hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative

Not available.

potential

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil Not available.

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Not available. Residual waste Not available. Contaminated packaging **EU** waste code Not available.

Disposal Do not dispose of together with general office waste. methods/information

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

Ensure collection and disposal with an appropriately licensed waste contractor.

Material name: CH116Series SDS Belgium 7 / 10

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

DOT supplemental information DOT Classification only applies to shipments within the US and Puerto Rico.

IATA

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards Yes

Special precautions for Not available.

user

IATA supplemental

information IMDG

When shipping \leq 5L inner packaging, Special Provision A197 may apply.

UN number UN3082

UN proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates), MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards

Marine pollutantYesEmSF-A, S-FSpecial precautions forNot available.

user

IMDG supplemental

information

When shipping \leq 5L containers, IMDG 2.10.2.7 may apply.


ADR

Proper shipping name Environmentally Hazardous Substance, Liquid, N.O.S. (Acrylates)

Hazard class9UN number3082Packing groupIIIMarine pollutantYes

ADR supplemental When shipping \leq 5L containers, ADR 375 may apply.

information



Material name: CH116Series SDS Belgium

Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Proprietary initiator (CAS Proprietary*)

Directive 94/33/EC on the protection of young people at work

Not regulated.

Other regulations The components of this product are reported in the following inventories: USA, European Union,

Canada, New Zealand, Japan, Philippines, China, Australia, Korea.

Other information This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications

and amendments).

Not available.

National regulations

15.2. Chemical safety

See attached SUMI or GEIS document, if applicable.

assessment

Material name: CH116Series SDS Belgium

SECTION 16: Other information

Not available. References Not available. Information on evaluation

method leading to the classification of mixture

Revision information Composition/Information on Ingredients

SECTION 8: Exposure controls/personal protection: - Hand protection

GHS: Qualifiers

Training information

Not available.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Issue date 28-Aug-2013

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

Superfund Amendments and Reauthorization Act of 1986 **SARA**

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Manufacturer information HP Inc.

1501 Page Mill Road

Palo Alto, CA 94304-1112 US Product Information 1-800-925-0563

Material name: CH116Series SDS Belgium 10 / 10

Safe Use of Mixture Information (SUMI)

--

UV digital printing inks: UV01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.
	Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides
	guidelines to ensure acceptable air quality in the workspace.
	Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS.
	Avoid direct contact.
	Regular cleaning of equipment and work area.
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions foll
Diek managament magazura	

Risk management measures

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store in a well-ventilated place.

Keep container tightly closed.

Store at room temperature.





Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.

The product is classified as toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.