

## SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**Trade name or** CH168Series

designation of the mixture

Registration number -

Synonyms ColorSpan 0900700-101

**Issue date** 11-Mar-2016

Version number 01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesInkjet printing.Uses advised againstNone known.Company identificationHP France SAS

1 ave Du Canada, Building A

Les Ulis France 91947

Telephone 0 820 211 211

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Emergency number + 33 (0)1 45 42 59 59

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2
Carcinogenicity Category 2

**Environmental hazards** 

Hazardous to the aquatic environment, Category 3

long-term aquatic hazard

#### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 2-pyrrolidone, Alkyldiol, Diethanolamine, Dyes, Glycerol, Glycerol Ethoxylate, Isopropyl alcohol,

Minor Ingredients, Water

Hazard pictograms None.

Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label

information

None.

**2.3. Other hazards** Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation.

Material name: CH168Series SDS France

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

		_
General	inform	ation

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
2-pyrrolidone	<15	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319				
Dyes	1-5	Proprietary -	-	-	
Classification:	-				
Alkyldiol	<5	Proprietary -	01-2119987321-35-XXXX	-	
Classification:	Skin Irrit. 2;H315, Eye I	rrit. 2;H319, STOT	SE 3;H335		
Glycerol Ethoxylate	<5	31694-55-0 500-075-4	-	-	
Classification:	-				
Isopropyl alcohol	<2.5	67-63-0 200-661-7	01-2119457558-25-XXXX	603-117-00-0	
Classification:	Flam. Liq. 2;H225, Eye	Irrit. 2;H319, STOT	SE 3;H336		
Diethanolamine	<2	111-42-2 203-868-0	-	603-071-00-1	
Classification:	-				
Glycerol	<2	56-81-5 200-289-5	-	-	
Classification:	Eye Irrit. 2;H319				
Minor Ingredients	<1		-	-	
Classification:	-				
Water	Balance	7732-18-5 231-791-2	-	-	
Classification:	-	231-/31-7			

# **SECTION 4:** First aid measures

**General information** Not available.

## 4.1. Description of first aid measures

**Inhalation** In case of accident by inhalation: remove casualty to fresh air and keep at rest. If symptoms

persist, get medical attention.

**Skin contact** In case of contact, immediately remove contaminated clothing and flush skin with copious amounts

of water.

Wash clothing separately before reuse.

**Eye contact** In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Get medical attention if irritation develops or persists.

Material name: CH168Series SDS France

**Ingestion** Rinse mouth out with water. Give several glasses of water. If the material is swallowed, get

immediate medical attention or advice -- Do not induce vomiting. If symptoms persist, get medical

attention.

4.2. Most important symptoms and effects, both

acute and delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment

needed

Not available.

## **SECTION 5: Firefighting measures**

**General fire hazards** Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Use any media suitable for the surrounding fires.

Unsuitable extinguishing

media

Not available.

5.2. Special hazards arising from the substance or

mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

Wear suitable protective equipment.

procedures

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Avoid contact with skin. Do not touch or walk through spilled material. Use personal protective equipment to minimize exposure to skin and eye.

For emergency responders

Not available.

6.2. Environmental

precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for

containment and cleaning up

6.4. Reference to other

sections

Bio

Clean-up methods - small spillage

Not available.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists of this product. Use personal protective equipment as required. Use only with adequate ventilation. When using, do not

eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed in a dry, cool and well-ventilated place. Store at room temperature. Do not handle or store near an open flame, heat or other sources of ignition.

7.3. Specific end use(s) Not available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## **Occupational exposure limits**

France. Threshold Limit Components	Values (VLEP) for Occupational Expos Type	sure to Chemicals in Franco Value	e, INRS ED 984 Form
Diethanolamine (CAS 111-42-2)	VME	15 mg/m3	
		3 ppm	
Glycerol (CAS 56-81-5)	VME	10 mg/m3	Aerosol.
Isopropyl alcohol (CAS 67-63-0)	VLE	980 mg/m3	
•		400 ppm	
ogical limit values	No biological exposure limits noted for	the ingredient(s).	

SDS France Material name: CH168Series 10894 Version No.: 01 Print date: 11-Mar-2016

**Recommended monitoring** 

procedures

Not available.

**Derived no-effect level (DNEL)** 

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
		Dermal	167 mg/kg bw/d	Systemic acute short term
		Inhalation	17.1 mg/m3	Systemic long term
		Oral	5.2 mg/kg bw/d	Systemic long term
		Oral	33.3 mg/kg bw/d	Systemic acute short term
	Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
		Dermal	10 mg/kg bw/d	Systemic long term
		Inhalation	57.8 mg/m3	Systemic long term

Predicted no effect concentrations (PNECs)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittant	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plant

8.2. Exposure controls

**Appropriate engineering** 

controls

Not available.

Individual protection measures, such as personal protective equipment

**General information** Not available.

**Eye/face protection** Wear safety glasses; chemical goggles (if splashing is possible). Eye wash fountain and emergency

showers are recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. - Other Wear appropriate chemical resistant clothing.

Under normal conditions, respirator is not normally required. Respiratory protection

Provide adequate ventilation.

Thermal hazards Not available.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin,

eyes and clothing.

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling

the product.

Launder contaminated clothing before reuse.

**Environmental exposure** 

controls

Not available.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

**Physical state** Liquid. Color Cyan

Odor slight solvent **Odor threshold** Not available.

7 - 9

Melting point/freezing point Initial boiling point and

Not available.

boiling range

212 °F (100 °C)

Flash point Not flammable Not available. **Evaporation rate** Flammability (solid, gas) Not available.

Material name: CH168Series

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

Not available. Vapor pressure

Solubility(ies)

Soluble Solubility (water) Solubility (other) Not available. Not available. **Partition coefficient** 

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** Not available. Not available. **Explosive properties** Oxidizing properties Not available.

9.2. Other information

**Chemical family** Water/Glycol/Dye Blend

VOC (Weight %) 161.2 g/L

## **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

None known.

10.4. Conditions to avoid Avoid high temperatures. 10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous

Not available.

decomposition products

## **SECTION 11: Toxicological information**

**General information** Not available.

11.1. Information on toxicological effects

Skin corrosion/irritation Serious eye damage/eye Not available.

irritation

Not available.

**Respiratory sensitization** 

Not available. Not available. Not available.

Germ cell mutagenicity Carcinogenicity

Skin sensitization

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Diethanolamine (CAS 111-42-2)

2B Possibly carcinogenic to humans.

Reproductive toxicity Not available. Specific target organ toxicity

Not available.

- single exposure

Specific target organ toxicity

- repeated exposure

Not available.

Not available. **Aspiration hazard** 

**Components Species Test Results** 

2-pyrrolidone (CAS 616-45-5)

**Acute** 

Oral

LD50 Guinea pig 6500 mg/kg

> 6500 mg/kg Rat

Material name: CH168Series SDS France

Components	Species	Test Results
Diethanolamine (CAS 111-42-2)		
Acute		
Dermal		
LD50	Rabbit	11.9 ml/kg
Oral		
LD50	Rat	710 mg/kg
		1.82 g/kg
Other		
LD50	Mouse	2300 mg/kg
Isopropyl alcohol (CAS 67-63-0)	)	
Acute		
Dermal		
LD50	Rabbit	12800 mg/kg
Oral		
LD50	Dog	4797 mg/kg
	Mouse	3600 mg/kg
	Rabbit	5.03 g/kg
	Rat	4.7 g/kg
Other		
LD50	Mouse	1509 mg/kg
	Rat	1099 mg/kg
Mixture versus substance information	Not available.	
Other information	Complete toxicity data are not available for this specific formulation	

# **SECTION 12: Ecological information**

12.1. Toxicity	Contains no substances known to be hazardous to the environment or not degradable in waste
	water treatment plants.

Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Diethanolamine (CAS 111-42-2	)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	61.8 - 86.04 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	100 mg/l, 96 hours
Glycerol (CAS 56-81-5)			
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	51000 - 57000 mg/l, 96 hours
Isopropyl alcohol (CAS 67-63-0	))		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours
Acute			
Algae	EC50	Algae	> 1000 mg/l, 72 hours
Crustacea	EC50	Daphnia	13299 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	9460 mg/l, 96 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		

Material name: CH168Series SDS France

Partition coefficient

n-octanol/water (log Kow)

2-pyrrolidone-0.85Diethanolamine-1.43Glycerol-1.76Isopropyl alcohol0.05

**Bioconcentration factor (BCF)** Not available. **12.4. Mobility in soil** Not available.

**12.5. Results of PBT** Not a PBT or vPvB substance or mixture.

and vPvB assessment

**12.6. Other adverse effects** Not available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual wasteNot available.Contaminated packagingNot available.EU waste codeNot available.

**Disposal** Dispose of in compliance with federal, state, and local regulations. Do not allow this material to

**methods/information** drain into sewers/water supplies.

### **SECTION 14: Transport information**

#### DOT

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

#### **ADR**

Not regulated as dangerous goods.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

#### **Authorizations**

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Material name: CH168Series SDS France

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

#### Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not regulated.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Diethanolamine (CAS 111-42-2)

Directive 94/33/EC on the protection of young people at work

Diethanolamine (CAS 111-42-2)

**National regulations** Not available. Not available. 15.2. Chemical safety

assessment

classification of mixture

## **SECTION 16: Other information**

References Not available. Not available. Information on evaluation method leading to the

**Issue date** 11-Mar-2016

**Revision information** 1. Product and Company Identification: Alternate Trade Names

Composition/Information on Ingredients

**Training information** Not available.

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

**Manufacturer information** HP Inc.

1501 Page Mill Road

Palo Alto, CA 94304-1112 US

Product Information 1-800-925-0563

SDS France Material name: CH168Series

10894 Version No.: 01 Print date: 11-Mar-2016 8/9

### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

**CERCLA** Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

**IARC** International Agency for Research on Cancer

**NIOSH** National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

**TSCA** Toxic Substances Control Act VOC Volatile Organic Compounds

List of abbreviations Not available.

Material name: CH168Series SDS France 9/9

## Safe Use of Mixture Information (SUMI)

--

## Solvent based inks: SB01 \*English\*

#### Disclaime

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures.  Use of an integrated local exhaust ventilation is required in drying zone.  Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace.
	Use explosion proof electrical equipment. Keep emissions below the occupational exposure limits of the ingredients specified in section 8 of the SDS. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions followed.
Disk managament maggures	Tonowed.

#### Risk management measures

#### Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear safety glasses with side shields (or goggles), if splashing is possible.

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.











#### Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Store in a well-ventilated place.

Keep container tightly closed.

Store at room temperature.







#### Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

#### Use descriptors

S-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

#### Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.